astro

Lighting Catalogue

2021 / 22

Lighting Catalogue

2021 / 22

Welcome to the Astro lighting catalogue featuring a selection of contemporary lighting solutions available to wholesalers and trade professionals.

For more information on the products featured or to view the entire Astro Professional range, visit **astrolighting.com**

astro

Different by Detail

Established since 1997

Astro is a UK lighting designer and manufacturer with over 20 years of industry experience. Using the best possible materials and techniques, we develop and supply a comprehensive range of lighting for hospitality, residential and commercial projects, alongside a responsive service built on reliability and trusted performance.

Designed in-house

Recognised for enduring quality and timeless aesthetics, Astro products are designed in the UK balancing high-performance with a commitment to sustainability. Obsessive over the details, we are driven by a passion for good, uncomplicated design materialised through clean lines and contemporary finishes.

Quality engineering

Our in-house team of engineers meticulously tests every product, from the durability of materials to the ease of installation. We believe every product should be made to last and we pride ourselves on delivering innovative and efficient solutions you can trust.

Specialist aftercare

We are proud to have a network of valued partners and offer a wealth of supporting materials and resources. From extended warranties to installation or aftercare advice, our experienced team based in the UK are always on hand to share their comprehensive knowledge.



Milo in Gloss Glaze White, P.84

Contents

Bathroom Lighting

Bathroom Lighting Zones	16
Wall	18
Mirror mounting kit	34
Illuminated mirror	36
Pendant	40
Ceiling	40
Downlight	50
Spotlight	50

Interior Lighting

Wall	60
Plaster & Ceramic	72
Glass	88
Picture	90
Marker	92
Table & Floor	94
Ceiling	102
Pendant	104
Downlight	108
Spotlight	124

Exterior Lighting

Wall	132
Wall & Ground	154
Bollard	162
Pendant	162
Ceiling	162

Accessories

LED Drivers	172
Lamps	174
LED Modules	175

Additional Information

Specials	176
Casambi information	176
Finishes & Swatches	177
Symbols	177
Index	178
Design Rights	184

Product Overview

Bathroom

Artemis
P.20

Sparta
P.20

Palermo
P.21

Romano
P.21

Axios
P.22

Altea
P.22

Versailles
P.23

Boston
P.24

Mashiko
P.24

Monza
P.25

Ottavino Wall
P.25

Cabaret
P.26

Tube
P.26

Roma
P.27

Anton
P.27

Cube
P. 28

Zeppo Wall
P.28

Kappa
P.29

Epsilon
P.29

Bari
P.30

Taketa
P.30

Verona
P.31

Kyoto
P.31

Dio
P.32

Kashima
P.32

Padova
P.33

Dayton
P.33

Tango
P.34

Mirror Mounting Kit
P.34

Imola
P.38

Avlon 900
P.38

Avlon 1200
P.38

Mascali Round
P. 39

Mascali Square
P.39

Catena
P.39

Ottavino Pendant
P.42

Kyoto Pendant
P.42

Taketa LED
P.43

Mashiko Square
P.44

Mashiko Round
P.45

Mallon
P.46

Denia
P.46

Dakota
P.47

Sabina 280
P.47

Sabina 170
P. 47

Sabina Square
P.47

Zeppo Ceiling
P.48

Denver
P.48

Pinhole Round
P.52

Pinhole Square
P.52

Trimless Round
P.52

Trimless Square
P.52

Void
P.53

Minima Round
P.54

Minima Square
P.54

Vetro Round
P.55

Vetro Square
P.55

Vetro Twin
P.55

Kos Round
P.56

Kos Square
P.56

Aqua Recess
P.57

Aqua Single
P.57

Aqua Triple Round
P.57

Aqua Triple Bar
P.57

Interior

Ashino
P.62

Cremona
P.62

Kinzo
P.63

Hashira
P.64

Yuma
P.65

Atelier Wall
P.66

Atelier Grande
P.66

Joel Wall
P.67

Joel Grande
P.67

Ascoli Swing
P.68

Micro Recessed
P.68

Lucca Recessed
P.69

Lucca Surface
P.69

Enna Surface LED
P.70

Enna Surface USB
P.70

Fuse 3
P.71

Fuse USB
P.71

Amat 320
P.74

Amas 320
P.74

Velo
P.75

Shadow
P.75

Parma
P.76

Rio
P.77

Pella
P.78

Pienza
P.78

Koza
P.79

Serifos
P.79

Brenta
P.80

Bologna
P.80

Kymi
P.81

Blend
P.81

Pero
P.82

Mosto
P.82

Parallel
P.83

Gosford
P.83

Milo
P.84

Aria
P.84

Amalfi
P.85

Kyo
P.85

Eclipse Round
P.87

Eclipse Square
P.87

Cyl
P.88

Tokyo
P.88

Luga
P.89

Obround
P.89

Mondrian Wall
P.91

Mondrian Frame
P.91

Borgo
P.93

Ascoli Desk
P.96

Ascoli Floor
P.96

Atelier Desk
P.97

Joel Table
P.97

Joel Grande Table
P.98

Joel Floor
P.98

Marasino
P.100

Limina
P.100

Cut
P.101

Cambria
P.104

Ginestra
P.104

Atelier Pendant
P.105

Joel Pendant
P.105

Zeppo Pendant
P.106

Osca Pendant
P.106

Hashira Pendant
P.107

Trimless Round
P.112

Trimless Square
P.113

Blanco Round
P.114

Blanco Square
P.114

Proform Round
P.115

Proform Square
P.115

Pinhole Round
P.116

Pinhole Square
P.116

Aprilia Round
P.117

Aprilia Square
P.117

Minima Round
P.118

Minima Square
P.119

Taro Round
P.120

Taro Square
P.121

Yuma Surface
P.122

Kinzo 140
P.122

Hashira Surface
P.123

Shadow Surface
P.123

Lynx
P.126

Lynx Recessed
P.126

Can Single
P.126

Can Recessed
P.126

Track Spotlights
P.127

Apollo Single
P.128

Apollo 100 Recessed
P.128

Apollo Twin
P.128

Apollo Triple Bar
P.128

Apollo Four Bar
P.128

Apollo Five Bar
P.128

Ascoli Single
P.129

Ascoli Single Switched
P.129

Ascoli Recessed
P.129

Ascoli Flush
P.129

Ascoli Twin
P.129

Ascoli Triple Round
P.129

Ascoli Triple Bar
P.129

Ascoli Four Bar
P.129

Ascoli Five Bar
P.129

Exterior

Homefield
P.134

Salerno
P.134

Messina
P.135

Messina Frosted
P.135

Puzzle
P.135

Harvard Wall
P.136

Harvard 500
P.136

Harvard Lantern
P.137

Box Lantern
P.137

Coach
P.138

Farringdon
P.138

Calvi Wall
P.139

Richmond Wall Lantern
P.139

Richmond Wall
P.140

Newbury
P.140

Pimlico
P.141

Dafni
P.141

Montparnasse Wall
P.142

Cabin Wall
P.142

Stornoway
P.143

Portree Wall
P.143

Kea Round
P.144

Kea Square
P.144

Toronto
P.144

Malibu
P.145

Thurso
P.145

Ava
P.146

Jura
P.146

Oslo
P.147

Chios
P.147

Elis
P.148

Dartmouth
P.148

Dunbar
P.149

Jura Single Spot
P.149

Bayville Single
P.150

Bayville Twin
P.150

Incline
P.150

Mast
P.151

Eclipse
P.151

Soprano Wall
P.152

Tango
P.152

Tivola
P.153

Arran Round
P.153

Arran Square
P.153

Cromarty
P.156

Beam
P.156

Gramos Round
P.157

Gramos Square
P.157

Terra Round
P.157

Terra Square
P.157

Bayville Spike Spot
P.158

Bayville Spike 900
P.158

Myos
P.159

Skye Spike Spot
P.159

Jura Spike Spot
P.160

Soprano Bollard
P.160

Homefield Pedestal
P.161

Kuro
P.161

Homefield Pendant
P.164

Harvard Pendant
P.165

Richmond Pendant
P.165

Calvi Pendant
P.166

Portree Pendant
P.166

Montparnasse Pendant
P.167

Homefield Ceiling
P.167

Box
P.168

Bronte
P.168

Kos Round
P.169

Kos Square
P.169

Jura Surface
P.170

Solway Round
P.170

Solway Square
P.170

Bathroom

Caberet 4 in Matt Black, P.26

Bathroom Lighting Regulations

Zone 1

Light fittings in this zone must be a minimum rating of IP44 (or IPX4) spray proof, however Astro Lighting recommends a higher rating of IP65 (or IPX5).

Zone 2

Light fittings in Zone 2 must be splash-proof. Look for an IP number of IP44 (or IPX4) or higher.

Zone 3

There are no special requirements in this zone in the United Kingdom. In Ireland, Zone 3 requires IP rated products.

N.B. These regulations apply to domestic applications only, according to IEE Wiring Regulations (17th Edition), BS 7671: 2008. For non-domestic applications, please refer to your electrician.

- Zone 1 - IP65 (or IPX5)
- Zone 2 - IP44 (or IPX4)
- Zone 3 - IP20

All Zones:

Any electrical circuits in the bathroom must be protected by a 30mA Residual Current Device (RCD). Electrical equipment exposed to water-jets, e.g. for cleaning purposes, must be at least IP65 (IPX5).

Boston 600 in Polished Chrome, P.24

Wall lights

Artemis
P.20

Sparta
P.20

Palermo
P.21

Romano
P.21

Axios
P.22

Altea
P.22

Versailles
P.23

Boston
P.24

Mashiko
P.24

Monza
P.25

Ottavino Wall
P.25

Cabaret
P.26

Tube
P.26

Roma
P.27

Anton
P.27

Cube
P.28

Zeppo Wall
P.28

Kappa
P.29

Epsilon
P.29

Bari
P.30

Taketa
P.30

Verona
P.31

Kyoto
P.31

Dio
P.32



Kashima
P.32

Padova
P.33

Dayton
P.33

Tango
P.34

Mirror Mounting Kit
P.34

Artemis

ZONES ❷❸ LED





Installation: horizontal / vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
600	PCh	1308006	Integral LED	12.6W	Mains 230V	3000	80	604	44	☐	✔
900	PCh	1308007	Integral LED	17.6W	Mains 230V	3000	80	874	44	☐	✔
1200	PCh	1308014	Integral LED	22.7W	Mains 230V	3000	80	1275	44	☐	✔



Artemis 600



Artemis 900



Artemis 1200

Sparta

ZONES ❷❸ LED

Installation: horizontal / vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
600	PCh	1322006	Integral LED	11.5W	Mains 230V	3000	80	584	44	☐	✔
900	PCh	1322007	Integral LED	17.7W	Mains 230V	3000	80	919	44	☐	✔
1200	PCh	1322011	Integral LED	22.7W	Mains 230V	3000	80	1257	44	☐	✔



Sparta 600



Sparta 900



Sparta 1200

All products on this page can be mirror-mounted, see P.34

Palermo

ZONES 2 3 LED

Installation: horizontal / vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
600	PCh	1084021	Integral LED	8.1W	Mains 230V	3000	80	364	44	☐	✓
900	PCh	1084022	Integral LED	13.6W	Mains 230V	3000	80	650	44	☐	✓
1200	PCh	1084023	Integral LED	19.5W	Mains 230V	3000	80	956	44	☐	✓



Palermo 600



Palermo 900



Palermo 1200

Romano

ZONES 2 3 LED



Installation: horizontal / vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
600	PCh	1150015	Integral LED	8.3W	Mains 230V	3000	80	399	44	☐	✓
900	PCh	1150016	Integral LED	13.8W	Mains 230V	3000	80	686	44	☐	✓
1200	PCh	1150017	Integral LED	19.6W	Mains 230V	3000	80	1028	44	☐	✓



Romano 600



Romano 900



Romano 1200

All products on this page can be mirror-mounted, see P.34

Axios

ZONES 2 3 LED

1307008

1307014


1307009

1307007

Installation: horizontal / vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class
300	PCh	1307009	Integral LED	5.9W	Mains 230V	3000	80	205	44	☐ ✓
600	PCh	1307007	Integral LED	12.8W	Mains 230V	3000	80	436	44	☐ ✓
900	PCh	1307008	Integral LED	17.8W	Mains 230V	3000	80	676	44	☐ ✓
1200	PCh	1307014	Integral LED	22.7W	Mains 230V	3000	80	1282	44	☐ ✓



Axios 300



Axios 600



Axios 900



Axios 1200

Altea

ZONES 2 3 LED

1133006

1133005

1133006



Altea 360



Altea 500

Installation: horizontal / vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class
360	PCh	1133005	Integral LED	15.6W	Mains 230V	3000	80	650	44	☐ ✓
500	PCh	1133006	Integral LED	20.3W	Mains 230V	3000	80	858	44	☐ ✓

All products on this page can be mirror-mounted, see P.34

Versailles

ZONES 2 3 LED

1380012

1380030


1380025

1380014

1380031

1380011

Installation: vertical wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
250	PCh 1380024	Br 1380025	MG 1380026	Integral LED	4.5W	Mains 230V	3000	80	320	44	☐	Phase	✔
370	PCh 1380013	Br 1380014		Integral LED	14W	Mains 230V	3000	80	609	44	☐	-	✔
400	PCh 1380029	Br 1380030	MG 1380031	Integral LED	7.1W	Mains 230V	3000	80	658	44	☐	Phase	✔
600	PCh 1380011	Br 1380012		Integral LED	25W	Mains 230V	3000	80	1078	44	☐	-	✔



Versailles 250



Versailles 370



Versailles 400



Versailles 600

All products on this page can be mirror-mounted, see P.34

Boston

ZONES 2 3 LED

1370004

1370005

1370002

1370004



Boston 370



Boston 600

Installation: vertical wall mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class	
370	PCh	1370002	Br	1370004	Integral LED	14W	Mains 230V	3000	80	465	44	☐	✓
600	PCh	1370003	Br	1370005	Integral LED	21.9W	Mains 230V	3000	80	811	44	☐	✓

Mashiko

ZONES 2 3 LED

Also in the collection: Mashiko Square P.44, Mashiko Round P.45

1121060

1121066

1121037


1121058



Mashiko 360



Mashiko 600



Mashiko 900

Installation: horizontal / vertical wall mount								Lamp	Watt	Input	K	CRI	Lm	IP	Class		
360 Classic	PCh	1121006	MG	1121037	Br	1121055		LED Candle E14/SES▾	2 x 7W max	Mains 230V	-	-	-	44	⏚	✓	✓
360 LED	PCh	1121018	MN	1121065	Br	1121060		Integral LED	7.8W	Mains 230V	3000	80	525	44	☐	-	✓
600 LED	PCh	1121020	Br	1121058				Integral LED	10.6W	Mains 230V	3000	80	658	44	☐	-	✓
900 LED	PCh	1121066						Integral LED	33.8W	Mains 230V	2700	80	1458	44	☐	-	✓

All products on this page can be mirror-mounted, see P.34

▾ Lamp excluded, see P.174

Monza

ZONES 2 3



Monza

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh **1194003**	LED E27/ES▾	12W max	Mains 230V	44	☐	✔	✔

Ottavino wall

ZONES 2 3

Also in the collection: Ottavino Pendant P.42



Ottavino wall

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh **1411001**	LED Candle E14/SES▾	5W max	Mains 230V	44	⏚	✔	✔

Monza can be mirror-mounted, see P.34

▾ Lamp excluded, see P.174

Cabaret

ZONES ❷❸



Cabaret 4 Cabaret 5

Installation: horizontal / vertical wall mount				Lamp	Watt	Input	IP	Class		
4	PCh	1087009	MB 1087007	LED G9▾	4 x 3W max	Mains 230V	44	☐	✔	✔
5	PCh	1087010	MB 1087008	LED G9▾	5 x 3Wmax	Mains 230V	44	☐	✔	✔

Tube

ZONES ❷❸



Tube

Installation: vertical wall mount		Lamp	Watt	IP	Class		
PCh	1021001	LED Candle E14/SES▾	7W max	44	☐	✔	✔

Tube can be mirror-mounted, see P.34

▾ Lamp excluded, see P.174

Roma

ZONES 2 3

1050010

1050001

1050005

1050006

1050007

1050008

1050009



Roma

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh 1050001 MN 1050005 Br 1050006 MB 1050007	LED G9▾	3W max	Mains 230V	44	☐	✔	✔
MW 1050008 PCo 1050010 MG 1050009							

Anton

ZONES 2 3

1106001

1106001



Anton

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh 1106001	LED Candle E14/SES▾	7W max	Mains 230V	44	☐	✔	✔

Roma can be mirror-mounted, see P.34

▾ Lamp excluded, see P.174

Cube

ZONES ❷❸

1140001

1140001



Cube

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh 1140001	LED G9▾	3W max	Mains 230V	44	☐	✔	✔

Zeppo Wall

ZONES ❷❸

Also in the collection: Zeppo Ceiling P.48, Zeppo Pendant P.106

1176004

1176004



Zeppo wall

Installation: wall mount	Lamp	Watt	IP	Class		
WG 1176004	LED G9▾	3W max	44	☐	✔	✔

▾ Lamp excluded, see P.174

Kappa

ZONES ❷❸ LED





Kappa

Installation: downlight / uplight wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class
PCh 1151003	MB 1151004	Integral LED	3.4W	Mains 230V	3000	90	98	44	✔

Epsilon

ZONES ❷❸ LED



Epsilon

Installation: downlight / uplight wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class
PCh 1124004	MB 1124007	Integral LED	3.4W	Mains 230V	3000	90	83	44	✔

▼ Lamp excluded, see P.174

Bari

ZONES 2 3



Bari

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh 1047001 MN 1047004 Br 1047005 MB 1047006 MW 1047007 MG 1047008 PCo 1047009	LED G9▾	3W max	Mains 230V	44	☐	✔	✔

Taketa

ZONES 2 3

Also in the collection: Taketa Ceiling P.43



Taketa

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh 1169001	LED Candle E14/SES▾	7W max	Mains 230V	44	☐	✔	✔

▾ Lamp excluded, see P.174

Verona

ZONES 2 3

1147001

1147001



Verona

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
PCh	1147001	LED Candle E14/SES▾	7W max	Mains 230V	44	☐	✔	✔

Kyoto LED

ZONES 2 3 LED

Also in the collection: Kyoto Pendant P.42

1060006

1060013



Kyoto LED

Installation: vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class
PCh	1060006	MB 1060013	Integral LED	7.9W	Mains 230V	2700	80	318	44	☐ ✔

▾ Lamp excluded, see P.174

Dio

ZONES ❷❸ LED



Installation: horizontal/vertical wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class	
PCh	1305006	Integral LED	6.4W	Mains 230V	3000	80	320	44	☐	✔



Dio

Kashima

ZONES ❷❸ LED

Installation: horizontal wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
350 LED	PCh	1174003	Integral LED	4.5W	Mains 230V	3000	80	165	44	☐	✔
620 LED	PCh	1174004	Integral LED	8.2W	Mains 230V	3000	80	387	44	☐	✔



Kashima 350



Kashima 620

Padova

ZONES ❷❸

Installation: horizontal wall mount	Lamp	Watt	Input	IP	Class		
PCh **1143001**	LED G9▾	2 x 3W max	Mains 230V	44	☐	✔	✔



Padova

Dayton

ZONES ❷❸



Dayton

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
PCh **1044001**	LED G9▾	2 x 3W max	Mains 230V	44	☐	✔	✔

▾ Lamp excluded, see P.174

Tango

ZONES 1 2 3 LED

1175002

1175005

1175004

1175001



Tango

Installation: wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
BSS 1175002	MW 1175001	TB 1175004	PSS 1175005	Integral LED	1W	350mA CC▼	3000	90	23	65	III	Ø64	✔

Mirror Mounting Kit



Mirror Mounting Kit 1
For use with: Tube & Roma



Mirror Mounting Kit 2
For use with: Palermo, Romano, Mashiko, Axios, Sparta, Artemis, Monza, Versailles, Altea 360 & 500 & Boston.

								Dimensions
Kit 1	PCh	PCo	Br	MN	MW	MB	6001003	Ø80mm D:12mm
Kit 2	PCh						6001002	Ø25mm D:21mm

▼ Driver excluded, see P.172

Roma in Matt Black, P.27

Mascali Round in Matt Nickel, P.39

Illuminated mirrors

Imola
P.38

Avlon 900
P.38

Avlon 1200
P.38

Mascali Round
P.39

Mascali Square
P.39

Catena
P.39

Imola

ZONES 2 3 LED



Imola

Installation: vertical wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class	
Mi	1071015	Integral LED	26.9W	Mains 230V	3000	80	415	44		✔

Avlon

ZONES 2 3 LED



Avlon 900 LED

Avlon 1200 LED

Installation: horizontal/vertical wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class	
900 LED	Mi 1359017	Integral LED	24.6W	Mains 230V	3000	80	286	44		✔
1200 LED	Mi 1359016	Integral LED	25.1W	Mains 230V	3000	80	460	44		✔

Mascali

ZONES 2 3 LED

1373011

1373006

1373003

Installation: horizontal wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°
Round LED	PCh **1373001**	MN **1373006**	MB **1373011**	Integral LED	7.4W	Mains 230V	2700	90	110	44	☐	✔	✔
Square LED	PCh **1373003**			Integral LED	7.2W	Mains 230V	2700	90	99	44	☐	✔	✔



Mascali Round LED



Mascali Square LED

Catena

ZONES 2 3 LED

1137003

1137003

1137003



Catena

Installation: wall mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°
PCh **1137003**	Integral LED	12.4W	Mains 230V	3000	80	216	44	☐	✔	✔

Kyoto Pendant in Polished Chrome, P.42

Pendants & Ceiling

Ottavino Pendant
P.42

Kyoto Pendant
P.42

Taketa LED
P.43

Mashiko Square
P.44

Mashiko Round
P.45

Mallon
P.46

Denia
P.46

Dakota
P.47

Sabina 280
P.47

Sabina 170
P.47

Sabina Square
P.47

Zeppo Ceiling
P.48

Denver
P.48

Ottavino Pendant

ZONES 2 3

Also in the collection: Ottavino Wall P.25

Ottavino Pendant

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
PCh	1411002	LED Candle E14/SES▾	5W max	Mains 230V	44	☐	✔	✔

Kyoto Pendant

ZONES 2 3 LED

Also in the collection: Kyoto Wall P.31

Kyoto Pendant

Installation: ceiling mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class	
PCh	1060007	MN	1060008	Integral LED	7.8W	Mains 230V	3000	80	411	44	☐	✔

▾ Lamp excluded, see P.174

Taketa

ZONES 2 3 LED

Also in the collection: Taketa Wall P.30

1169010

1169015

1169020

1169018

Installation: ceiling mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
300 LED	PCh **1169010**			Integral LED	16.3W	Mains 230V	2700	80	834	44		-	✔
400 LED	PCh **1169014**	MN **1169015**	MW **1169020**	Integral LED	27.4W	Mains 230V	3000	83	2161	44		Phase	✔
400 Emergency Basic	PCh **1169018**	MN **1169019**	MW **1169022**	Integral LED	27.4W	Mains 230V	3000	83	2161	44		Phase	✔
400 Emergency Selftest	PCh **1169016**	MN **1169017**	MW **1169021**	Integral LED	27.4W	Mains 230V	3000	83	2161	44		Phase	✔



Taketa 300



Taketa 400

Mashiko Square

ZONES 2 3 LED

Also in the collection: Mashiko Wall P.24

1121062

1121056

1121005


1121010


1121013

Installation: ceiling mount

				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
200	PCh **1121009**	Br **1121056**		LED E27/ES▾	12W	Mains 230V	-	-	-	44		✔	✔
300 Classic	PCh **1121005**			LED E27/ES▾	2 x 12W	Mains 230V	-	-	-	44		✔	✔
300 LED	PCh **1121040**	Br **1121062**		Integral LED	16.3W	Mains 230V	2700	80	931	44		-	✔
400	PCh **1121010**	Br **1121013**		LED E27/ES▾	4 x 12W	Mains 230V	-	-	-	44		✔	✔
400 LED	PCh **1121067**	Br **1121069**		Integral LED	27.4W	Mains 230V	3000	80	2458	44		Phase	✔

Emergency

400 LED Basic	PCh **1121075**	Br **1121076**	Integral LED	31.2W	Mains 230V	3000	80	2438	44		Phase	-
400 LED Selftest	PCh **1121072**	Br **1121074**	Integral LED	31.2W	Mains 230V	3000	80	2438	44		Phase	-



Mashiko Square 200



Mashiko Square 300 / LED



Mashiko Square 400 / Emergency

▾ Lamp excluded, see P.174

Mashiko Round

ZONES 2 3 LED

Also in the collection: Mashiko Wall P.24

1121026

1121021

1121041

1121045

Installation: ceiling mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		
230	PCh 1121021		LED E27/ES▾	12W max	Mains 230V	-	-	-	44	☐	✔	✔
300	PCh 1121041	Br 1121045	Integral LED	15.8W	Mains 230V	2700	80	996	44	☐	-	✔
300	PCh 1121017	Br 1121043	LED E27/ES▾	12W max	Mains 230V	-	-	-	44	☐	✔	✔
400	PCh 1121026		LED E27/ES▾	3 x 12W max	Mains 230V	-	-	-	44	☐	✔	✔



Mashiko Round 230



Mashiko Round 300



Mashiko Round 400

▾ Lamp excluded, see P.174

Mallon LED

ZONES ❷❸ LED

1125004

1125005

1125006



Mallon LED

Installation: ceiling mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class
PCh 1125004	MN 1125005	Br 1125006	Integral LED	16.2W	Mains 230V	2700	80	732	44	✔

Denia

ZONES ❷❸

1134001

1134001



Denia

Installation: ceiling mount	Lamp	Watt	Input	IP	Class	
PCh 1134001	LED Candle E14/SES▾	2 x 7W max	Mains 230V	44	✔	✔

▾ Lamp excluded, see P.174

Dakota

ZONES 2 3 LED

1129007

1129006

1129001



Dakota 180 Dakota 300 / LED

Installation: ceiling mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class		
180	PCh **1129006**	LED Candle E14/SES▾	7W max	Mains 230V	-	-	-	44	⏚	✔	✔
300	PCh **1129001**	E27/ES LED▾	12W max	Mains 230V	-	-	-	44	⧈	✔	✔
300 LED	PCh **1129007**	Integral LED	16.1W	Mains 230V	2700	80	748	44	⧈	-	✔

Sabina

ZONES 2 3


1292003

1292001

1292002



Sabina 170 Sabina 280 Sabina Square

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
170	PCh **1292001**	E27/ES LED▾	12W max	Mains 230V	44	⧈	✔	✔
280	PCh **1292003**	E27/ES LED▾	12W max	Mains 230V	44	⧈	✔	✔
Square	PCh **1292002**	E27/ES LED▾	12W max	Mains 230V	44	⧈	✔	✔

▾ Lamp excluded, see P.174

Zeppo Ceiling

ZONES 2 3

Also in the collection: Zeppo Wall P.28, Zeppo Pendant P.106



Zeppo Ceiling

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
PCh	1176001	E27/ES LED▾	12W max	Mains 230V	44	☐	✔	✔

Denver

ZONES 2 3



Denver

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
PCh	1038001	LED G9▾	3W max	Mains 230V	44	☐	✔	✔

▾ Lamp excluded, see P.174

Mashiko Square in Polished Chrome, P.44

Kos Round in Matt White, P.56

Downlights & Spotlights

Pinhole Round
P.52

Pinhole Square
P.52

Trimless Round
P.52

Trimless Square
P.52

Void
P.53

Minima Round
P.54

Minima Square
P.54

Vetro Round
P.55

Vetro Square
P.55

Vetro Twin
P.55

Kos Round
P.56

Kos Square
P.56

Aqua Recess
P.57

Aqua Single
P.57

Aqua Triple Round
P.57

Aqua Triple Bar
P.57

Pinhole

ZONES ❶❷❸

Also in the collection: Pinhole Round P.116, Pinhole Square P.116

1434007

1434001

1434002



Installation: ceiling mount			Lamp	Watt	Input	IP	Class		Recess depth			
Slimline* Round	MW	**1434001**	LED GU10▼	6W max	Mains 230V	65	⧈	Ø70	150	✔	✔	✔
Slimline* Square	MW	**1434002**	LED GU10▼	6W max	Mains 230V	65	⧈	Ø70	150	✔	✔	✔
Slimline* Round Flush	MW	**1434007**	LED GU10▼	6W max	Mains 230V	65	⧈	Ø62	150	✔	✔	✔

Trimless

ZONES ❶❷❸

Also in the collection: Trimless Round P.112, Trimless Square P.113

1248017

1248017

1248005



Installation: ceiling mount			Lamp	Watt	Input	IP	Class		Recess depth			
Slimline* Round	MW	**1248017**	LED GU10▼	6W max	Mains 230V	65	⧈	Ø79	150	✔	✔	✔
Square Fire-Rated	MW	**1248005**	LED GU10▼	6W max	Mains 230V	65	⧈	95x95	150	✔	✔	✔

* For more information on Slimline downlights and their benefits please see P.102

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▼ Lamp excluded, see P.174

Void

ZONES ❶❷❸ LED

1392001

1392002 + 1392014

1392018

1392012

1392011

1392019

1392017

Installation: ceiling mount

55

		Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth				
MW 1392017	MB 1392018	LED GU10▾	6W max	Mains 230V	-	-	-	65		Ø70	163	✔	✔	-	✔
MW 1392004		Integral LED	6.8W	700mA CC▾	2700	80	501	65		Ø70	163	✔	✔	25°	✔
MW 1392001		Integral LED	6.8W	700mA CC▾	3000	80	525	65		Ø70	163	✔	✔	25°	✔

80

MW 1392019	MB 1392016	LED GU10▾	6W max	Mains 230V	-	-	-	65		Ø98	163	✔	✔	-	✔
MW 1392002		Integral LED	8.8W	250mA CC▾	3000	80	877	65		Ø95	177	✔	✔	25°	✔
MW 1392009		Integral LED	8.8W	250mA CC▾	2700	93	611	65		Ø95	177	✔	✔	25°	✔
MW 1392010		Integral LED	8.8W	250mA CC▾	3000	93	653	65		Ø95	177	✔	✔	25°	✔
MW 1392012		Integral LED	8.8W	250mA CC▾	2700	80	840	65		Ø95	177	✔	✔	25°	✔

100

MW 1392003	Integral LED	12.7W	350mA CC▾	3000	80	1230	65		Ø117	190	✔	✔	25°	✔
MW 1392011	Integral LED	12.32W	350mA CC▾	2700	80	1219	65		Ø117	190	✔	✔	25°	✔

Accessories

55 Bezel	MB 1392013
80 Bezel	MB 1392014
100 Bezel	MB 1392015



Void 55 LED



Void 55 GU10



Void 80 LED



Void 80 GU10



Void 100 LED

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp/driver excluded, see P.172

Minima

ZONES ❶❷❸ LED

Also in the collection: Minima Round P.118, Minima Square P.119

1249017

1249039

1249036

1249012

Installation: ceiling mount

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth				
Round Fixed	MW 1249012	MB 1249017	LED GU10▼	6W max	Mains 230V	-	-	-	65		Ø76	150	✔	-	-	✔
Round Fixed LED	MW 1249023		Integral LED	6.1W	Mains 230V	2700	90	665	65		Ø86	150	Phase & 1-10V	✔	25°	✔
Square Fixed	MW 1249018		LED GU10▼	6W max	Mains 230V	-	-	-	65		Ø76	150	✔	-	-	✔
Square Fixed LED	MW 1249024		Integral LED	6.1W	Mains 230V	2700	90	678	65		86x86	150	Phase & 1-10V	✔	25°	✔

Slimline*

Round Fixed	MW 1249034	MB 1249035	LED GU10▼	6W max	Mains 230V	-	-	-	65		Ø86	150	✔	✔	-	✔
25	MW 1249036	MB 1249037	LED GU10▼	6W max	Mains 230V	-	-	-	65		Ø86	150	✔	✔	-	✔
Square Fixed	MW 1249038	MB 1249039	LED GU10▼	6W max	Mains 230V	-	-	-	65		86x86	150	✔	✔	-	✔



Minima Round Fixed GU10



Minima Round Fixed LED



Minima Square Fixed GU10



Minima Square Fixed LED



Minima Slimline Round Fixed



Minima Slimline 25



Minima Slimline Square

* For more information on Slimline downlights and their benefits please see P.102

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▼ Lamp excluded, see P.174

Vetro

ZONES ❶❷❸ LED

1254013

1254016

1254017

1254014

1254018

1254015

Installation: ceiling mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		
Round	Wh	1254013	Bk	1254016	Integral LED	6W	350mA CC▾	3000	80	629	65	III	Ø70	150	✔	✔
Square	Wh	1254014	Bk	1254017	Integral LED	6W	350mA CC▾	3000	80	629	65	III	Ø79	150	✔	✔
Twin	Wh	1254015	Bk	1254018	Integral LED	2 x 6W	350mA CC▾	3000	80	1232	65	III	160x80	150	✔	✔



Vetro Round | Vetro Square | Vetro Twin

▾ Driver excluded, see P.172

Kos

ZONES ❶❷❸ LED

More in the collection P.169

1326039

1326042

1326020

1326023

1326021

1326041

1326025

1326040

1326024

1326022

Installation: ceiling mount

Round

					Lamp	Watt	Input	K	CRI	Lm	IP	Class		
	MW 1326039	TB 1326040	TG 1326041	PCh 1326042	LED GU10▾	6W max	Mains 230V	-	-	-	65	⏚	✔	✔
100 LED	TB 1326023	TG 1326024	TW 1326025		Integral LED	5.9W	Mains 230V	3000	80	329	65	⧈	Phase	✔
140 LED	TB 1326017	TG 1326018	TW 1326019		Integral LED	11.9W	Mains 230V	3000	80	900	65	⧈	Phase	✔

Square

	MW 1326043	TB 1326044	TG 1326045	PCh 1326046	LED GU10▾	6W max	Mains 230V	-	-	-	65	⏚	✔	✔
100 LED	TB 1326026	TG 1326027	TW 1326028		Integral LED	5.9W	Mains 230V	3000	80	329	65	⧈	Phase	✔
140 LED	TB 1326020	TG 1326021	TW 1326022		Integral LED	11.9W	Mains 230V	3000	80	900	65	⧈	Phase	✔



Kos Round | Kos Round 100 LED | Kos Round 140 LED | Kos Square | Kos Square 100 LED | Kos Square 140 LED

▾ Lamp excluded, see P.174

Aqua

ZONES ❷❸

1393004 + 1393002 + 1393006 + 1393001

1393008

1393001

1393003

1393005

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		Recess depth		adj°	
Recessed	MW **1393007**	PCh **1393008**	LED GU10▾	6W max	Mains 230V	44	⧈	Ø44	40	✔	✔	✔
Single	MW **1393001**	PCh **1393004**	LED GU10▾	6W max	Mains 230V	44	⧈	-		✔	✔	✔
Triple Bar	MW **1393003**	PCh **1393006**	LED GU10▾	3 x 6W max	Mains 230V	44	⧈	-		✔	✔	✔
Triple Round	MW **1393002**	PCh **1393005**	LED GU10▾	3 x 6W max	Mains 230V	44	⧈	-		✔	✔	✔

Aqua Recessed

Aqua Single



Aqua Triple Round



Aqua Triple Bar

▾ Lamp excluded, see P.174

Interior

Hashira 400 in Matt Nickel, P.64

Wall lights

Ashino
P.62

Cremona
P.62

Kinzo
P.63

Hashira
P.64

Yuma
P.65

Atelier Wall / Grande
P.66

Joel Wall / Grande
P.67

Ascoli Swing
P.68

Micro Recessed
P.68

Lucca
P.69

Enna Surface LED
P.70

Enna Surface USB
P.70

Fuse 3 / USB
P.71

Amat 320
P.74

Amas 320
P.74

Velo
P.75

Shadow
P.75

Parma
P.76

Rio
P.77

Pella
P.78

Pienza
P.78

Koza
P.79

Serifos
P.79

Brenta
P.80

Bologna
P.80

Kymi
P.81

Blend
P.81

Pero
P.82

Mosto
P.82

Parallel
P.83

Gosford
P.83

Milo
P.84

Aria
P.84

Amalfi
P.85

Kyo
P.85

Eclipse
P.87

Cyl
P.88

Tokyo
P.88

Luga
P.89

Obround
P.89

Mondrian
P.91

Borgo
P.93

Ashino

1166001

1166002

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class			
Ashino	WF **1166001**	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	✔	✔	-
Ashino Wide	WF **1166002**	LED E27/ES ▾	12W max	Mains 230V	20	⏚	✔	-	✔

Ashino **Ashino Wide**

Cremona

1067001

1067001





Cremona

Installation: horizontal wall mount	Lamp	Watt	Input	IP	Class		
W **1067001**	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	✔	✔

▾ Lamp excluded, see P.174

Kinzo

LED

Also in the collection: Kinzo 140 P.122















Installation: wall mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		
110	TW 1398002	MN 1398003	TB 1398001	Br 1398004	Integral LED	5.9W	Mains 230V	2700	80	167-243	20		Phase	✔
210	TW 1398006	MN 1398007	TB 1398005	Br 1398008	Integral LED	11.6W	Mains 230V	2700	80	322-677	20		Phase	✔
260	TW 1398014	MN 1398015	TB 1398013	Br 1398016	Integral LED	15.1W	Mains 230V	2700	80	449-941	20		Phase	✔
300	TW 1398010	MN 1398011	TB 1398009	Br 1398012	Integral LED	11.7W	Mains 230V	2700	80	186-280	20		Phase	✔



Kinzo 110 Kinzo 210 Kinzo 260 Kinzo 300

Hashira 300 & 400

Also in the collection: Hashira Pendant P.107 and Hashira Surface P.123

Installation: vertical wall mount				Lamp	Watt	Input	IP	Class		
300	MB 1442001	MN 1442005	MG 1442006	LED GU10▾	2 x 6W max	Mains 230V	20	⏚	✔	✔
400	MB 1442002	MN 1442007	MG 1442008	LED GU10▾	2 x 6W max	Mains 230V	20	⏚	✔	✔



Hashira 300 Hashira 400

▾ Lamp excluded, see P.174

Yuma

LED

Also in the collection: Yuma Surface P.122

1399002


1399003


1399001

1399008

1399007

1399006

1399010

1399009

1399012

Installation: vertical wall mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		
120	TW 1399005	MN 1399007	TB 1399006	Br 1399008	Integral LED	7.6W	Mains 230V	2700	80	330-435	20		Phase	✔
240	TW 1399009	MN 1399011	TB 1399010	Br 1399012	Integral LED	15W	Mains 230V	2700	80	668-892	20		Phase	✔
300	TW 1399001	MN 1399003	TB 1399002	Br 1399004	Integral LED	11.8W	Mains 230V	2700	80	166-388	20		Phase	✔



Yuma 120 Yuma 240 Yuma 300

Atelier Wall

Also in the collection: Atelier Desk P.97 and Atelier Pendant P.105



Atelier Wall

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		adj°
MW 1224012	MB 1224013	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

Atelier Grande*

Also in the collection: Atelier Desk P.97 and Atelier Pendant P.105



Atelier Grande

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		adj°
MW 1224015	MB 1224016	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

* Supplied with removable plug and lead set

▾ Lamp excluded, see P.174

Joel Wall

Also in the collection: Joel Table P.97, Joel Grande Table P.98, Joel Floor P.98, Joel Pendant P.105



Joel Wall

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		adj°
Cr 1223015	MB 1223014	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

Joel Grande Wall*

Also in the collection: Joel Table P.97, Joel Grande Table P.98, Joel Floor P.98, Joel Pendant P.105



Joel Grande Wall

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		adj°
Cr 1223021*	MB 1223022	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

* Supplied with removable plug and lead set

▾ Lamp excluded, see P.174

Ascoli Swing

Also in the collection: Ascoli Desk/Floor P.96, Ascoli Track P.127 and Ascoli Spotlights P.129

1286066


1286088

1286067

1286065



Ascoli Swing

Installation: horizontal/vertical wall mount	Lamp	Watt	Input	IP	Class		adj°
TW 1286065 MN 1286066 Br 1286067 MB 1286088	LED GU10▾	6W max	Mains 230V	20	☐	✔	✔

Micro Recess Switched

LED

1407007

1407006

1407007

1407008

1407009

1407010



Micro Recess Switched

Installation: vertical wall mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		adj°
MW 1407006 MB 1407007 MN 1407008	Integral LED	3.4W	Mains 230V	2700	90	166	20	⏚	67x37	60	✔	✔
Br 1407009 MG 1407010												

▾ Lamp excluded, see P.174

Lucca

LED

1435009

1435003

1435001

1435002

1435009

1435010

1435003

1435004

1435011

1435012

Installation: vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		adj*
Surface	MB **1435001**	MN **1435002**	Integral LED	3.6W	Mains 230V	2700	90	124	20	⏚	-	-	✔	✔
	MG **1435003**	Br **1435004**												
Recessed	MB **1435009**	MN **1435010**	Integral LED	3.6W	Mains 230V	2700	90	124	20	⏚	Ø44	65	✔	✔
	Br **1435012**	MG **1435011**												



Lucca Surface



Lucca Recessed

* Lamp excluded, see P.174

Enna Surface LED

LED



Enna Surface LED

Installation: horizontal wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°
MN 1058013	PCh 1058014	MW 1058015	MB 1058027	Integral LED	4.5W	Mains 230V	2700	90	111	20	⏚	✔	✔
Br 1058084	MG 1058108												

Enna Surface USB

LED





Enna Surface USB

Installation: horizontal/vertical wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°
MB 1058153	MW 1058154	MN 1058155	MG 1058156	Integral LED	3.6W	Mains 230V	2700	90	134	20	⏚	✔	✔

Fuse 3 / USB

LED


1215085

1215081

1215084

1215083


1215127

1215123

1215122

1215125

Installation: horizontal/vertical wall mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		adj°
Fuse 3	MN	**1215125**	PCh	**1215124**	Integral LED	3.6W	Mains 230V	2700	90	151	20	⏚	180x54	60	✔	✔
	Br	**1215126**	MG	**1215127**												
	MW	**1215122**	MB	**1215123**												
Fuse 3 USB	MN	**1215084**	PCh	**1215083**	Integral LED	3.5W	Mains 230V	2700	90	185	20	⏚	180x54	60	✔	✔
	Br	**1215085**	MG	**1215103**												
	MW	**1215081**	MB	**1215082**												



Fuse 3



Fuse 3 USB

Parma 160 in Plaster, P.76

Plaster & Ceramic

Amat 320
P.74

Amas 320
P.74



Velo
P.75

Shadow
P.75

Parma
P.76

Rio
P.77

Pella
P.78

Pienza
P.78

Koza
P.79

Serifos
P.79

Brenta
P.80

Bologna
P. 80

Kymi
P.81

Blend
P.81

Pero
P.82

Mosto
P.82

Parallel
P.83

Gosford
P.83

Milo
P.84

Aria
P.84

Amalfi
P.85

Kyo
P.85

Eclipse Round
P.87

Eclipse Square
P.87

Amat 320



Amat 320

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
C	1432001	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

Amas 320



Amas 320

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
C	1431001	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Velo



Velo 280 Velo 390

Installation: horizontal wall mount			Lamp	Watt	Input	IP	Class		
280	P	1417001	LED E27/ES ▾	12W max	Mains 230V	20		✔	✔
390	P	1417002	LED E27/ES ▾	2 x 12W max	Mains 230V	20		✔	✔

Shadow



Shadow 150 Shadow 300

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
150	P	1414001	LED GU10 ▾	6W max	Mains 230V	20		✔	✔
300	P	1414002	LED GU10 ▾	2 x 6W max	Mains 230V	20		✔	✔

▾ Lamp excluded, see P.174

Parma

LED





Installation: horizontal/vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		
100 LED 2700K	P	**1187016**	Integral LED	3.9W	Mains 230V	2700	80	76	20	⏚	-	✔
100 LED 3000K	P	**1187004**	Integral LED	4W	Mains 230V	3000	80	104	20	⏚	-	✔
110	P	**1187009**	LED GU10 ▾	6W max	Mains 230V	-	-	-	20	⏚	✔	✔
160 LED 2700K	P	**1187014**	Integral LED	6.4W	Mains 230V	2700	80	155	20	⏚	-	✔
160 LED 3000K	P	**1187001**	Integral LED	6.4W	Mains 230V	3000	80	134	20	⏚	-	✔
200	P	**1187005**	LED Candle E14/SES ▾	7W max	Mains 230V	-	-	-	20	⏚	✔	✔
210	P	**1187003**	LED GU10 ▾	2 x 6W max	Mains 230V	-	-	-	20	⏚	✔	✔
210 LED 2700K	P	**1187019**	Integral LED	8W	Mains 230V	2700	80	550	20	⏚	Phase & 1-10V	✔
210 LED 3000K	P	**1187021**	Integral LED	7.7W	Mains 230V	3000	80	504	20	⏚	Phase & 1-10V	✔
250 LED 2700K	P	**1187015**	Integral LED	8.7W	Mains 230V	2700	80	319	20	⏚	-	✔
250 LED 3000K	P	**1187002**	Integral LED	9W	Mains 230V	3000	80	301	20	⏚	-	✔
625 LED	P	**1187027**	Integral LED	29.5W	Mains 230V	2700	80	1497	20	⏚	Phase	✔

Parma 100



Parma 110



Parma 160



Parma 210



Parma 200



Parma 250



Parma 625

▾ Lamp excluded, see P.174

Rio

LED

1325007 & 1325008

1325008

1325007

1325002

1325008


1325001

Installation: horizontal/vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		
125 LED	P	**1325007**	Integral LED	5.7W	Mains 230V	2700	90	197	20		-	✔
190 LED 2700K	P	**1325006**	Integral LED	15.1W	Mains 230V	2700	80	1366	20		1-10V	✔
190 LED 3000K	P	**1325002**	Integral LED	14.6W	Mains 230V	3000	80	1228	20		1-10V	✔
190 LED Phase Dimmable	P	**1325010**	Integral LED	16.6W	Mains 230V	2700	80	1637	20		Phase	✔
210 LED	P	**1325008**	Integral LED	5.9W	Mains 230V	2700	90	195	20		-	✔
325 LED 2700K	P	**1325005**	Integral LED	15.1W	Mains 230V	2700	80	1134	20		1-10V	✔
325 LED 3000K	P	**1325001**	Integral LED	14.7W	Mains 230V	3000	80	1198	20		1-10V	✔
325 LED Phase Dimmable	P	**1325009**	Integral LED	16.4W	Mains 230V	2700	80	1551	20		Phase	✔



Rio 125



Rio 190



Rio 210



Rio 325

Pella



Pella 190



Pella 325

Installation: horizontal/vertical wall mount			Lamp	Watt	Input	IP	Class		
190	P	1315002	LED GU10 ▾	2 x 6W max	Mains 230V	20	⏚	✔	✔
325	P	1315001	LED E27/ES ▾	12W max	Mains 230V	20	⏚	✔	✔

Pienza





Pienza 140



Pienza 140 Switched



Pienza 165

Installation: horizontal wall mount			Lamp	Watt	Input	IP	Class			
140	P	1196001	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	✔	-	✔
140 Switched	P	1196004	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	-	✔	-
165	P	1196003	LED E27/ES ▾	12W max	Mains 230V	20	⏚	✔	-	✔

▾ Lamp excluded, see P.174

Koza





Koza

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
P	1155001	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	✔	-

Serifos

LED





Serifos 170 LED Serifos 220

Installation: vertical wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		
170 LED	P	1350001	Integral LED	6.3W	Mains 230V	3000	90	287	20	⏚	-	✔
170 LED	P	1350002	Integral LED	6W	Mains 230V	2700	90	220	20	⏚	-	✔
220	P	1350003	LED GU10 ▾	2 x 6W max	Mains 230V	-	-	-	20	⏚	✔	✔

▾ Lamp excluded, see P.174

Brenta



Brenta

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
P	1195003	LED E27/ES ▾	12W max	Mains 230V	20		✔	✔

Bologna



Bologna

Installation: wall mount		Lamp	Watt	Input	IP	Class		
P	1287002	LED GU10 ▾	2 x 6W max	Mains 230V	20		✔	✔

▾ Lamp excluded, see P.174

Kymi



Kymi 220 Kymi 300

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
220	P	1335001	LED GU10 ▾	2 x 6W max	Mains 230V	20	⏚	✔	✔
300	P	1335003	LED GU10 ▾	2 x 6W max	Mains 230V	20	⏚	✔	✔

Blend



Blend

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
P	1439001	LED E27/ES ▾	12W max	Mains 230V	20	⏚	✔	✔

▾ Lamp excluded, see P.174

Pero



Pero

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
P	1172001	LED G9 ▾	3W max	Mains 230V	20	⏚	✔	✔

Mosto





Mosto

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
P	1173001	LED G9 ▾	3W max	Mains 230V	20	⏚	✔	✔

▾ Lamp excluded, see P.174

Parallel



Parallel

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
C	1438001	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

Gosford



Gosford

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
C	1383001	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Milo



Installation: horizontal wall mount				Lamp	Watt	Input	IP	Class		
300	C	1299001	GW 1299009	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔
400	C	1299002		LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

Aria



Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
P	1300001	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Amalfi



Amalfi

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
C	**1079001**	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

Kyo



Kyo

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class		
C	**1301001**	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

1333002

1333005, 1333004, 1333006

Eclipse

LED


1333003


1333011


1333001



Installation: vertical wall mount			Lamp	Watt	Input	K	Lm	IP	Class	
Round 250 LED	P	**1333002**	Integral LED	10.4W	Mains 230V	3000	452	20		✔
Round 250 LED 2700K	P	**1333005**	Integral LED	8.1W	Mains 230V	2700	357	20		✔
Round 300 LED	MC	**1333011**	Integral LED	12.6W	Mains 230V	3000	597	44		✔
Round 350 LED	P	**1333003**	Integral LED	12.3W	Mains 230V	3000	432	20		✔
Round 350 LED 2700K	P	**1333006**	Integral LED	12.3W	Mains 230V	2700	463	20		✔
Square 300 LED	P	**1333001**	Integral LED	15.1W	Mains 230V	3000	716	20		✔
Square 300 LED 2700K	P	**1333004**	Integral LED	12.2W	Mains 230V	2700	576	20		✔

Eclipse Round 250



Eclipse Round 300 LED



Eclipse Round 350



Eclipse Square 300

Cyl

1186001

1186001

1186002

1186002



Cyl 200



Cyl 260

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
200	WG 1186001	LED Golf Ball E14/SES ▾	2 x 7W max	Mains 230V	20	☐	✔	✔
260	WG 1186002	LED E27/ES ▾	2 x 12W max	Mains 230V	20	☐	✔	✔

Tokyo

1089001

1089001

1089001

1089002



Tokyo/Switched

Installation: horizontal wall mount		Lamp	Watt	Input	IP	Class			
	WG 1089001	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	✔	-	✔
Switched	WG 1089002	LED Golf Ball E14/SES ▾	7W max	Mains 230V	20	⏚	-	✔	-

▾ Lamp excluded, see P.174

Luga



Luga

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
WG 1074001	LED E14/SES ▾	7W max	Mains 230V	20	⏚	✔	-

Obround

Obround

Installation: horizontal wall mount	Lamp	Watt	Input	IP	Class		
WG 1072001	LED Golf Ball E14/SES ▾	2 x 7W max	Mains 230V	20	⧈	✔	✔

▾ Lamp excluded, see P.174

1374001

1374015

Mondrian

LED

Installation: horizontal wall mount







Wall Mounted

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°	
400	Br 1374018	MN 1374001	Integral LED	6.9W	Mains 230V	2700	80	161	20	⏚	-	✔	✔
600	Br 1374019	MN 1374002	Integral LED	10.8W	Mains 230V	2700	80	219	20	⏚	-	✔	✔

Frame Mounted

400	Br 1374017	MN 1374007	Integral LED	4.6W	CV 12V▾	2700	80	161	20	III	✔	✔	✔
600	Br 1374015	MN 1374006	Integral LED	8.1W	CV 12V▾	2700	80	219	20	III	✔	✔	✔



Mondrian Wall Mounted 400



Mondrian Wall Mounted 600



Mondrian Frame Mounted 400



Mondrian Frame Mounted 600

▾ Driver excluded, see P.172









* A wall box accessory is available for installation of the Borgo 55 and 90 into brick walls

Borgo

LED

Installation: vertical wall mount

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		
54	MW	1212019	Integral LED	1W	CC 350mA▾	3000	90	30	65	III	55x42	100	✔	✔
54	MW	1212033	Integral LED	1W	CC 350mA▾	2700	90	30	65	III	55x42	100	✔	✔
90*	MW	1212004	Integral LED	2W	CC 700mA▾	3000	90	72	20	III	102x84	42	✔	✔
90*	MW	1212024	Integral LED	2W	CC 700mA▾	2700	90	68	20	III	102x84	42	✔	✔
55*	MW	1212001	Integral LED	2W	CC 700mA▾	3000	90	39	20	III	160x48	42	✔	✔
55*	MW	1212021	Integral LED	2W	CC 700mA▾	2700	90	40	20	III	160x48	42	✔	✔
43	MW	1212017	Integral LED	1W	CC 350mA▾	3000	90	15	65	III	100x30	75	✔	✔
43	MW	1212031	Integral LED	1W	CC 350mA▾	2700	90	12	65	III	100x30	75	✔	✔

Trimless

200	MW	1212038	Integral LED	2W	CC 700mA▾	3000	90	56	20	III	260x30	65	✔	✔
200	MW	1212040	Integral LED	2W	CC 700mA▾	2700	90	46	20	III	260x30	65	✔	✔
35	MW	1212007	Integral LED	2W	CC 700mA▾	3000	90	70	20	III	170x40	43	✔	✔
35	MW	1212027	Integral LED	2W	CC 700mA▾	2700	90	76	20	III	170x40	43	✔	✔
65	MW	1212008	Integral LED	2W	CC 700mA▾	3000	90	80	20	III	115x67	42	✔	✔
65	MW	1212028	Integral LED	2W	CC 700mA▾	2700	90	70	20	III	115x67	42	✔	✔
98	MW	1212041	Integral LED	2W	CC 700mA▾	3000	90	84	20	III	164x98	64	✔	✔
98	MW	1212042	Integral LED	2W	CC 700mA▾	2700	90	77	20	III	164x98	64	✔	✔
Mini	MW	1212039	Integral LED	1W	CC 350mA▾	3000	90	22	20	III	80x40	56	✔	✔
Mini	MW	1212037	Integral LED	1W	CC 350mA▾	2700	90	29	20	III	80x40	56	✔	✔



Borgo 54



Borgo 90



Borgo 55



Borgo 43



Borgo Trimless 200



Borgo Trimless 35



Borgo Trimless 65



Borgo Trimless 98



Borgo Trimless Mini

▾ Driver excluded, see P.172

Ascoli Desk in Bronze, P.96

Table & Floor

Ascoli Desk
P.96

Ascoli Floor
P.96

Atelier Desk
P.97

Joel Table
P.97

Joel Grande Table
P.98

Joel Floor
P.98

Marasino
P.100

Limina
P.100

Cut
P.101

Ascoli Desk

Also in the collection: Ascoli Swing P.68, Ascoli Track P.127 and Ascoli Spotlights P.129

1286016

1286024

1286017

1286086



Ascoli Desk

				Lamp	Watt	Input	IP	Class		adj°
MW 1286016	MN 1286017	Br 1286024	MB 1286086	LED GU10▾	6W max	Mains 230V	20	☐	✔	✔

Ascoli Floor

Also in the collection: Ascoli Swing P.68, Ascoli Track P.127 and Ascoli Spotlights P.129

1286018

1286025

1286087

1286019



Ascoli Floor

				Lamp	Watt	Input	IP	Class		adj°
MW 1286018	MN 1286019	Br 1286025	MB 1286087	LED GU10▾	6W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Atelier Desk

Also in the collection: Atelier Grande Wall P.66, Atelier Wall P.66 and Atelier Pendant P.105



Atelier Desk

		Lamp	Watt	Input	IP	Class		adj°
MB 1224061	MW 1224062	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

Joel Table

Also in the collection: Joel Grande Wall P.67, Joel Wall P.67, Joel Grande Table P.98, Joel Floor P.98 and Joel Pendant P.105



Joel Table

		Lamp	Watt	Input	IP	Class		adj°
MB 1223002	Cr 1223003	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Joel Grande Table

Also in the collection: Joel Grande Wall P.67, Joel Wall P.67 and Joel Pendant P.105



Joel Grande Table

			Lamp	Watt	Input	IP	Class		adj°
MB	1223011	Cr 1223010	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

Joel Floor

Also in the collection: Joel Grande Wall P.67, Joel Wall P.67 and Joel Pendant P.105



Joel Floor

			Lamp	Watt	Input	IP	Class		adj°
MB	1223005	Cr 1223006	LED E27/ES▾	12W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Ascoli Floor · Shot for Modus, styling by Laura Fulmine, photography by Jake Curtis, P.96

Marasino

1218001

1218001



Marasino

		Lamp	Watt	Input	IP	Class I
P	1218001	LED GU10 ▾	6W max	Mains 230V	20	✔

Limina


1221001

1221001

1221001



Limina

		Lamp	Watt	Input	IP	Class I
P	1221001	LED GU10 ▾	6W max	Mains 230V	20	✔

▾ Lamp excluded, see P.174

Cut

1412002


1412002

1412003

1412001



Cut

			Lamp	Watt	Input	IP	Class	
MN 1412002	MW 1412001	Br 1412003	LED GU10 ▾	6W max	Mains 230V	20	⧈	✔

▾ Lamp excluded, see P.174

Ginestra 300 in Matt Black, P.104

Ceiling & Pendant

Cambria
P.104

Ginestra
P.104

Atelier
P.105

Joel Pendant
P.105

Zeppo Pendant
P.106

Osca Pendant
P.106

Hashira Pendant
P.107

Cambria

Installation: ceiling mount				Lamp	Watt	Input	IP	Class		
380	WF 1421001	PF 1421002	WP 1421003	LED E27/ES ▾	2 x 12W max	Mains 230V	20		✔	✔
480	WF 1421004	PF 1421005	WP 1421006	LED E27/ES ▾	3 x 12W max	Mains 230V	20		✔	✔
580	WF 1421007	PF 1421008	WP 1421009	LED E27/ES ▾	3 x 12W max	Mains 230V	20		✔	✔



Cambria 380



Cambria 480



Cambria 580

Ginestra

Ginestra 300



Ginestra 400

Installation: ceiling mount				Lamp	Watt	Input	IP	Class		
300	MB 1361001	LG 1361003	MW 1361011	LED E27/ES ▾	12W max	Mains 230V	20		✔	✔
400	MB 1361002	LG 1361004	MW 1361012	LED E27/ES ▾	12W max	Mains 230V	20		✔	✔

▾ Lamp excluded, see P.174

Atelier 150 & 200

Also in the collection: Atelier Grande Wall P.66, Atelier Wall P.66 and Atelier Desk P.97



Atelier 150 Atelier 200

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
150	MB 1224019	MW 1224018	LED E27/ES▾	12W max	Mains 230V	20		✔	✔
200	MB 1224022	MW 1224021	LED E27/ES▾	12W max	Mains 230V	20		✔	✔

Joel Pendant

Also in the collection: Joel Grande Wall P.67, Joel Wall P.67, Joel Floor P.98, Joel Table P.97 and Joel Grande Table P.98



Joel 170 Joel 270

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
170	Cr 1223017	MB 1223018	LED E27/ES▾	12W max	Mains 230V	20		✔	✔
270	Cr 1223025	MB 1223023	LED E27/ES▾	12W max	Mains 230V	20		✔	✔

▾ Lamp excluded, see P.174

Zeppo Pendant

Also in the collection: Zeppo Wall P.28 and Zeppo Ceiling P.48



Zeppo 300 Zeppo 400

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
300	PCh	1176002	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔
400	MW	1176003	LED E27/ES ▾	12W max	Mains 230V	20	☐	✔	✔

Osca Round Pendant 400





Osca Round Pendant 400

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
P	1252014	LED GU10 ▾	6W max	Mains 230V	20	☐	✔	✔

▾ Lamp excluded, see P.174

Hashira Pendant

Also in the collection: Hashira 300 & 400 P.64 and Hashira Surface P.123

Installation: ceiling mount	Lamp	Watt	Input	IP	Class		
MB 1442004 MN 1442011 MG 1442012	LED GU10▾	6W max	Mains 230V	20		✔	✔



Hashira Pendant

▾ Lamp excluded, see P.174

Trimless Round in Matt White, P.112

Downlights

Trimless Round
P.112

Trimless Square
P.113

Blanco Round
P.114

Blanco Square
P.114

Proform Round
P.115

Proform Square
P.115

Pinhole Round
P.116

Pinhole Square
P.116

Aprilia Round
P.117

Aprilia Square
P.117

Minima Round
P.118

Minima Square
P.119

Taro Round
P.120

Taro Square
P.121

Yuma Surface
P.122

Kinzo 140
P.122

Hashira Surface
P.123

Shadow Surface
P.123

Slimline downlights

Independently tested, Astro Slimline downlights are suitable for 30, 60 and 90 minute EN1365-2:2014 fire-rated ceilings. High-quality, functional and easy to install, our Slimline style downlights form part of our established portfolio featuring the popular Minima, Trimless and Pinhole collections.

Innovative use of high temperature glass has allowed us to fire rate our Slimline downlights without the need for a large metal cannister behind the fixture. This reduces the need for a large recess and ensures the products can be easily installed into standard floor or ceiling depths. Added ventilation around the lamp helps extend the lamp life and performance, as well as provide flexibility when it comes to the maximum length that can be used, meaning most smart lighting lamps will fit easily.

A new lamp fixing method accommodates an LED module or a standard GU10, offering the competitive price of a GU10 downlight with the capabilities and output of an LED downlight.

Choose the perfect downlight in a few simple steps using our online downlight selector tool available at **astrolighting.com/downlight-selector**

A look inside an Astro Slimline downlight

1. Terminal Block
A push fit terminal block is provided with loop in/loop out capabilities for easy installation.

2. Lamp Fixing
The lamp fixing method will hold in place both a GU10 lamp or an LED module

3. Glare Guard
A honeycomb louvre is provided with all Slimline downlights which can be used to reduce glare.

4. Glass
High temperature glass fire rates and IP rates the product.

Insulation guard
A metal insulation guard is available to purchase separately (code: 6012002) and can be used to lay insulation over to prevent heat build-up. Specifically designed for new Slimline downlights, the guard ensures the insulation does not rest on top of the downlight fixing springs and prevents the downlights from sagging or coming away from the ceiling.

Trimless Slimline P.104

Minima Slimline P.110-111

Pinhole Slimline P.108

Trimless Round

LED

Installation: ceiling mount, install into new ceiling

1248017

1248024

1248023

1248010

1248019

1248021

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth			adj°	
Adjustable	MW	**1248024**	LED GU10 ▾	6W max	Mains 230V	-	-	-	20	□	Ø79	150	✔	-	✔	✔
Fixed	MW	**1248023**	LED GU10 ▾	6W max	Mains 230V	-	-	-	20	□	Ø79	150	✔	-	-	✔
Adjustable LED	TW	**1248010**	Integral LED	6.8W	CC 700mA ▾	2700	80	528	20	III	Ø79	150	✔	-	✔	✔
Twin Adjustable	MW	**1248021**	LED GU10 ▾	2 x 6W max	Mains 230V	-	-	-	20	□	Ø79	150	✔	-	✔	✔
Slimline* Adjustable	MW	**1248019**	LED GU10 ▾	6W max	Mains 230V	-	-	-	20	□	Ø79	150	✔	✔	✔	✔
Slimline* Fixed	MW	**1248017**	LED GU10 ▾	6W max	Mains 230V	-	-	-	65	□	Ø79	150	✔	✔	-	✔
Fixed LED	MW	**1248011**	Integral LED	6.8W	CC 700mA ▾	2700	80	455	20	III	Ø83	150	✔	✔	-	✔



Trimless Round Adjustable



Trimless Round Fixed



Trimless Round Adjustable LED



Trimless Round Twin Adjustable



Trimless Slimline Round Adjustable



Trimless Slimline Round Fixed



Trimless Round Fixed LED

* For more information on Slimline downlights and their benefits please see P.102

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp or driver excluded, see P.172

Trimless Square

LED

Installation: ceiling mount, install into new ceiling

1248005

1248018



1248020

1248009



1248022

1248012

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth			adj°	
Adjustable	MW	1248020	LED GU10▾	6W max	Mains 230V	-	-	-	20	□	79x79	150	✔	-	✔	✔
Fixed	MW	1248018	LED GU10▾	6W max	Mains 230V	-	-	-	20	□	79x79	150	✔	-	-	✔
Adjustable LED	TW	1248009	Integral LED	6.8W	CC 700mA▾	2700	80	544	20	◇	95x100	150	✔	-	✔	✔
Twin Adjustable	MW	1248022	LED GU10▾	2 x 6W max	Mains 230V	-	-	-	20	□	162x79	150	✔	-	✔	✔
Fixed Fire Rated	MW	1248005	LED GU10▾	6W max	Mains 230V	-	-	-	65	□	95x95	150	✔	✔	-	✔
Fixed LED	MW	1248012	Integral LED	6.8W	CC 700mA▾	2700	80	475	20	◇	83x83	150	✔	✔	-	✔



Trimless Square Adjustable



Trimless Square Fixed



Trimless Square Adjustable LED



Trimless Square Twin Adjustable



Trimless Square Fixed Fire Rated



Trimless Square Fixed LED

▾ Lamp or Driver excluded, see P.172

Blanco

Installation: ceiling mount, install into existing ceiling

1253004

1253004

1253003

1253005

1253002

1253001

1253007


1253006

Round

			Lamp	Watt	Input	IP	Class		Recess depth		adj°	
Round Fixed	P	1253004	LED GU10▾	6W max	Mains 230V	20		Ø131	150	✔	-	✔
Round Adjustable	P	1253005	LED GU10▾	6W max	Mains 230V	20		Ø152	150	✔	✔	✔

Square

45°	P	1253003	LED GU10▾	6W max	Mains 230V	20		126x123	150	✔	-	✔
Square Fixed	P	1253002	LED GU10▾	6W max	Mains 230V	20		120x120	150	✔	-	✔
Square Adjustable	P	1253007	LED GU10▾	6W max	Mains 230V	20		150x150	150	✔	✔	✔
Twin Fixed	P	1253001	LED GU10▾	2 x 6W max	Mains 230V	20		190x120	150	✔	-	✔
Twin Adjustable	P	1253006	LED GU10▾	2 x 6W max	Mains 230V	20		230x150	150	✔	✔	✔



Blanco Round Fixed



Blanco Round Adjustable



Blanco 45°



Blanco Square Fixed



Blanco Square Adjustable



Blanco Twin Fixed



Blanco Twin Adjustable

▾ Lamp excluded, see P.174

Proform

LED

Installation: ceiling mount, install into existing ceiling

1423003 + 6024007

1423005

1423004 + 6024009


1423001


1423002

1423006 + 6024005


1423007

FT (Full Trim)

		Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		adj°	
Round	TW 1423003	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		Ø70	120	✔	-	✔
Round Adjustable	TW 1423005	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		Ø83	120	✔	✔	✔
Square	TW 1423004	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		70x70	120	✔	-	✔

NT (Narrow Trim)

Round	TW 1423001	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		Ø76	150	✔	-	✔
Round Adjustable	TW 1423002	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		Ø76	150	✔	✔	✔

TL (Trimless)

Round	TW 1423006	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		Ø67	120	✔	-	✔
Square	TW 1423007	Integral LED	11.9W	CC 350mA▾	3000	90	1188	20		67x67	120	✔	-	✔

Accessories (for FT and TL only)

Round Bezel	TB 6024005	PCh 6024006	TGo 6024007
Square Bezel	TB 6024008	PCh 6024009	TGo 6024010



Proform FT
Round Fixed



Proform FT
Round Adjustable



Proform FT
Square Fixed



Proform NT
Round Fixed



Proform NT
Round Adjustable



Proform TL
Round Fixed



Proform TL
Square Fixed

▾ Driver excluded, see P.172

Pinhole

Installation: ceiling mount, install into existing ceiling

Round

			Lamp	Watt	Input	IP	Class		Recess depth			adj°	
Slimline* Round Adjustable	MW	1434003	LED GU10▾	6W max	Mains 230V	20	☐	Ø83	150	✔	✔	✔	✔
Slimline* Round Fixed	MW	1434001	LED GU10▾	6W max	Mains 230V	65	☐	Ø70	150	✔	✔	-	✔

Square

Slimline* Square Adjustable	MW	1434004	LED GU10▾	6W max	Mains 230V	20	☐	Ø83	150	✔	✔	✔	✔
Slimline* Square Fixed Fire-Rated	MW	1434002	LED GU10▾	6W max	Mains 230V	65	☐	Ø70	150	✔	✔	-	✔
Twin Adjustable	MW	1434005	LED GU10▾	2 x 6W max	Mains 230V	20	☐	Ø83	150	✔	-	✔	✔
Triple Adjustable	MW	1434006	LED GU10▾	3 x 6W max	Mains 230V	20	☐	Ø83	150	✔	-	✔	✔

Flush

Slimline* Round Adjustable	MW	1434008	LED GU10▾	6W max	Mains 230V	20	☐	Ø79	150	✔	✔	✔	✔
Slimline* Round Fixed Fire-Rated	MW	1434007	LED GU10▾	6W max	Mains 230V	65	☐	Ø62	150	✔	✔	-	✔



Pinhole Slimline Round Adjustable



Pinhole Slimline Round Fixed



Pinhole Slimline Square Adjustable



Pinhole Slimline Square Fire Rated



Pinhole Twin Adjustable



Pinhole Triple Adjustable



Pinhole Slimline Flush Adjustable



Pinhole Slimline Flush Fire Rated

* For more information on Slimline downlights and their benefits please see P.102

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp excluded, see P.174

Aprilia

LED

Installation: ceiling mount, install into existing ceiling

1256020

1256024

1256014

1256022

Round

	Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth			adj*	
MW 1256024	Integral LED	6.1W	CC 350mA▾	2700	80	605	21		Ø86	150	✔	-	✔	✔
MW 1256020	Integral LED	6.1W	CC 350mA▾	3000	80	628	21		Ø86	150	✔	-	✔	✔
MW 1256013	Integral LED	6.1W	CC 350mA▾	2700	80	605	20		Ø92	150	✔	✔	✔	✔

Square

MW 1256021	Integral LED	6.1W	CC 350mA▾	3000	80	628	21		Ø86	150	✔	-	✔	✔
MW 1256026	Integral LED	6.1W	CC 350mA▾	2700	80	605	21		Ø86	150	✔	-	✔	✔
MW 1256014	Integral LED	6.1W	CC 350mA▾	2700	80	605	20		Ø92	150	✔	✔	✔	✔

Twin

MW 1256022	Integral LED	2 x 6.1W	CC 350mA▾	2700	80	1123	20		165x85	150	✔	-	✔	✔
MW 1256019	Integral LED	2 x 6.1W	CC 350mA▾	3000	80	1206	21		165x85	150	✔	-	✔	✔

Aprilia Round



Aprilia Round Fire Rated



Aprilia Square



Aprilia Square Fire Rated



Aprilia Twin

🔥 Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp excluded, see P.174

Minima Round

LED

Installation: ceiling mount, install into existing ceiling

1249002

1249016

1249005

1249036

1249028

1249035

1249040

1249029

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth			adj*	
Fixed	MW 1249002	MB 1249015	LED GU10▾	6W max	Mains 230V	-	-	-	20		Ø76	150	✔	-	-	✔
Fixed LED	TW 1249005		Integral LED	6.8W	CC 700mA▾	2700	80	434	20		Ø76	150	✔	-	-	✔
Adjustable	MW 1249003	MB 1249016	LED GU10▾	6W max	Mains 230V	-	-	-	20		Ø76	150	✔	-	✔	✔
Twin	MW 1249028	MB 1249029	LED GU10▾	2 x 6W max	Mains 230V	-	-	-	20		Ø95	150	✔	-	-	✔
Slimline* Fixed	MW 1249034	MB 1249035	LED GU10▾	6W max	Mains 230V	-	-	-	65		Ø86	150	✔	✔	-	✔
Slimline* Adjustable	MW 1249040	MB 1249041	LED GU10▾	6W max	Mains 230V	-	-	-	20		Ø86	150	✔	✔	✔	✔
Slimline* 25	MW 1249036	MB 1249037	LED GU10▾	6W max	Mains 230V	-	-	-	65		Ø86	150	✔	✔	-	✔



Minima Round Fixed



Minima Round Fixed LED



Minima Round Adjustable



Minima Twin



Minima Slimline Fixed



Minima Slimline Adjustable

* For more information on Slimline downlights and their benefits please see P.102

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp or driver excluded, see P.172

Minima Square

Installation: ceiling mount, install into existing ceiling

1249007

1249019

1249006

1249020

1249038

1249039

1249042

1249043

			Lamp	Watt	Input	IP	Class		Recess depth			adj*	
Fixed	MW 1249007	MB 1249019	LED GU10▾	6W max	Mains 230V	20	⏚	92x92	150	✔	-	-	✔
Adjustable	MW 1249006	MB 1249020	LED GU10▾	6W max	Mains 230V	20	⏚	92x92	150	✔	-	✔	✔
Slimline* Fixed	MW 1249038	MB 1249039	LED GU10▾	6W max	Mains 230V	65	☐	86x86	150	✔	✔	-	✔
Slimline* Adjustable	MW 1249042	MB 1249043	LED GU10▾	6W max	Mains 230V	20	☐	86x86	150	✔	✔	✔	✔



Minima Square Fixed



Minima Square Adjustable



Minima Slimline Fixed



Minima Slimline Adjustable

* For more information on Slimline downlights and their benefits please see P.102

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety.
The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Driver excluded, see P.172

Taro Round

Installation: ceiling mount, install into existing ceiling

1240013

1240024

1240015 / 1240028

			Lamp	Watt	Input	IP	Class		Recess depth			adj°	
Round Fixed	MW	1240013	LED GU10 ▾	6W max	Mains 230V	20		Ø79	150	✔	-	-	✔
Round Fixed Fire-Rated	MW	1240024	LED GU10 ▾	6W max	Mains 230V	20		Ø86	172	✔	✔	-	✔
Round Adjustable	MW	1240015	LED GU10 ▾	6W max	Mains 230V	20		Ø79	150	✔	-	✔	✔
Round Adjustable Fire-Rated	MW	1240028	LED GU10 ▾	6W max	Mains 230V	20		Ø86	167	✔	✔	✔	✔



Taro Round Fixed | Taro Round Fixed Fire Rated | Taro Round Adjustable | Taro Round Adjustable Fire Rated

Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety.
The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp excluded, see P.174

Taro Square

Installation: ceiling mount, install into existing ceiling

1240014/1240026

1240016/1240030

1240017/1240032

1240019

			Lamp	Watt	Input	IP	Class		Recess depth			adj°	
Square Fixed	MW	1240014	LED GU10 ▾	6W max	Mains 230V	20	⏚	Ø79	150	✔	-	-	✔
Square Fixed Fire-Rated	MW	1240026	LED GU10 ▾	6W max	Mains 230V	20	⏚	Ø86	172	✔	✔	-	✔
Square Adjustable	MW	1240016	LED GU10 ▾	6W max	Mains 230V	20	⏚	Ø79	150	✔	-	✔	✔
Square Adjustable Fire Rated	MW	1240030	LED GU10 ▾	6W max	Mains 230V	20	⏚	Ø86	167	✔	✔	✔	✔
Twin	MW	1240017	LED GU10 ▾	2 x 6W max	Mains 230V	20	⏚	160x80	150	✔	-	✔	✔
Twin Fire Rated	MW	1240032	LED GU10 ▾	2 x 6W max	Mains 230V	20	⏚	184x89	150	✔	✔	✔	✔
Triple	MW	1240019	LED GU10 ▾	3 x 6W max	Mains 230V	20	⏚	240x80	150	✔	-	✔	✔



Taro Square Fixed



Taro Square Fixed Fire Rated



Taro Square Adjustable



Taro Square Adjustable Fire Rated



Taro Twin



Taro Twin Fire Rated



Taro Triple

🔥 Our fire rated downlights comply with all the latest building regulations: Part B - Fire Safety.
The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▾ Lamp excluded, see P.174

Yuma Surface 250

LED

Also in the collection: Yuma Wall P.65



Yuma Surface 250

Installation: ceiling mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class	
TW 1399013 TB 1399014 MN 1399015 Br 1399016	Integral LED	10.3W	Mains 230V	2700	80	538-632	20	Phase	✔

Bezel TB 6024004

Kinzo 140

LED

Also in the collection: Kinzo Wall P.63







Kinzo 140

Installation: ceiling mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class	
TW 1398017 MN 1398019 Br 1398020 TB 1398018	Integral LED	12.5W	Mains 230V	2700	80	762-800	20	Phase	✔

Hashira Surface

Also in the collection: Hashira 300 & 400 P.64, and Hashira Pendant P.107


1442003

1442003

1442009



1442010



Hashira Surface

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
MB	1442003	MN 1442009 MG 1442010	LED GU10 ▾	6W max	Mains 230V	20		✔	✔

Shadow Surface

1414004

1414003



Shadow Surface 150



Shadow Surface 220

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
150	P	1414003	LED GU10 ▾	6W max	Mains 230V	20		✔	✔
220	P	1414004	LED GU10 ▾	6W max	Mains 230V	20		✔	✔

▾ Lamp excluded, see P.174

Ascoli Recessed in Matt Black, P.129

Spotlights

Lynx
P.126

Lynx Recessed
P.126

Can
P.126

Can Recessed
P.126

Track Spotlights
P.127

Apollo Single
P.128

Apollo 100 Recessed
P.128

Apollo Twin
P.128

Apollo Triple Bar
P.128

Apollo Four Bar
P.128

Apollo Five Bar
P.128

Ascoli Single
P.129

Ascoli Single Switched
P.129

Ascoli Recessed
P.129

Ascoli Flush
P.129

Ascoli Twin
P.129

Ascoli Triple Round
P.129

Ascoli Triple Bar
P.129

Ascoli Four Bar
P.129

Ascoli Five Bar
P.129

Lynx

LED


1403002

1403001

1403003

1403004

Lynx

Lynx Recess

Installation: ceiling mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		adj°	
Lynx	MW	**1403001**	MB	**1403002**	Integral LED	12.5W	Mains 230V	3000	80	1000	20		-	-	Phase	✔	✔
Lynx Recess	MW	**1403003**	MB	**1403004**	Integral LED	12.5W	Mains 230V	3000	80	1000	20		Ø86	80	Phase	✔	✔

Can

1396005

1396017

1396009

1396010

1396018

1396016

1396011

Installation: ceiling mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth			adj°	
50 Flush Fire-Rated	MW	**1396017**	MB	**1396018**	Integral LED	7.5W	Mains 230V	3000	80	447-525	20		Ø79	60	Phase	✔	✔	✔
50 Single	MW	**1396005**	MB	**1396016**	Integral LED	7.7W	Mains 230V	3000	80	502	20		-	-	Phase	-	✔	✔
50 Recessed	MW	**1396009**	MB	**1396008**	Integral LED	7.5W	Mains 230V	3000	80	447-525	20		Ø60	60	Phase	-	✔	✔
75 Recessed	MW	**1396010**	MB	**1396011**	Integral LED	12.6W	Mains 230V	3000	80	986	20		Ø60	60	Phase	-	✔	✔

Can 50 Flush

Can 50 Single

Can 50 Recessed

Can 75 Recessed

Track Spotlights

LED

Installation: track mount - ceiling only

1396001, 1396014, 1396003

1422023

1396001 + 6020008

1396002

1396004

1396014

1396015

1286052

Track Spotlights

			Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj*	
Can 50 Track Spot	MW 1396001	MB 1396002	Integral LED	7.7W	Mains 230V	3000	80	502	20		Phase	✔	✔
Can 75 Track Spot	MW 1396003	MB 1396004	Integral LED	11.8W	Mains 230V	3000	80	986	20		Phase	✔	✔
Can 100 Track Spot	MW 1396014	MB 1396015	Integral LED	30.2W	Mains 230V	3000	80	1678	20		Phase	✔	✔
Ascoli Track Spot	TW 1286033	TB 1286052	LED GU10▾	6W max	Mains 230V	-	-	-	20		✔	✔	✔
Apollo 100 Track	TW 1422022	MB 1422023	LED GU10▾	6W max	Mains 230V				20		✔	✔	✔

Accessories

1m Track	MW 6020001	MB 6020009
2m Track	MW 6020002	MB 6020010
2x Track 1m Kit	MW 6020040	MB 6020041
End Cap	MW 6020003	MB 6020011
End to End Connector	MW 6020004	MB 6020012
Live End	MW 6020005	MB 6020013
Left Corner Connector	MW 6020006	MB 6020014
Right Corner Connector	MW 6020007	MB 6020015
X Connector	MW 6020019	MB 6020020
Central Live Connector	MW 6020017	MB 6020018
T Connector Left Farside Earth	MW 6020027	MB 6020028
T Connector Left Nearside Earth	MW 6020025	MB 6020026
T Connector Right Farside Earth	MW 6020023	MB 6020024

T Connector Right Nearside Earth	MW 6020021	MB 6020022
Suspension Central Live Supply	MW 6020030	MB 6020031
Suspension End Live Supply	MW 6020032	MB 6020033
Pendant Connector	MW 6020038	MB 6020039
Ceiling Suspension Kit	MW 6020042	MB 6020043
Corner Support		6020036
Straight Support		6020035
T Support		6020037
X Support		6020034

Can 50 Bezel	MB 6020008
Can 75 Bezel	MB 6020016
Can 100 Bezel	MB 6020029

Apollo 100 Track



Can 50 Track Spot



Can 75 Track Spot



Can 100 Track Spot

Ascoli Track Spot

▾ Lamp excluded, see P.174

Apollo


1422017

1422013

1422002

1422017

1422008

1422014

1422001

1422004

1422010

1422005

Installation: ceiling/wall mount			Lamp	Watt	Input	IP	Class			
Apollo 100 Recessed	TW **1422016**	MB **1422017**	LED GU10▾	6W max	Mains 230V	20	⏚	✔	✔	✔
Apollo Five Bar	TW **1422013**	MB **1422014**	LED GU10▾	5 x 6W max	Mains 230V	20	⏚	✔	✔	✔
Apollo Four Bar	TW **1422010**	MB **1422011**	LED GU10▾	4 x 6W max	Mains 230V	20	⏚	✔	✔	✔
Apollo Single	TW **1422001**	MB **1422002**	LED GU10▾	6W max	Mains 230V	20	⏚	✔	✔	✔
Apollo Triple Bar	TW **1422007**	MB **1422008**	LED GU10▾	3 x6W max	Mains 230V	20	⏚	✔	✔	✔
Apollo Twin	TW **1422004**	MB **1422005**	LED GU10▾	2 x 6W max	Mains 230V	20	⏚	✔	✔	✔



Apollo 100 Recessed



Apollo Five Bar



Apollo Four Bar



Apollo Single



Apollo Triple Bar



Apollo Twin

▾ Lamp excluded, see P.174

Ascoli

Also in the collection: Ascoli Swing P.68, Ascoli Desk/Floor P.96 and Ascoli Track P.127


1286023


1286096

1286010

1286079

1286095

1286036

1286098

1286012

1286084

1286059

Installation: ceiling/wall mount					Lamp	Watt	IP	Class		Recess depth					
Recessed	TW 1286021	Br 1286022	MN 1286023	MB 1286080	LED GU10▾	6W max	20		Ø44	30	✔	-	-	✔	✔
Single	TW 1286001	Br 1286004	MN 1286015	MB 1286078	LED GU10▾	6W max	20		-	-	✔	-	-	✔	✔
Single Switched	TW 1286010	Br 1286009	MN 1286011	MB 1286079	LED GU10▾	6W max	20		-	-	-	✔	-	✔	-
Flush Fire-Rated	TW 1286095	MB 1286096			LED GU10▾	6W max	20		-	60	✔	-	✔	✔	✔
Twin	TW 1286034	Br 1286035	MN 1286036	MB 1286081	LED GU10▾	2 x 6W max	20		-	-	✔	-	-	✔	✔
Twin Recessed	TW 1286097	Br 1286098	MN 1286099	MB 1286100	LED GU10▾	2 x 6W max	20		184x44	80	✔	-	-	✔	✔
Triple Round	TW 1286002	Br 1286005	MN 1286012	MB 1286082	LED GU10▾	3 x 6W max	20		-	-	✔	-	-	✔	✔
Triple Bar	TW 1286003	Br 1286006	MN 1286013	MB 1286083	LED GU10▾	3 x 6W max	20		-	-	✔	-	-	✔	✔
Four Bar	TW 1286007	Br 1286008	MN 1286014	MB 1286084	LED GU10▾	4 x 6W max	20		-	-	✔	-	-	✔	✔
Five Bar	TW 1286059	Br 1286060	MN 1286061	MB 1286085	LED GU10▾	5 x 6W max	20		-	-	✔	-	-	✔	✔

Ascoli Recessed

Ascoli Single

Ascoli Single Switched



Ascoli Flush Fire-Rated



Ascoli Twin



Ascoli Twin Recessed



Ascoli Triple Round



Ascoli Triple Bar



Ascoli Four Bar



Ascoli Five Bar

▾ Lamp excluded, see P.174

Exterior

Wall lights

Homefield
P.134

Salerno
P.134

Messina
P.135

Messina Frosted
P.135

Puzzle
P.135

Harvard Wall
P.136

Harvard 500
P.136

Harvard Lantern
P.137

Box Lantern
P.137

Coach
P.138

Farringdon
P.138

Calvi Wall
P.139

Richmond Wall Lantern
P.139

Richmond Wall
P.140

Newbury
P.140

Pimlico
P.141

Dafni
P.141

Montparnasse Wall
P.142

Cabin Wall
P.142

Stornoway
P.143

Portree Wall
P.143

Kea Round
P.144

Kea Square
P.144

Toronto
P.144

Malibu
P.145

Thurso
P.145

Ava
P.146

Jura
P.146

Oslo
P.147

Chios
P.147

Elis
P.148

Dartmouth
P.148

Dunbar
P.149

Jura Single Spot
P.149

Bayville Single
P.150

Bayville Twin
P.150

Incline
P.150

Mast
P.151

Eclipse
P.151

Soprano Wall
P.152

Tango
P.152

Tivola
P.153

Arran Round
P.153

Arran Square
P.153

Homefield

Also in the collection: Homefield Pedestal P.161, Homefield Pendant P.164 and Homefield Ceiling P.167

1095001

1095034

1095029

1095013


1095031 + 6030002



Homefield 130



Homefield 160 / Sensor



Homefield

Installation: vertical wall mount					Lamp	Watt	Input	IP	Class		
Homefield	NB	**1095034**			LED E27/ES▾	12W max	Mains 230V	44		✔	✔
Homefield 130	MB	**1095013**			LED Golf Ball E14/SES▾	7W max	Mains 230V	44		✔	✔
Homefield 160	MB	**1095001**	Br	**1095029**	LED E27/ES▾	12W max	Mains 230V	44		✔	✔
Homefield Sensor	MB	**1095011**	Br	**1095031**	LED E27/ES▾	12W max	Mains 230V	44		-	-
Frosted Glass	Fr	**6030002**									

Salerno

LED

1178001


1178007

1178006



Salerno

Salerno 520

Installation: vertical wall mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class		
Salerno	TB	**1178009**	NB	**1178006**	LED Candle E14/SES▾	2 x 5W max	Mains 230V	-	-	-	44		✔	✔
Salerno LED	TB	**1178002**			Integral LED	8.1W	Mains 230V	3000	80	448	44		-	✔
Salerno 520	TB	**1178007**			LED Candle E14/SES▾	3 x 5W max	Mains 230V	-	-	-	44		✔	✔
Salerno 520 LED	TB	**1178008**			Integral LED	15.4W	Mains 230V	3000	80	916	44		Phase	✔

▾ Lamp excluded, see P.174

Messina


1183028

1183005

1183021

1183026


1183027



Messina 130 Messina 160



Messina 200 Messina Twin

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
130	TB 1183005	Br 1183018	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔
160 Frosted	TB 1183024	Br 1183026	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔
160	TB 1183021	Br 1183023	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔
200	TB 1183028		LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔
Sensor	TB 1183004		LED E27/ES▾	12W max	Mains 230V	44	⏚	-	-
Twin	TB 1183027		LED E27/ES▾	2 x 12W max	Mains 230V	44	⏚	✔	✔

Puzzle

LED

1199001

1199001



Puzzle

Installation: vertical wall mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class	
TB 1199001	Integral LED	4.2W	Mains 230V	3000	90	185	44	⏚	✔

▾ Lamp excluded, see P.174

Harvard Wall

Also in the collection: Harvard Pendant P.165





Harvard Wall

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
NB 1402007 PSS 1402008 Br 1402009 MB 1402010	LED E27/ES▾	4W max	Mains 230V	44	⏚	✔	✔

Harvard 500

Also in the collection: Harvard Pendant P.165



Harvard 500

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
NB 1402006	LED E27/ES▾	4W max	Mains 230V	44	⏚	✔	✔

▾ Lamp excluded, recommended lamps; Harvard Wall 6004109, Harvard 500 6004093. See P.174

Harvard Lantern

Also in the collection: Harvard Pendant P.165



Harvard Lantern

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
TB	1402011	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

Box Lantern

Also in the collection: Box Ceiling P.168



Box Lantern 270



Box Lantern 350



Box Lantern 450

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
270	TB	1354003	LED E27/ES▾	12W max	Mains 230V	23	⏚	✔	✔
350	TB	1354004	LED E27/ES▾	12W max	Mains 230V	23	⏚	✔	✔
450	TB	1354007	LED E27/ES▾	12W max	Mains 230V	23	⏚	✔	✔

▾ Lamp excluded, see P.174

Coach

1369001

1369003

1369001



Coach 100



Coach 130

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
100	TB	1369003	LED Golf Ball E14/SES▾	7W max	Mains 230V	44		✔	✔
130	TB	1369001	LED E27/ES▾	12W max	Mains 230V	44		✔	✔

Farringdon

1366001

1366001



Farringdon

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
	TB	1366001	LED E27/ES▾	12W max	Mains 230V	44		✔	✔

▾ Lamp excluded, see P.174

Calvi Wall

Also in the collection: Calvi Pendant P.166



Calvi Wall 215



Calvi Wall 305

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
215	TB 1306001	AB 1306005	LED E27/ES▾	12W max	Mains 230V	23		✔	✔
305	TB 1306011		LED E27/ES▾	12W max	Mains 230V	23		✔	✔

Richmond Wall Lantern

Also in the collection: Richmond Pendant P.165, Richmond Wall P.140



Richmond Wall Lantern 200



Richmond Wall Lantern 254

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
200	TB 1340004		LED E27/ES▾	12W max	Mains 230V	23		✔	✔
254	TB 1340011		LED E27/ES▾	12W max	Mains 230V	23		✔	✔

▾ Lamp excluded, see P.174

Richmond Wall

Also in the collection: Richmond Wall Lantern P. 139 and Richmond Pendant P.165



Richmond Wall 235



Richmond Wall 285

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
235	TB	1340001	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔
285	TB	1340002	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

Newbury



Newbury

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
MB	1339001	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

▾ Lamp excluded, see P.174

Pimlico

1413003

1413001

1413005



Pimlico 400



Pimlico 500

Installation: vertical wall mount				Lamp	Watt	Input	IP	Class		
400	TB 1413001	Br 1413002	AB 1413003	LED E27/ES▾	12W max	Mains 230V	23		✔	✔
500	TB 1413004	Br 1413005	AB 1413006	LED E27/ES▾	12W max	Mains 230V	23		✔	✔

Dafni

1341001

1341001



Dafni

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
TB 1341001		LED E27/ES▾	12W max	Mains 230V	44		✔	✔

▾ Lamp excluded, see P.174

Montparnasse Wall

Also in the collection: Montparnasse Pendant P.167

1096009

1096001



Montparnasse Wall

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
PN 1096001	Br 1096009		LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

Cabin Wall

1368026

1368008

1368031

1368025



Cabin Wall

Installation: vertical wall mount				Lamp	Watt	Input	IP	Class		
Cabin Wall	AB 1368003	Br 1368025	CB 1368031	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔
Cabin Wall Frosted	AB 1368008	Br 1368026		LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

▾ Lamp excluded, see P.174

Stornoway



Stornoway

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
CB 1389001	LED E27/ES▾	12W max	Mains 230V	33	⏚	✔	✔

Portree Wall

Also in the collection: Portree Pendant P.166



Portree Wall

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class		
CB 1400001	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

▾ Lamp excluded, see P.174

Kea

LED

1391002


1391005

1391008

1391003



Kea square 140 | Kea square 240 | Kea Round 150 | Kea Round 250

Installation: wall/ceiling mount

Square			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
140	TW 1391005	TB 1391006	Integral LED	5.3W	Mains 230V	3000	80	348	65	⏚	✔
240	TW 1391007	TB 1391008	Integral LED	12.2W	Mains 230V	3000	80	925	65	⏚	✔

Round			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
150	TW 1391001	TB 1391002	Integral LED	8.1W	Mains 230V	3000	80	566	65	⏚	✔
250	TW 1391003	TB 1391004	Integral LED	12.6W	Mains 230V	3000	80	1046	65	⏚	✔

Toronto

1039005

1039005



Toronto

Installation: wall/ceiling mount		Lamp	Watt	Input	IP	Class		
PA	1039005	LED G9▾	3W max	Mains 230V	65	⏚	✔	✔

▾ Lamp excluded, see P.174

Malibu

1387002

1387001



Malibu Oval



Malibu Round

Installation: wall/ceiling mount			Lamp	Watt	Input	IP	Class		
Oval	CB	**1387002**	LED E27/ES▾	12W max	Mains 230V	65		✔	✔
Round	CB	**1387001**	LED E27/ES▾	12W max	Mains 230V	65		✔	✔

Thurso

1376002

1376002

1376001



Thurso Round



Thurso Oval

Installation: wall/ceiling mount			Lamp	Watt	Input	IP	Class		
Oval	CB	**1376002**	LED E27/ES▾	12W max	Mains 230V	44		✔	✔
Round	CB	**1376001**	LED E27/ES▾	12W max	Mains 230V	44		✔	✔

▾ Lamp excluded, see P.174

Ava



Ava 200 Ava 300 Ava 400

Installation: vertical wall mount				Lamp	Watt	Input	IP	Class		
200	TB 1428005	CB 1428001	BSS 1428002	LED GU10▾	6W max	Mains 230V	44		✔	✔
300	TB 1428009	CB 1428003	BSS 1428004	LED GU10▾	2 x 6W max	Mains 230V	44		✔	✔
400	TB 1428013	CB 1428015	BSS 1428014	LED GU10▾	2 x 6W max	Mains 230V	44		✔	✔

Jura

Also in the collection: Jura Single Spot P.149, Jura Spike Spot P.160 and Jura Surface P.169



Jura Single Jura Twin

Installation: vertical wall mount			Lamp	Watt	Input	IP	Class		
Single	CB 1375001		LED GU10▾	6W max	Mains 230V	44		✔	✔
Twin	CB 1375002		LED GU10▾	2 x 6W max	Mains 230V	44		✔	✔

▾ Lamp excluded, see P.174

Oslo

LED



Installation: vertical wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class	
100	TB 1298004	TW 1298005	TG 1298022	Integral LED	3.8W	Mains 230V	3000	90	47	65	⏚	✔
120	MC 1298019			Integral LED	3.9W	Mains 230V	3000	80	61	65	⏚	✔
160	TB 1298002	TW 1298006	TG 1298021	Integral LED	6W	Mains 230V	3000	90	99	65	⏚	✔
160	MC 1298020			Integral LED	6.1W	Mains 230V	3000	80	117	65	⏚	✔
255	TB 1298007	TW 1298009	TG 1298023	Integral LED	7.5-7.9W	Mains 230V	3000	80	270	65	⏚	✔

Chios



Installation: vertical wall mount				Lamp	Watt	Input	IP	Class		
80	TB 1310002	TW 1310005	TG 1310007	LED GU10▾	6W max	Mains 230V	44	⏚	✔	✔
150	TB 1310004	TW 1310006	TG 1310008	LED GU10▾	2 x 6W max	Mains 230V	44	⏚	✔	✔

▾ Lamp excluded, see P.174

Elis

LED


1331005

1331010

1331009

1331002



Elis Single / Twin

Installation: wall mount					Lamp	Watt	Input	K	CRI	Lm	IP	Class	
Single	TB 1331001	TW 1331008	TG 1331010	CB 1331005	Integral LED	4.7W	Mains 230V	3000	80	248	54	⏚	✔
Twin	TB 1331002	TW 1331009	TG 1331011	CB 1331006	Integral LED	8.2W	Mains 230V	3000	80	524	54	⏚	✔

Dartmouth

LED


1372006

1372011

1372012

1372007

1372008



Dartmouth Single GU10



Dartmouth Single LED



Dartmouth Twin GU10



Dartmouth Twin LED

Installation: wall mount vertical

				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
Single	TW 1372009	TG 1372010	TB 1372011	LED GU10▾	6W max	Mains 230V	-	-	-	54	⏚	✔	✔
Twin	TW 1372012	TG 1372013	TB 1372014	LED GU10▾	2 x 6W max	Mains 230V	-	-	-	54	⏚	✔	✔

LED

Single	TG 1372007	TB 1372003	Integral LED	4.6W	Mains 230V	3000	80	263	54	⏚	-	✔
Twin	TG 1372008	TB 1372006	Integral LED	8.1W	Mains 230V	3000	80	542	54	⏚	-	✔

▾ Lamp excluded, see P.174

Dunbar

LED

1384019

1384003

1384020


1384007



Dunbar 100 | Dunbar 120 | Dunbar 160 | Dunbar 160 Concrete | Dunbar 255

Installation: wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class	
100	TW 1384001	TB 1384003		Integral LED	3.7W	Mains 230V	3000	90	64	65	⏚	✔
120	MC 1384019			Integral LED	3.9W	Mains 230V	3000	80	60	65	⏚	✔
160	TW 1384002	TB 1384004		Integral LED	6.8W	Mains 230V	3000	90	134	65	⏚	✔
160	MC 1384020			Integral LED	6.1W	Mains 230V	3000	80	115	65	⏚	✔
255	TW 1384007	TB 1384005		Integral LED	7.5W	Mains 230V	3000	80	303	65	⏚	✔

Jura Single Spot

Also in the collection: Jura Single/Twin P.146, Jura Spike Spot P.160 and Jura Surface P.169

1375008

1375008



Jura Single Spot

Installation: wall mount		Lamp	Watt	Input	IP	Class		adj°	
CB	1375008	LED GU10▾	6W max	Mains 230V	65	⏚	✔	✔	✔

▾ Lamp excluded, see P.174

Bayville spot

LED

Also in the collection: Bayville Spike Spot P.158

1401004 + 1401003

1401004

1401003



Bayville Spot Single



Bayville Spot Twin

Installation: wall mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°	
Single	TW **1401004**	TB **1401005**	TG **1401006**	Integral LED	8.1W	Mains 230V	3000	80	490	65		phase	✔	✔
Twin	TW **1401001**	TB **1401002**	TG **1401003**	Integral LED	15.9W	Mains 230V	3000	80	897	65		phase	✔	✔

Incline

LED


1419004

1419002

1419004



Incline Single



Incline Twin

Installation: wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class	
Single	CB **1419002**	Integral LED	8.2W	Mains 230V	3000	80	485	65		- ✔
Twin	CB **1419004**	Integral LED	14.2W	Mains 230V	3000	80	1075	65		phase ✔

Mast Light

1317003

1317011

1317007

1317012

1317013



Mast Light



Mast Twin

Installation: vertical wall mount		Lamp	Watt	Input	IP	Class		
	AB 1317003 CB 1317005 TG 1317007 TB 1317011 TW 1317012	LED GU10▾	6W max	Mains 230V	65	⏚	✔	✔
	MC 1317006	LED GU10▾	6W max	Mains 230V	44	⏚	✔	✔
Twin	MC 1317013	LED GU10▾	2 x 6W max	Mains 230V	44	⏚	✔	✔

Eclipse

LED

Also in the collection: Eclipse Round/Square P.87

1333011


1333011



Eclipse Round
300 LED

Installation: wall mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class	
MC 1333011	Integral LED	12.6W	Mains 230V	3000	80	597	44	☐	✔

▾ Lamp excluded, see P.174

Soprano Wall

Also in the collection: Soprano Bollard P.160



Soprano Wall

Installation: vertical wall mount	Lamp	Watt	Input	IP	Class
TB **1131004**	LED GX53▾	9W max	Mains 230V	44	✔

Tango

LED



Tango LED

Installation: wall mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class			Recess depth
TB **1175004** MW **1175001**	Integral LED	1W	350mA CC▾	3000	90	23	65		Ø64	✔	100 ✔

▾ Lamp/driver excluded, see P.172

Tivola

LED

1338001

1338009

1338004

1338001



Tivola LED

Installation: wall mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class			Recess depth	
TB 1338001 TG 1338009 CB 1338004	Integral LED	2W	700mA CC▾	3000	90	82	65	III	Ø62	✔	100	✔

Arran

LED

1379002

1379002

1379001



Arran Round



Arran Square

Installation: wall mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth	
Round	CB 1379002	Integral LED	2W	700mA CC▾	2700	90	60	65	III	Ø105	**83.5**	✔
Square	CB 1379001	Integral LED	2W	700mA CC▾	2700	90	46	65	III	87x87	**84**	✔

▾ Driver excluded, see P.172

Bayville Spike Spot in Textured Grey, P.158

Ground lights

Cromarty
P.156

Beam
P.156

Gramos Round
P.157

Gramos Square
P.157

Terra Round
P.157

Terra Square
P.157

Bayville Spike Spot
P.158

Bayville Spike 900
P.158

Myos
P.159

Skye Spike Spot
P.159

Jura Spike Spot
P.160

Soprano Bollard
P.160

Homefield Pedestal
P.161

Kuro
P.161

Cromarty

LED

1378002

1378001

1378002

1378003



Cromarty 100 Cromarty 120

Installation: ground / floor mount				Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth	adj°	
100	AA	1378001	BSS 1378002	Integral LED	9.4W	Mains 230V	3000	80	507	67		Ø98	155	✔	✔
120	BSS	1378003		Integral LED	15.2W	Mains 230V	3000	80	973	67		Ø111	180	✔	✔

Beam

LED

1202002

1202001

1202002



Beam One Beam Two

Installation: ground / floor / wall mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth	
One	MPS	1202001	Integral LED	2.2W	700mA CC▾	3000	80	7	67		Ø40	90	✔
Two	MPS	1202002	Integral LED	2.2W	700mA CC▾	3000	80	11	67		Ø40	90	✔

▾ Driver required, see P.172

Gramos



Gramos Round



Gramos Square

Installation: ground / floor mount		Lamp	Watt	Input	IP	Class		Recess depth		
Round	BSS **1312001**	LED GU10▾	6W max	Mains 230V	65		Ø98	120	✔	✔
Square	BSS **1312003**	LED GU10▾	6W max	Mains 230V	65		Ø98	112	✔	✔

Terra

LED



Terra Round 28



Terra Square 28



Terra Round 42

Installation: ground / floor / wall / ceiling mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class		Recess depth		
Round 42	AA **1201002**	Integral LED	2.2W	700mA CC▾	3000	80	98	67		Ø40	95	✔	✔
Round 28	BSS **1201004**	Integral LED	1W	350mA CC▾	3000	80	40	65		Ø25	57	✔	✔
Square 28	BSS **1201003**	Integral LED	1W	350mA CC▾	3000	80	40	65		Ø25	57	✔	✔

▾ Lamp/driver excluded, see P.172

Bayville Spike Spot

LED

Also in the collection: Bayville Spot P.150



Bayville Spike Spot

Installation: floor mount			Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°	
Spike	TB **1401021**	TG **1401008**	Integral LED	8.1W	Mains 230V	3000	80	490	65	⏚	phase	✔	✔
Spike 12V	TB **1401009**	TG **1401010**	Integral LED	4.4W	12V CV▾	3000	80	465	65	III	-	✔	✔

Bayville Spike 900

LED

Also in the collection: Bayville Spot P.150



Bayville Spike 900



Bayville Spike 900 Twin

Installation: floor mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°	
Spike 900	TB **1401012**	Integral LED	8.1W	Mains 230V	3000	80	490	66	⏚	phase	✔	✔
Spike 900 Twin	TB **1401013**	Integral LED	15.7W	Mains 230V	3000	80	1070	66	⏚	phase	✔	✔

▾ Lamp/driver excluded, see P.172

Myos

LED

1426002 + 6034001

1426002

6034001



Myos

Installation: floor mount		Lamp	Watt	Input	K	CRI	Lm	IP	Class	adj°	
	TB 1426002	Integral LED	8W	700mA CC▾	3000	90	312	65	III	✔	✔
Extension Pole	TB 6034001	-	-	-	-	-	-	-	-	-	-

Skye Spike Spot

LED

1386001

1386001



Skye Spike Spot

Installation: floor mount	Lamp	Watt	Input	K	CRI	Lm	IP	Class		adj°	
BSS 1386001	Integral LED	6.8W	700mA CC▾	3000	80	600	65	III	✔	✔	✔

▾ Driver required, see P.172

Jura Spike Spot

Also in the collection: Jura Single/Twin P.146, Jura Spot P.149 and Jura Surface P.169



Jura Spike Spot

Installation: floor mount		Lamp	Watt	Input	IP	Class		adj°	
CB	1375007	LED GU10▾	6W max	Mains 230V	65	⏚	✔	✔	✔

Soprano Bollard

Also in the collection: Soprano Wall P.152



Soprano Bollard

Installation: floor mount		Lamp	Watt	Input	IP	Class	
TB	1131006	LED GX53▾	9W	Mains 230V	44	⏚	✔

▾ Lamp excluded, see P.174

Homefield Pedestal

Also in the collection: Homefield Wall P.134, Homefield Pendant P.164 and Homefield Ceiling P.167



Homefield Pedestal

Installation: pedestal / post-top		Lamp	Watt	Input	IP	Class		
TB	1095036	LED E27/ES▾	12W max	Mains 230V	44		✔	✔

Kuro

LED



Kuro 250



Kuro 450

Installation: portable			Lamp	Watt	Input	K	CRI	Lm	IP	Class	
250	TB	1430001	Integral LED	1.3W	5V DC + Solar Powered	2700	80	145	44		✔
450	TB	1430002	Integral LED	1.3W	5V DC + Solar Powered	2700	80	145	44		✔
USB Charger	Bk	6032001	-	-	-	-	-	-	-	-	-

▾ Lamp excluded, see P.174

Kos Square in Coastal Brass, P.170

Pendant & Ceiling

Homefield Pendant
P.164

Harvard Pendant
P.165

Richmond Pendant
P.165

Calvi Pendant
P.166

Portree Pendant
P.166

Montparnasse Pendant
P.167

Homefield Ceiling
P.167

Box
P.168

Bronte
P.168

Kos Round
P.169

Kos Square
P.169

Jura Surface
P.170

Solway Round
P.170

Solway Square
P.170

Homefield Pendant

Also in the collection: Homefield Wall P.134, Homefield Pedestal P.161 and Homefield Ceiling P.167



Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
240	TB	**1095010**	LED E27/ES▾	12W max	Mains 230V	23	☐	✔	✔
240	NB	**1095035**	LED E27/ES▾	12W max	Mains 230V	44	☐	✔	✔
360	TB	**1095015**	LED E27/ES▾	12W max	Mains 230V	23	☐	✔	✔
450	TB	**1095033**	LED E27/ES▾	12W max	Mains 230V	23	☐	✔	✔

Homefield Pendant 240

Homefield Pendant 240 NB



Homefield Pendant 360



Homefield Pendant 450

▾ Lamp excluded, see P.174

Harvard Pendant

Also in the collection: Harvard Wall/500 p.136 and Harvard Lantern P.137



Harvard Pendant

Installation: ceiling mount	Lamp	Watt	Input	IP	Class		
TB 1402013	LED E27/ES▾	12W max	Mains 230V	44	⏚	✔	✔

Richmond Pendant

Also in the collection: Richmond Wall Lantern P.139 and Richmond Wall P.140



Richmond Pendant

Installation: ceiling mount	Lamp	Watt	Input	IP	Class		
TB 1340008	LED E27/ES▾	12W max	Mains 230V	23	□	✔	✔

▾ Lamp excluded, see P.174

Calvi Pendant

Also in the collection: Calvi Wall P.139

1306006

1306003

1306013



Calvi Pendant 215

Calvi Pendant 305

Installation: ceiling mount				Lamp	Watt	Input	IP	Class		
215	TB	1306003	AB 1306006	LED E27/ES▾	12W max	Mains 230V	23	☐	✔	✔
305	TB	1306013		LED E27/ES▾	12W max	Mains 230V	23	☐	✔	✔

Portree Pendant

Also in the collection: Portree Wall P.143

1400002

1400002



Portree Pendant

Installation: ceiling mount			Lamp	Watt	Input	IP	Class		
CB	1400002		LED E27/ES▾	12W max	Mains 230V	44	☐	✔	✔

▾ Lamp excluded, see P.174

Montparnasse Pendant

Also in the collection: Montparnasse Wall P.142

1096010

1096010

1096004



Montparnasse Pendant

Installation: ceiling mount	Lamp	Watt	Input	IP	Class		
PN 1096004 Br 1096010	LED E27/ES▾	12W max	Mains 230V	44	☐	✔	✔

Homefield Ceiling

Also in the collection: Homefield Wall P.134, Homefield Pedestal P.161 and Homefield Pendant P.164

1095021

1095021



Homefield Ceiling

Installation: ceiling mount	Lamp	Watt	Input	IP	Class		
TB 1095021	LED E27/ES▾	12W max	Mains 230V	23	⏚	✔	✔

▾ Lamp excluded, see P.174

Box

Also in the collection: Box Lantern P.137

Box

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
TB	1354001	LED E27/ES▾	12W max	Mains 230V	23	⏚	✔	✔

Bronte



Bronte

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
MB	1353001	LED E27/ES▾	12W max	Mains 230V	23	⏚	✔	✔

▾ Lamp excluded, see P.174

Kos

LED

1326041

1326039

1326015


1326028

1326037

1326040

1326021

1326041

1326025

Installation: ceiling mount

Round

				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
	MW 1326039	TB 1326040	TG 1326041	LED GU10▾	6W max	Mains 230V	-	-	-	65	⏚	✔	✔
	MC 1326014	CB 1326035		LED GU10▾	6W max	Mains 230V	-	-	-	44	⏚	✔	✔
100 LED	TB 1326023	TG 1326024	TW 1326025	Integral LED	5.9W	Mains 230V	3000	80	329	65	☐	Phase	✔
100 LED	CB 1326037			Integral LED	8.1W	Mains 230V	3000	80	428	44	⏚	Phase	✔
140 LED	TB 1326017	TG 1326018	TW 1326019	Integral LED	11.9W	Mains 230V	3000	80	900	65	☐	Phase	✔

Square

				Lamp	Watt	Input	K	CRI	Lm	IP	Class		
	MW 1326043	TB 1326044	TG 1326045	LED GU10▾	6W max	Mains 230V	-	-	-	65	⏚	✔	✔
	MC 1326015	CB 1326036		LED GU10▾	6W max	Mains 230V	-	-	-	44	⏚	✔	✔
100 LED	TB 1326026	TG 1326027	TW 1326028	Integral LED	5.9W	Mains 230V	3000	80	329	65	☐	Phase	✔
100 LED	CB 1326038			Integral LED	8.1W	Mains 230V	3000	80	385	44	⏚	Phase	✔
140 LED	TB 1326020	TG 1326021	TW 1326022	Integral LED	11.9W	Mains 230V	3000	80	900	65	☐	Phase	✔



Kos | Kos Round 100 LED | Kos Concrete | Kos Round 140 LED | Kos Square | Kos Square 100 LED | Kos Square Concrete | Kos Square 140 LED

▾ Lamp excluded, see P.174

Jura Surface

Also in the collection: Jura Single/Twin P.146, Jura Single Spot P.149 and Jura Spike Spot P.160

1375003

1375003

Jura Surface

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		
CB	1375003	LED GU10▾	6W max	Mains 230V	44	⏚	✔	✔

Solway

1416001


1416001


1416002



Solway Round



Solway Square

Installation: ceiling mount		Lamp	Watt	Input	IP	Class		Recess depth		
Round	CB 1416001	LED GU10▾	6W max	Mains 230V	65	⏚	Ø83	100	✔	✔
Square	CB 1416002	LED GU10▾	6W max	Mains 230V	65	⏚	Ø83	100	✔	✔

▾ Lamp excluded, see P.174

Myos in Textured Black, P.159

LED Drivers*

Most LED light fittings require a Driver to be used, which reduces the current from the mains down to the very small current needed by the LED. Astro supplies three types of LED light:

- Light fitting supplied with a Driver
- Driver supplied separately
- No Driver required (the light is designed to connect directly to the mains)

If your LED light requires a Driver, Astro offers a range of high quality Drivers from a number of reputable manufacturers that are designed to work on many commonly found dimmers and lighting control systems. Please refer to the Driver Calculator section on our website astrolighting.com for further information on choosing the right Driver, specification and installation.

12V CV Driver Wire in Parallel only

Code	Wattage	Dimming	Dimensions
6008006	60W	No	H:32 W:162.5 D:42.5mm
6008008	20W	No	H:26 W:118 D:35mm
6008038	10W	Phase	H:29.5 W:101.5 D:51mm

6008006

6008008

6008038

250mA CC Driver Wire in Series only

Code	Wattage	Dimming	Dimensions
6008020	0.5W - 10.75W	DALI	H:22 W:110.4 D:52mm
6008021	6.5W - 10W	No	H:22 W:85 D:40.4mm
6008071	10W	No	H:19 W:115 D:34mm
6008081	3W-20W	Phase	H:22 W:110.4 D:52mm
6008087	7.5W - 10.5W	Phase	H:85 W:40.5 D:22mm

6008020

6008021

6008071

6008081

6008079

6008087

350mA CC Driver Wire in Series only

Code	Wattage	Dimming	Dimensions
6008013	1.1W - 10.5W	1-10V	H:38.8 W:200 D:42.4mm
6008020	0.7W - 15.05W	DALI	H:22 W:110.4 D:52mm
6008023	6W - 10.15W	No	H:22 W:85 D:40.4mm
6008036	7.4W - 15W	Phase	H:29.5 W:101.5 D:51mm
6008058	0.7W - 15.05W	1-10V	H:22 W:110.4 D:52mm
6008072	1W - 15W	No	H:30 W:146.5 D:43.5mm
6008076	1W - 38W	Casambi	H:85 W:40.4 D:22mm
6008081	3W - 20W	Phase	H:22 W:110.4 D:52mm
6008090	1W - 3.3W	No	H:20 W:49 D:27.2mm
6008091	4.55W - 9.1W	Phase	H:22 W:85 D:40mm

6008013

6008020

6008023

6008036

6008058

6008072

6008076

6008081

6008090

6008091

500mA CC Driver Wire in Series only

Code	Wattage	Dimming	Dimensions
6008020	1W - 20W	DALI	H:22 W:110.4 D:52mm
6008058	1W - 20W	1-10V	H:22 W:110.4 D:52mm
6008076	1W - 38W	Casambi	H:85 W:40.4 D:22mm
6008081	3W - 20W	Phase	H:22 W:110.4 D:52mm

6008020

6008058

6008076

6008081

700mA CC Driver Wire in Series only

CODE	WATTAGE	DIMMING	DIMENSIONS
6008020	1.4W - 19.6W	DALI	H:22 W:110.4 D:52mm
6008022	6W - 10W	No	H:22 W:65 D:39mm
6008032	7W - 14W	Phase	H:29.5 W:101.5 D:51mm
6008058	1.4W - 20.3W	1-10V	H:22 W:110.4 D:52mm
6008072	1W - 31W	No	H:30 W:146.5 D:43.5mm
6008076	1W - 38W	Casambi	H:85 W:40.4 D:22mm
6008081	3W - 21W	Phase	H:22 W:110.4 D:52mm
6008089	1.9W - 3.1W	No	H:20 W:49 D:27.2mm

6008020

6008022

6008032

6008058

6008072

6008076

6008081

6008089

Lamps*

To emulate the dimming of filament lamps Warm Dim lamps emit warmer light as they are dimmed.
The stated colour temperature shows the values at maximum and minimum dimming levels.

GX53 LED 5W
6004073

G9 LED 2.5W
6004084

E14 LED 3.5W
6004087

E27 LED 7W
6004091

E27 LED 4W
6004092

E27 LED 4W
6004093

GU10 LED 6W
6004096

E14 LED 4W
6004102

G9 LED 2.9W
6004103

E27 LED 8W
6004105

GU10 LED 5.5W
6004106

E27 LED 4W
6004109

E27 LED 6W
6004110

E27 LED 6W
6004111

G9 LED 2W
6004112

E27 LED 7W
6004121

E27 LED 12W
6004122

G9 LED 3.5W
6004123

E14 LED 5.5W
6004126

Code	Lamp Type	Wattage	Colour Temp.	Dimmable	Lumens	Dimensions
6004102	E14 LED Candle	4W	2700K	Yes	450	H:98 Ø:35mm
6004126	E14 LED Candle	5.5W	2800K	No	470	H:100 ø:35mm
6004087	E14 LED Golf Ball	3.5W	2700K	Yes	350	H:80 Ø:45mm
6004092	E27 LED Filament	4W	2100K	Yes	320	H:142 Ø:64mm
6004093	E27 LED Filament Tube	4W	2100K	Yes	320	H:190 Ø:32mm
6004109	E27 LED Filament Tube	4W	2100K	Yes	400	H:300 Ø:32mm
6004111	E27 LED Large Globe	6W	2700K	Yes	540	H:175 Ø:125mm
6004122	E27 LED	12W	2700K	Yes	1521	H:105 Ø:60mm
6004091	E27 LED Warm Dim	7W	2700-2000K	Yes	510	H:106 Ø:61mm
6004121	E27 LED	7W	2700K	Yes	806	H:105 Ø:60mm
6004105	E27 LED Tunable White Casambi	8W	6900-2200K	Yes	560	H:115 Ø:60mm
6004110	E27 LED Medium Globe	6W	2700K	Yes	540	H:120 Ø:80mm
6004084	G9 LED	2.5W	3000K	No	210	H:48 Ø:16mm
6004103	G9 LED	2.9W	2900K	Yes	250	H:51 Ø:16mm
6004112	G9 LED	2W	3000K	No	200	H:48 Ø:13mm
6004123	G9 LED	3.5W	3000K	Yes	350	H:60 ø:15mm
6004106	GU10 LED	5.5W	2800K	Yes	500	H:55 Ø:50mm
6004096	GU10 LED Warm Dim	6W	2800-1800K	Yes	400	H:59.3 Ø:50mm
6004073	GX53 LED	5W	2800K	No	300	H:24 Ø:75mm

LED Module*

Code	LED Module	Colour Temp.	CRI	Dimmable	Lumens	Dimensions
6033004	LED Module 24°	2700	90	Yes	960	H:52 Ø:50mm
6033005	LED Module 24°	3000	90	Yes	1020	H:52 Ø:50mm
6033006	LED Module 24°	4000	90	Yes	1090	H:52 Ø:50mm
6033007	LED Module 40°	2700	90	Yes	920	H:52 Ø:50mm
6033008	LED Module 40°	3000	90	Yes	980	H:52 Ø:50mm
6033009	LED Module 40°	4000	90	Yes	1050	H:52 Ø:50mm

Dimmable when used with a dimmable 350mA Constant Current Driver, sold separately.

LED Module

Accessories*

Code	Firehoods*	Dimensions
6010001	Firehood 150	H:120 W:150 D:150mm
6010003	Firehood 300	H:120 W:300 D:150mm
6010004	Firehood 410	H:170 W:410 D:190mm
6010005	Firehood 280	H:170 W:280 D:250mm
6010006	Firehood 180	H:130 Ø:180mm
6012002	Downlight Insulation Guard	H:30 W:400 D:0.4mm
6018002	Heated De-mister Pad	H:400 W:400mm D:5mm

Firehood 150
6010001

Firehood 300
6010003

Firehood 410
6010004

Firehood 280
6010005

Firehood 180
6010006

Downlight Insulation Guard
6012002

Demister Pad
6018002

* Please visit our website for the most up to date information on Accessories

Special orders

In addition to our extensive product portfolio which can be found at astrolighting.com, we also provide exclusive specification options. Special order luminaries, which offer you flexibility in finish, size or specification, have a minimum order quantity of 100 pieces and an extended lead time, although we will always work hard to meet your project deadline.

Casambi

Astro lamped luminaires are compatible with most Smart Home lighting systems such as Philips Hue. For a professional control solution, we have partnered with Casambi to offer a fully featured wireless smart lighting system that is easy to integrate and configure. With the addition of wireless switches and sensors, Casambi provides truly intelligent lighting control.

See **astrolighting.com/Casambi** to learn more.

Finishes

Please note Finishes may vary from batch to batch

AA
Anodised Aluminium

AB
Antique Brass

BK
Black

Br
Bronze

BSS
Brushed Stainless Steel

C
Ceramic

CB
Coastal Brass

CNB
Coastal Natural Brass

Cr
Cream

Fr
Frosted Glass

GW
Glass White

LG
Light Grey

MB
Matt Black

MC
Matt Concrete

MG
Matt Gold

Mi
Mirror Finish

MN
Matt Nickel

MPS
Matt Painted Silver

MW
Matt White

NB
Natural Brass

P
Plaster

PA
Polished Aluminium

PCh
Polished Chrome

PCo
Polished Copper

PN
Polished Nickel

PSS
Polished Stainless Steel

TB
Textured Black

TG
Textured Grey

TGo
Textured Gold

TW
Textured White

W
Walnut

WG
White Glass

Wh
White

Fabric swatches

Please note Finishes may vary from batch to batch

PF
Putty Fabric

WF
White Fabric

WP
White Pleated

Symbols

Class 1

Class 2

Class 3

Dimmable

Switched

Fire-rated

adj° Adjustable

Cut out size

LED product

Beam angle

1 2 3 Bathroom zones

Casambi compatible

Product are compatible when combined with Casambi Accessories (see website for details).

Numerical Index

Code	Name	Finish	Pg
1021001	Tube	PCh	26
1038001	Denver	PCh	48
1039005	Toronto	PA	144
1044001	Dayton	PCh	33
1047001	Bari	PCh	30
1047004	Bari	MN	30
1047005	Bari	Br	30
1047006	Bari	MB	30
1047007	Bari	MW	30
1047008	Bari	MG	30
1047009	Bari	PCo	30
1050001	Roma	PCh	27
1050005	Roma	MN	27
1050006	Roma	Br	27
1050007	Roma	MB	27
1050008	Roma	MW	27
1050009	Roma	MG	27
1050010	Roma	PCo	27
1058013	Enna Surface LED	MN	70
1058014	Enna Surface LED	PCh	70
1058015	Enna Surface LED	MW	70
1058027	Enna Surface LED	MB	70
1058084	Enna Surface LED	Br	70
1058108	Enna Surface LED	MG	70
1058153	Enna Surface USB	MB	70
1058154	Enna Surface USB	MW	70
1058155	Enna Surface USB	MN	70
1058156	Enna Surface USB	MG	70
1060006	Kyoto LED	PCh	31
1060007	Kyoto Pendant	PCh	42
1060008	Kyoto Pendant	MN	42
1060013	Kyoto LED	MB	31
1067001	Cremona	W	62
1071015	Imola	Mi	38
1072001	Obround	WG	89
1074001	Luga	WG	89
1079001	Amalfi	C	85
1084021	Palermo 600	PCh	21
1084022	Palermo 900	PCh	21
1084023	Palermo 1200	PCh	21
1087007	Cabaret 4	MB	26
1087008	Cabaret 5	MB	26
1087009	Cabaret 4	PCh	26
1087010	Cabaret 5	PCh	26
1089001	Tokyo	WG	88
1089002	Tokyo switched	WG	88
1095001	Homefield 160	MB	134
1095010	Homefield Pendant 240	TB	164
1095011	Homefield Sensor	MB	134
1095013	Homefield 130	MB	134
1095015	Homefield Pendant 360	TB	164
1095021	Homefield Ceiling	TB	167
1095029	Homefield 160	Br	134
1095031	Homefield Sensor	Br	134
1095033	Homefield Pendant 450	TB	164
1095034	Homefield	NB	134
1095035	Homefield Pendant 240	NB	164
1095036	Homefield Pedestal	TB	161
1096001	Montparnasse Wall	PN	142
1096004	Montparnasse Pendant	PN	167
1096009	Montparnasse Wall	Br	142
1096010	Montparnasse Pendant	Br	167
1106001	Anton	PCh	27
1121005	Mashiko Classic 300 Square	PCh	44
1121006	Mashiko 360 Classic	PCh	24
1121009	Mashiko 200 Square	PCh	44
1121010	Mashiko 400 Square	PCh	44
1121013	Mashiko 400 Square	Br	44
1121017	Mashiko 300 Round	PCh	45
1121018	Mashiko 360 LED	PCh	24
1121020	Mashiko 600 LED	PCh	24
1121021	Mashiko 230 Round	PCh	45
1121026	Mashiko 400 Round	PCh	45
1121037	Mashiko 360 Classic	MG	24
1121040	Mashiko 300 Square LED	PCh	44
1121041	Mashiko 300 Round	PCh	45
1121043	Mashiko 300 Round	Br	45
1121045	Mashiko 300 Round	Br	45
1121055	Mashiko 360 Classic	Br	24
1121056	Mashiko 200 Square	Br	44
1121058	Mashiko 600 LED	Br	24
1121060	Mashiko 360 LED	Br	24
1121062	Mashiko 300 Square LED	Br	44
1121065	Mashiko 360 LED	MN	24
1121066	Mashiko 900 LED	PCh	24
1121067	Mashiko 400 Square LED	PCh	44
1121069	Mashiko 400 Square LED	Br	44
1121072	Mashiko 400 Square LED Selftest	PCh	44
1121074	Mashiko 400 Square LED Selftest	Br	44
1121075	Mashiko 400 Square LED Basic	PCh	44
1121076	Mashiko 400 Square LED Basic	Br	44
1124004	Epsilon	PCh	29
1124007	Epsilon	MB	29
1125004	Mallon LED	PCh	46
1125005	Mallon LED	MN	46
1125006	Mallon LED	Br	46
1129001	Dakota 300	PCh	47
1129006	Dakota 180	PCh	47
1129007	Dakota 300 LED	PCh	47
1131004	Soprano Wall	TB	152
1131006	Soprano Bollard	TB	160
1133005	Altea 360	PCh	22
1133006	Altea 500	PCh	22
1134001	Denia	PCh	46
1137003	Catena	PCh	39
1140001	Cube	PCh	28
1143001	Padova	PCh	33
1147001	Verona	PCh	31
1150015	Romano 600	PCh	21
1150016	Romano 900	PCh	21
1150017	Romano 1200	PCh	21
1151003	Kappa	PCh	29
1151004	Kappa	MB	29
1155001	Koza	P	79
1166001	Ashino	WF	62
1166002	Ashino Wide	WF	62
1169001	Taketa	PCh	30
1169010	Taketa 300 LED	PCh	43
1169014	Taketa 400 LED	PCh	43
1169015	Taketa 400 LED	MN	43
1169016	Taketa 400 LED Selftest	PCh	43
1169017	Taketa 400 LED Selftest	MN	43
1169018	Taketa 400 LED Basic	PCh	43
1169019	Taketa 400 LED Basic	MN	43
1169020	Taketa 400 LED	MW	43
1169021	Taketa 400 LED Selftest	MW	43
1169022	Taketa 400 LED Basic	MW	43
1172001	Pero	P	82
1173001	Mosto	P	82
1174003	Kashima 350	PCh	32
1174004	Kashima 620	PCh	32
1175001	Tango	MW	35
1175002	Tango	BSS	35
1175004	Tango	TB	35
1175005	Tango	PSS	35
1176001	Zeppo Ceiling	PCh	48
1176002	Zeppo Pendant 300	PCh	106
1176003	Zeppo Pendant 400	MW	106
1176004	Zeppo Wall	WG	28
1178001	Salerno	TB	134
1178002	Salerno LED	TB	134
1178006	Salerno	NB	134
1178007	Salerno 520	TB	134
1178008	Salerno 520 LED	TB	134
1183004	Messina Sensor	TB	135
1183005	Messina 130	TB	135
1183018	Messina 130	Br	135
1183021	Messina 160	TB	135
1183023	Messina 160	Br	135
1183024	Messina 160 Frosted	TB	135
1183026	Messina 160 Frosted	Br	135
1183027	Messina Twin	TB	135
1183028	Messina 200	TB	135
1186001	Cyl 200	WG	88
1186002	Cyl 260	WG	88
1187001	Parma 160 LED 3000K	P	76
1187002	Parma 250 LED 3000K	P	76
1187003	Parma 210	P	76
1187004	Parma 100 LED 3000K	P	76
1187005	Parma 200	P	76
1187009	Parma 110	P	76
1187014	Parma 160 LED 2700K	P	76
1187015	Parma 250 LED 2700K	P	76
1187016	Parma 100 LED 2700K	P	76
1187019	Parma 210 LED 2700K	P	76
1187021	Parma 210 LED 3000K	P	76
1187027	Parma 625 LED	P	76
1194003	Monza	PCh	25
1195003	Brenta	P	80
1196001	Pienza 140	P	78
1196003	Pienza 165	P	78
1196004	Pienza 140 Switched	P	78
1199001	Puzzle	TB	135
1201002	Terra 42	AA	157
1201003	Terra Round 28	BSS	157
1201004	Terra Square 28	BSS	157
1202001	Beam One	MPS	156
1202002	Beam Two	MPS	156
1212001	Borgo 55 LED 3000K	MW	93
1212004	Borgo 90 LED 3000K	MW	93
1212007	Borgo Trimless 35 LED	MW	93
1212008	Borgo Trimless 65 LED	MW	93
1212017	Borgo 43 LED	MW	93
1212019	Borgo 54 LED	MW	93
1212021	Borgo 55 LED 2700K	MW	93
1212024	Borgo 90 LED 2700K	MW	93
1212027	Borgo Trimless 35 LED	MW	93
1212028	Borgo Trimless 65 LED	MW	93
1212031	Borgo 43 LED 2700K	MW	93
1212033	Borgo 54 LED 2700K	MW	93
1212037	Borgo Trimless Mini LED	MW	93
1212038	Borgo Trimless 200 LED	MW	93
1212039	Borgo Trimless Mini LED	MW	93
1212040	Borgo Trimless 200 LED	MW	93
1212041	Borgo Trimless 98 LED	MW	93
1212042	Borgo Trimless 98 LED	MW	93
1215081	Fuse USB	MW	71
1215082	Fuse USB	MB	71
1215083	Fuse USB	PCh	71
1215084	Fuse USB	MN	71
1215085	Fuse USB	Br	71
1215103	Fuse USB	MG	71
1215122	Fuse 3	MW	71
1215123	Fuse 3	MB	71
1215124	Fuse 3	PCh	71
1215125	Fuse 3	MN	71
1215126	Fuse 3	Br	71
1215127	Fuse 3	MG	71
1218001	Marasino	P	100
1221001	Limina	P	100
1223002	Joel Table	MB	97
1223003	Joel Table	Cr	97
1223005	Joel Floor	MB	98
1223006	Joel Floor	Cr	98
1223010	Joel Grande Table	Cr	98
1223011	Joel Grande Table	MB	98
1223014	Joel Wall	MB	67
1223015	Joel Wall	Cr	67
1223017	Joel Pendant 170	Cr	105
1223018	Joel Pendant 170	MB	105
1223021	Joel Grande Wall	Cr	67
1223022	Joel Grande Wall	MB	67

Code	Name	Finish	Pg
1223023	Joel Pendant 270	MB	105
1223025	Joel Pendant 270	Cr	105
1224012	Atelier Wall	MW	66
1224013	Atelier Wall	MB	66
1224015	Atelier Grande	MW	66
1224016	Atelier Grande	MB	66
1224018	Atelier 150	MW	105
1224019	Atelier 150	MB	105
1224021	Atelier 200	MW	105
1224022	Atelier 200	MB	105
1224061	Atelier Desk	MB	97
1224062	Atelier Desk	MW	97
1240013	Taro Round	MW	120
1240014	Taro Square	MW	121
1240015	Taro Round Adj	MW	120
1240016	Taro Square Adj	MW	121
1240017	Taro Twin	MW	121
1240019	Taro Triple	MW	121
1240024	Taro Round Fire-Rated	MW	120
1240026	Taro Square Fire-Rated	MW	121
1240028	Taro Round Adj Fire-Rated	MW	120
1240030	Taro Square Adj Fire-Rated	MW	121
1240032	Taro Twin Fire-Rated	MW	121
1248005	Trimless Square Fixed Fire-Rated	MW	52
1248009	Trimless Square LED	TW	113
1248010	Trimless Round LED	TW	112
1248011	Trimless Round LED	MW	112
1248012	Trimless Square LED	MW	113
1248017	Trimless Slimline Round Fixed	MW	52
1248018	Trimless Square Fixed	MW	113
1248019	Trimless Slimline Round Adj	MW	112
1248020	Trimless Square Adj	MW	113
1248021	Trimless Round Twin Adj	MW	112
1248022	Trimless Square Twin Adj	MW	113
1248023	Trimless Round Fixed	MW	112
1248024	Trimless Round Adj	MW	112
1249002	Minima Round Fixed	MW	118
1249003	Minima Round Adj	MW	118
1249005	Minima Round LED	TW	118
1249006	Minima Square Adj	MW	119
1249007	Minima Square Fixed	MW	119
1249012	Minima Round	MW	54
1249015	Minima Round Fixed	MB	118
1249016	Minima Round Adj	MB	118
1249017	Minima Round	MB	54
1249018	Minima Square	MW	54
1249019	Minima Square Fixed	MB	119
1249020	Minima Square Adj	MB	119
1249023	Minima Round	MW	54
1249024	Minima Square LED	MW	54
1249028	Minima Twin	MW	118
1249029	Minima Twin	MB	118
1249034	Minima Slimline Round Fixed	MW	54
1249035	Minima Slimline Round Fixed	MB	54
1249036	Minima Slimline 25	MW	54
1249037	Minima Slimline 25	MB	54
1249038	Minima Slimline Square Fixed	MW	54
1249039	Minima Slimline Square Fixed	MB	54
1249040	Minima Slimline Round Adj	MW	118
1249041	Minima Slimline Round Adj	MB	118
1249042	Minima Slimline Square Adj	MW	119
1249043	Minima Slimline Square Adj	MB	119
1252014	Osca 400 Round	P	106
1253001	Blanco Twin Fixed	P	114
1253002	Blanco Square Fixed	P	114
1253003	Blanco 45	P	114
1253004	Blanco Round Fixed	P	114
1253005	Blanco Round Adjustable	P	114
1253006	Blanco Twin Adjustable	P	114
1253007	Blanco Square Adjustable	P	114
1254013	Vetro Round	Wh	55
1254014	Vetro Square	Wh	55
1254015	Vetro Twin	Wh	55
1254016	Vetro Round	Bk	55
1254017	Vetro Square	Bk	55
1254018	Vetro Twin	Bk	55
1256013	Aprilia Round Fire-Rated	MW	117
1256014	Aprilia Square Fire-Rated	MW	117
1256019	Aprilia Twin LED 3000K	MW	117
1256020	Aprilia Round 3000K	MW	117
1256021	Aprilia Square 3000K	MW	117
1256022	Aprilia Twin 2700K	MW	117
1256024	Aprilia Round 2700K	MW	117
1256026	Aprilia Square 2700K	MW	117
1286001	Ascoli Single	TW	129
1286002	Ascoli Triple Round	TW	129
1286003	Ascoli Triple Bar	TW	129
1286004	Ascoli Single	Br	129
1286005	Ascoli Triple Round	Br	129
1286006	Ascoli Triple Bar	Br	129
1286007	Ascoli Four Bar	TW	129
1286008	Ascoli Four Bar	Br	129
1286009	Ascoli Single Switched	Br	129
1286010	Ascoli Single Switched	TW	129
1286011	Ascoli Single Switched	MN	129
1286012	Ascoli Triple Round	MN	129
1286013	Ascoli Triple Bar	MN	129
1286014	Ascoli Four Bar	MN	129
1286015	Ascoli Single	MN	129
1286016	Ascoli Desk	MW	96
1286017	Ascoli Desk	MN	96
1286018	Ascoli Floor	MW	96
1286019	Ascoli Floor	MN	96
1286021	Ascoli Recessed	TW	129
1286022	Ascoli Recessed	Br	129
1286023	Ascoli Recessed	MN	129
1286024	Ascoli Desk	Br	96
1286025	Ascoli Floor	Br	96
1286033	Ascoli Track Spot	TW	127
1286034	Ascoli Twin	TW	129
1286035	Ascoli Twin	Br	129
1286036	Ascoli Twin	MN	129
1286052	Ascoli Track Spot	TB	127
1286059	Ascoli Five Bar	TW	129
1286060	Ascoli Five Bar	Br	129
1286061	Ascoli Five Bar	MN	129
1286065	Ascoli Swing	TW	68
1286066	Ascoli Swing	MN	68
1286067	Ascoli Swing	Br	68
1286078	Ascoli Single	MB	129
1286079	Ascoli Single Switched	MB	129
1286080	Ascoli Recessed	MB	129
1286081	Ascoli Twin	MB	129
1286082	Ascoli Triple Round	MB	129
1286083	Ascoli Triple Bar	MB	129
1286084	Ascoli Four Bar	MB	129
1286085	Ascoli Five Bar	MB	129
1286086	Ascoli Desk	MB	96
1286087	Ascoli Floor	MB	96
1286088	Ascoli Swing	MB	68
1286095	Ascoli Flush Fire-Rated	TW	129
1286096	Ascoli Flush Fire-Rated	MB	129
1286097	Ascoli Twin Recessed	TW	129
1286098	Ascoli Twin Recessed	Br	129
1286099	Ascoli Twin Recessed	MN	129
1286100	Ascoli Twin Recessed	MB	129
1287002	Bologna	P	80
1292001	Sabina	PCh	47
1292002	Sabina Square	PCh	47
1292003	Sabina 280	PCh	47
1298002	Oslo 160 LED	TB	147
1298004	Oslo 100 LED	TB	147
1298005	Oslo 100 LED	TW	147
1298006	Oslo 160 LED	TW	147
1298007	Oslo 255 LED	TB	147
1298009	Oslo 255 LED	TW	147
1298019	Oslo 120 LED	MC	147
1298020	Oslo 160 LED	MC	147
1298021	Oslo 160 LED	TG	147
1298022	Oslo 100 LED	TG	147
1298023	Oslo 255 LED	TG	147
1299001	Milo	C	84
1299002	Milo 400	C	84
1299009	Milo 300	GW	84
1300001	Aria	P	84
1301001	Kyo	C	85
1305006	Dio	PCh	32
1306001	Calvi Wall 215	TB	139
1306003	Calvi Pendant 215	TB	166
1306005	Calvi Wall 215	AB	139
1306006	Calvi Pendant 215	AB	166
1306011	Calvi Wall 305	TB	139
1306013	Calvi Pendant 305	TB	166
1307007	Axios 600	PCh	22
1307008	Axios 900	PCh	22
1307009	Axios 300	PCh	22
1307014	Axios 1200	PCh	22
1308006	Artemis 600	PCh	20
1308007	Artemis 900	PCh	20
1308014	Artemis 1200	PCh	20
1310002	Chios 80	TB	147
1310004	Chios 150	TB	147
1310005	Chios 80	TW	147
1310006	Chios 150	TW	147
1310007	Chios 80	TG	147
1310008	Chios 150	TG	147
1312001	Gramos Round	BSS	157
1312003	Gramos Square	BSS	157
1315001	Pella 325	P	78
1315002	Pella 190	P	78
1317003	Mast Light	AB	151
1317005	Mast Coastal	CB	151
1317006	Mast Light	MC	151
1317007	Mast Light	TG	151
1317011	Mast Light	TB	151
1317012	Mast Light	TW	151
1317013	Mast Twin	MC	151
1322006	Sparta 600	PCh	20
1322007	Sparta 900	PCh	20
1322011	Sparta 1200	PCh	20
1325001	Rio 325	P	77
1325002	Rio 190	P	77
1325005	Rio 325	P	77
1325006	Rio 190	P	77
1325007	Rio 125	P	77
1325008	Rio 210	P	77
1325009	Rio 325 Phase	P	77
1325010	Rio 190 Phase	P	77
1326014	Kos Round	MC	169
1326015	Kos Square	MC	169
1326017	Kos Round 140	TB	56
1326018	Kos Round 140	TG	56
1326019	Kos Round 140	TW	56
1326020	Kos Square 140	TB	56
1326021	Kos Square 140	TG	56
1326022	Kos Square 140	TW	56
1326023	Kos Round 100	TB	56
1326024	Kos Round 100	TG	56
1326025	Kos Round 100	TW	56
1326026	Kos Square 100	TB	56
1326027	Kos Square 100	TG	56
1326028	Kos Square 100	TW	56
1326035	Kos Round 100 Coastal	CB	169
1326036	Kos Square Coastal	CB	169
1326037	Kos Round 100 Coastal	CB	169
1326038	Kos Square 100 Coastal	CB	169
1326039	Kos	MW	56
1326040	Kos	TB	56
1326041	Kos	TG	56
1326042	Kos	PCh	56
1326043	Kos Square	MW	56
1326044	Kos Square	TB	56
1326045	Kos Square	TG	56
1326046	Kos Square	PCh	56
1331001	Elis Single LED	TB	148
1331002	Elis Twin LED	TB	148
1331005	Elis Coastal Single LED	CB	148
1331006	Elis Coastal Twin LED	CB	148
1331008	Elis Single LED	TW	148
1331009	Elis Twin LED	TW	148
1331010	Elis Single LED	TG	148
1331011	Elis Twin LED	TG	148
1333001	Eclipse Square 300 LED	P	87
1333002	Eclipse Round 250 LED	P	87

Code	Name	Finish	Pg
1333003	Eclipse Round 350 LED	P	87
1333004	Eclipse Square 300 LED 2700K	P	87
1333005	Eclipse Round 250 LED 2700K	P	87
1333006	Eclipse Round 350 LED 2700K	P	87
1333011	Eclipse Round 300 LED	MC	87
1335001	Kymi 220	P	81
1335003	Kymi 300	P	81
1338001	Tivola	TB	153
1338004	Tivola Coastal	CB	153
1338009	Tivola	TG	153
1339001	Newbury	MB	140
1340001	Richmond Wall 235	TB	140
1340002	Richmond Wall 285	TB	140
1340004	Richmond Wall Lantern 200	TB	139
1340008	Richmond Pendant	TB	165
1340011	Richmond Wall Lantern 254	TB	139
1341001	Dafni	TB	141
1350001	Serifos 170 LED	P	79
1350002	Serifos 170 LED	P	79
1350003	Serifos 220	P	79
1353001	Bronte	MB	168
1354001	Box	TB	168
1354003	Box Lantern 270	TB	137
1354004	Box Lantern 350	TB	137
1354007	Box Lantern 450	TB	137
1359016	Avlon 1200 LED	Mi	38
1359017	Avlon 900 LED	Mi	38
1361001	Ginestra 300	MB	104
1361002	Ginestra 400	MB	104
1361003	Ginestra 300	LG	104
1361004	Ginestra 400	LG	104
1361011	Ginestra 300	MW	104
1361012	Ginestra 400	MW	104
1366001	Farringdon	TB	138
1368003	Cabin Wall	AB	142
1368008	Cabin Wall Frosted	AB	142
1368025	Cabin Wall	Br	142
1368026	Cabin Wall Frosted	Br	142
1368031	Cabin Wall Coastal	CB	142
1369001	Coach 130	TB	138
1369003	Coach 100	TB	138
1370002	Boston 370	PCh	24
1370003	Boston 600	PCh	24
1370004	Boston 370	Br	24
1370005	Boston 600	Br	24
1372003	Dartmouth Single LED	TB	148
1372006	Dartmouth Twin LED	TB	148
1372007	Dartmouth Single LED	TG	148
1372008	Dartmouth Twin LED	TG	148
1372009	Dartmouth Single GU10	TW	148
1372010	Dartmouth Single GU10	TG	148
1372011	Dartmouth Single GU10	TB	148
1372012	Dartmouth Twin GU10	TW	148
1372013	Dartmouth Twin GU10	TG	148
1372014	Dartmouth Twin GU10	TB	148
1373001	Mascali Round LED	PCh	39
1373003	Mascali Square LED	PCh	39
1373006	Mascali Round LED	MN	39
1373011	Mascali Round LED	MB	39
1374001	Mondrian 400 Wall Mounted	MN	91
1374002	Mondrian 600 Wall Mounted	MN	91
1374006	Mondrian 600 Frame Mounted	MN	91
1374007	Mondrian 400 Frame Mounted	MN	91
1374015	Mondrian 600 Frame Mounted	Br	91
1374017	Mondrian 400 Frame Mounted	Br	91
1374018	Mondrian 400 Wall Mounted	Br	91
1374019	Mondrian 600 Wall Mounted	Br	91
1375001	Jura Single	CB	146
1375002	Jura Twin	CB	146
1375003	Jura Surface	CB	170
1375007	Jura Spike Spot	CB	160
1375008	Jura Single Spot	CB	149
1376001	Thurso Round	CNB	145
1376002	Thurso Oval	CNB	145
1378001	Cromarty 100	AA	156
1378002	Cromarty 100	BSS	156
1378003	Cromarty 120	BSS	156
1379001	Arran Square	CB	153
1379002	Arran Round	CB	153
1380011	Versailles 600	PCh	23
1380012	Versailles 600	Br	23
1380013	Versailles 370	PCh	23
1380014	Versailles 370	Br	23
1380024	Versailles 250 Phase	PCh	23
1380025	Versailles 250 Phase	Br	23
1380026	Versailles 250 Phase	MG	23
1380029	Versailles 400 Phase	PCh	23
1380030	Versailles 400 Phase	Br	23
1380031	Versailles 400 Phase	MG	23
1383001	Gosford	C	83
1384001	Dunbar 100	TW	149
1384002	Dunbar 160	TW	149
1384003	Dunbar 100	TB	149
1384004	Dunbar 160	TB	149
1384005	Dunbar 255	TB	149
1384007	Dunbar 255	TW	149
1384019	Dunbar 120	MC	149
1384020	Dunbar 160	MC	149
1386001	Skye Spike Spot	BSS	159
1387001	Malibu Round	CB	145
1387002	Malibu Oval	CB	145
1389001	Stornoway	CB	143
1391001	Kea Round 150	TW	144
1391002	Kea Round 150	TB	144
1391003	Kea Round 250	TW	144
1391004	Kea Round 250	TB	144
1391005	Kea Square 140	TW	144
1391006	Kea Square 140	TB	144
1391007	Kea Square 240	TW	144
1391008	Kea Square 240	TB	144
1392001	Void 55 LED 25° 80CRI	MW	53
1392002	Void 80 LED 25° 80CRI	MW	53
1392003	Void 100 LED 25° 80CRI	MW	53
1392004	Void 55 LED 25° 80CRI	MW	53
1392009	Void 80 LED 25° 93CRI	MW	53
1392010	Void 80 LED 25° 93CRI	MW	53
1392011	Void 100 LED 25° 80CRI	MW	53
1392012	Void 80 LED 25° 80CRI	MW	53
1392013	Void 55 Black Bezel	MB	53
1392014	Void 80 Black Bezel	MB	53
1392015	Void 100 Black Bezel	MB	53
1392016	Void 80	MB	53
1392017	Void 55	MW	53
1392018	Void 55	MB	53
1392019	Void 80	MW	53
1393001	Aqua Single	MW	57
1393002	Aqua Triple Round	MW	57
1393003	Aqua Triple Bar	MW	57
1393004	Aqua Single	PCh	57
1393005	Aqua Triple Round	PCh	57
1393006	Aqua Triple Bar	PCh	57
1393007	Aqua Recessed	MW	57
1393008	Aqua Recessed	PCh	57
1396001	Can 50 Track Spot	MW	127
1396002	Can 50 Track Spot	MB	127
1396003	Can 75 Track Spot	MW	127
1396004	Can 75 Track Spot	MB	127
1396005	Can 50 Single	MW	126
1396008	Can 50 Recessed	MB	126
1396009	Can 50 Recessed	MW	126
1396010	Can 75 Recessed	MW	126
1396011	Can 75 Recessed	MB	126
1396014	Can 100 Track Spot	MW	127
1396015	Can 100 Track Spot	MB	127
1396016	Can 50 Single	MB	126
1396017	Can 50 Flush Fire-Rated	MW	126
1396018	Can 50 Flush Fire-Rated	MB	126
1398001	Kinzo 110	TB	63
1398002	Kinzo 110	TW	63
1398003	Kinzo 110	MN	63
1398004	Kinzo 110	Br	63
1398005	Kinzo 210	TB	63
1398006	Kinzo 210	TW	63
1398007	Kinzo 210	MN	63
1398008	Kinzo 210	Br	63
1398009	Kinzo 300	TB	63
1398010	Kinzo 300	TW	63
1398011	Kinzo 300	MN	63
1398012	Kinzo 300	Br	63
1398013	Kinzo 260	TB	63
1398014	Kinzo 260	TW	63
1398015	Kinzo 260	MN	63
1398016	Kinzo 260	Br	63
1398017	Kinzo 140	TW	122
1398018	Kinzo 140	TB	122
1398019	Kinzo 140	MN	122
1398020	Kinzo 140	Br	122
1399001	Yuma LED 300	TW	65
1399002	Yuma LED 300	TB	65
1399003	Yuma LED 300	MN	65
1399004	Yuma LED 300	Br	65
1399005	Yuma LED 120	TW	65
1399006	Yuma LED 120	TB	65
1399007	Yuma LED 120	MN	65
1399008	Yuma LED 120	Br	65
1399009	Yuma LED 240	TW	65
1399010	Yuma LED 240	TB	65
1399011	Yuma LED 240	MN	65
1399012	Yuma LED 240	Br	65
1399013	Yuma Surface 250	TW	122
1399014	Yuma Surface 250	TB	122
1399015	Yuma Surface 250	MN	122
1399016	Yuma Surface 250	Br	122
1400001	Portree Wall	CB	143
1400002	Portree Pendant	CB	166
1401001	Bayville Spot Twin	TW	150
1401002	Bayville Spot Twin	TB	150
1401003	Bayville Spot Twin	TG	150
1401004	Bayville Spot Single	TW	150
1401005	Bayville Spot Single	TB	150
1401006	Bayville Spot Single	TG	150
1401007	Bayville Spike Spot	TB	158
1401008	Bayville Spike Spot	TG	158
1401009	Bayville Spike Spot 12V	TB	158
1401010	Bayville Spike Spot 12V	TG	158
1401012	Bayville Spike Spot 900	TB	158
1401013	Bayville Spike Spot 900 Twin	TB	158
1402006	Harvard 500	NB	136
1402007	Harvard Wall	NB	136
1402008	Harvard Wall	PSS	136
1402009	Harvard Wall	Br	136
1402010	Harvard Wall	MB	136
1402011	Harvard Lantern	TB	137
1402013	Harvard Pendant	TB	165
1403001	Lynx	MW	126
1403002	Lynx	MB	126
1403003	Lynx Recess	MW	126
1403004	Lynx Recess	MB	126
1407006	Micro Recess Switched	MW	68
1407007	Micro Recess Switched	MB	68
1407008	Micro Recess Switched	MN	68
1407009	Micro Recess Switched	Br	68
1407010	Micro Recess Switched	MG	68
1411001	Ottavino Wall	PCh	25
1411002	Ottavino Pendant	PCh	42
1412001	Cut	MW	101
1412002	Cut	MN	101
1412003	Cut	Br	101
1413001	Pimlico 400	TB	141
1413002	Pimlico 400	Br	141
1413003	Pimlico 400	AB	141
1413004	Pimlico 500	TB	141
1413005	Pimlico 500	Br	141
1413006	Pimlico 500	AB	141
1414001	Shadow 150	P	75
1414002	Shadow 300	P	75
1414003	Shadow Surface 150	P	123
1414004	Shadow Surface 220	P	123
1416001	Solway Round	CB	170
1416002	Solway Square	CB	170
1417001	Velo 280	P	75
1417002	Velo 390	P	75
1419002	Incline Single	CB	150
1419004	Incline Twin	CB	150

Code	Name	Finish	Pg
1421001	Cambria 380	WF	104
1421002	Cambria 380	PF	104
1421003	Cambria 380 Pleated	WP	104
1421004	Cambria 480	WF	104
1421005	Cambria 480	PF	104
1421006	Cambria 480 Pleated	WP	104
1421007	Cambria 580	WF	104
1421008	Cambria 580	PF	104
1421009	Cambria 580 Pleated	WP	104
1422001	Apollo Single	TW	128
1422002	Apollo Single	MB	128
1422004	Apollo Twin	TW	128
1422005	Apollo Twin	MB	128
1422007	Apollo Triple Bar	TW	128
1422008	Apollo Triple Bar	MB	128
1422010	Apollo Four Bar	TW	128
1422011	Apollo Four Bar	MB	128
1422013	Apollo Five Bar	TW	128
1422014	Apollo Five Bar	MB	128
1422016	Apollo 100 Recessed	TW	128
1422017	Apollo 100 Recessed	MB	128
1422022	Apollo 100 Track	TW	127
1422023	Apollo 100 Track	MB	127
1423001	Proform NT Round	TW	115
1423002	Proform NT Round Adj	TW	115
1423003	Proform FT Round	TW	115
1423004	Proform FT Square	TW	115
1423005	Proform FT Round Adj	TW	115
1423006	Proform TL Round	TW	115
1423007	Proform TL Square	TW	115
1426002	Myos	TB	159
1428001	Ava 200 Coastal	CB	146
1428002	Ava 200 Coastal	BSS	146
1428003	Ava 300 Coastal	CB	146
1428004	Ava 300 Coastal	BSS	146
1428005	Ava 200	TB	146
1428009	Ava 300	TB	146
1428013	Ava 400	TB	146
1428014	Ava 400 Coastal	BSS	146
1428015	Ava 400 Coastal	CB	146
1430001	Kuro 250	TB	161
1430002	Kuro 450	TB	161
1431001	Amas 320	C	74
1432001	Amat 320	C	74
1434001	Pinhole Slimline Round	MW	52
1434002	Pinhole Slimline Square	MW	52
1434003	Pinhole Slimline Round Adj	MW	116
1434004	Pinhole Slimline Square Adj	MW	116
1434005	Pinhole Square Twin Adj	MW	116
1434006	Pinhole Square Triple Adj	MW	116
1434007	Pinhole Slimline Round Flush	MW	52
1434008	Pinhole Slimline Round Flush Adj	MW	116
1435001	Lucca Surface	MB	69
1435002	Lucca Surface	MN	69
1435003	Lucca Surface	MG	69
1435004	Lucca Surface	Br	69
1435009	Lucca Recessed	MB	69
1435010	Lucca Recessed	MN	69
1435011	Lucca Recessed	MG	69
1435012	Lucca Recessed	Br	69
1438001	Parallel	C	83
1439001	Blend	P	81
1442001	Hashira 300	MB	64
1442002	Hashira 400	MB	64
1442003	Hashira Surface 250	MB	123
1442004	Hashira Pendant	MB	107
1442005	Hashira 300	MN	64
1442006	Hashira 300	MG	64
1442007	Hashira 400	MN	64
1442008	Hashira 400	MG	64
1442009	Hashira Surface 250	MN	123
1442010	Hashira Surface 250	MG	123
1442011	Hashira Pendant	MN	107
1442012	Hashira Pendant	MG	107
6001002	Mirror Adaptor Kit 2		34
6001003	Mirror Mounting Kit		34
6004073	Lamp GX53 LED 5W		174
6004084	Lamp G9 LED 2.5W		174

Code	Name	Finish	Pg
6004087	Lamp E14 Golf Ball LED 3.5W		174
6004091	Lamp E27 LED 7W		174
6004092	Lamp E27 Filament LED 4W		174
6004093	Lamp E27 Filament Tube LED 4W		174
6004096	Lamp GU10 LED 6W		174
6004102	Lamp E14 Candle LED 4W		174
6004103	Lamp G9 LED 2.9W		174
6004105	Lamp E27 LED 8W		174
6004106	Lamp GU10 LED 5.5W		174
6004109	Lamp E27 Filament Tube LED 4W		174
6004110	Lamp E27 Medium Globe LED 6W		174
6004111	Lamp E27 Large Globe LED 6W		174
6004112	Lamp G9 LED 2W		174
6004121	Lamp E27 LED 7W		174
6004122	Lamp E27 LED 12W		174
6008006	LED Driver 12V 60W		172
6008008	LED Driver 12V 20W		172
6008013	LED Driver 350mA 1.1-10.5W		172
6008020	LED Driver 250/350/500/700mA		172
6008021	LED Driver 250mA		172
6008022	LED Driver 700mA		173
6008023	LED Driver 350mA		172
6008032	LED Driver 700mA		173
6008036	LED Driver 350mA		172
6008038	LED Driver 12V 10W		172
6008058	LED Driver 350/500/700mA		172
6008071	LED Driver 250mA 10W		172
6008072	LED Driver 350-700mA 15W		172
6008076	LED Driver 300mA-1050mA		172
6008081	LED Driver 250/350/500/700mA		172
6008087	LED Driver 250mA 10.5W		172
6008089	LED Driver 700mA 1.9-3.1W		173
6008090	LED Driver 350mA 1-3.3W		172
6008091	LED Driver 350mA 4.55-9.1W		172
6010001	Firehood 150		175
6010003	Firehood 300		175
6010004	Firehood 410		175
6010005	Firehood 280		175
6010006	Firehood 180x130		175
6012002	Downlight Insulation Guard		175
6013001	Wall Box - Borgo 55		93
6018002	Heated De-mister Pad		175
6020001	Track 1m	MW	127
6020002	Track 2m	MW	127
6020003	End Cap	MW	127
6020004	End to End Connector	MW	127
6020005	Live End	MW	127
6020006	Left Corner Connector	MW	127
6020007	Right Corner Connector	MW	127
6020008	Can 50 Bezel	MB	127
6020009	Track 1m	MB	127
6020010	Track 2m	MB	127
6020011	End Cap	MB	127
6020012	End to End Connector	MB	127
6020013	Live End	MB	127
6020014	Left Corner Connector	MB	127
6020015	Right Corner Connector	MB	127
6020016	Can 75 Bezel	MB	127
6020017	Central Live Connector	MW	127
6020018	Central Live Connector	MB	127
6020019	X Connector	MW	127
6020020	X Connector	MB	127
6020021	T Connector Right Nearside Earth	MW	127
6020022	T Connector Right Nearside Earth	MB	127
6020023	T Connector Right Farside Earth	MW	127
6020024	T Connector Right Farside Earth	MB	127
6020025	T Connector Left Nearside Earth	MW	127
6020026	T Connector Left Nearside Earth	MB	127
6020027	T Connector Left Farside Earth	MW	127
6020028	T Connector Left Farside Earth	MB	127
6020029	Can 100 Bezel	MB	127
6020030	Suspension Central Live Supply	MW	127
6020031	Suspension Central Live Supply	MB	127
6020032	Suspension Live End Supply	MW	127
6020033	Suspension Live End Supply	MB	127
6020034	X Support		127
6020035	Straight Support		127
6020036	Corner Support		127

Code	Name	Finish	Pg
6020037	T Support		127
6020038	Pendant Connector	Wh	127
6020039	Pendant Connector	Bk	127
6020040	2x Track 1m Kit	MW	127
6020041	2x Track 1m Kit	MB	127
6020042	Suspension Kit	MW	127
6020043	Suspension Kit	MB	127
6024004	Yuma Surface Downlight Bezel	TB	122
6024005	Proform Bezel Round	TB	115
6024006	Proform Bezel Round	PCh	115
6024007	Proform Bezel Round	TGo	115
6024008	Proform Bezel Square	TB	115
6024009	Proform Bezel Square	PCh	115
6024010	Proform Bezel Square	TGo	115
6030002	Homefield Wall Frosted Glass	Fr	134
6032001	Kuro USB Charger	Bk	161
6033004	LED Module 90CRI 24° 2700K	MPS	175
6033005	LED Module 90CRI 24° 3000K	MPS	175
6033006	LED Module 90CRI 24° 4000K	MPS	175
6033007	LED Module 90CRI 40° 2700K	MPS	175
6033008	LED Module 90CRI 40° 3000K	MPS	175
6033009	LED Module 90CRI 40° 4000K	MPS	175
6034001	Myos Extension Pole	TB	159

Alphabetical Index

Product	Pg
2x Track 1m Kit	127
A	
Altea 360	22
Altea 500	22
Amalfi	85
Amas 320	74
Amat 320	74
Anton	27
Apollo 100 Recessed	128
Apollo 100 Track	127
Apollo Five Bar	128
Apollo Four Bar	128
Apollo Single	128
Apollo Triple Bar	128
Apollo Twin	128
Aprilia Round	117
Aprilia Square	117
Aprilia Twin	117
Aqua Recessed	57
Aqua Single	57
Aqua Triple Bar	57
Aqua Triple Round	57
Aria	84
Arran Round	153
Arran Square	153
Artemis 600/900/1200	20
Ascoli Desk	96
Ascoli Five Bar	129
Ascoli Floor	96
Ascoli Flush Fire-Rated	129
Ascoli Four Bar	129
Ascoli Recessed	129
Ascoli Single	129
Ascoli Single Switched	129
Ascoli Swing	68
Ascoli Track Spot	127
Ascoli Triple Bar	129
Ascoli Triple Round	129
Ascoli Twin	129
Ascoli Twin Recessed	129
Ashino	62
Ashino Wide	62
Atelier 150/200	105
Atelier Desk	97
Atelier Grande	66
Atelier Wall	66
Ava 200/300/400	146
Avlon 900/1200 LED	38
Axios 300/600/900/1200	22
B	
Bari	30
Bayville Spot Single	150
Bayville Spike Spot	158
Bayville Spike Spot 900	158
Bayville Spike Spot 900 Twin	158
Bayville Spot Twin	150
Beam One	156
Beam Two	156
Blanco 45	114
Blanco Round Adj	114
Blanco Round Fixed	114
Blanco Square Adj	114
Blanco Square Fixed	114
Blanco Twin Adj	114
Blanco Twin Fixed	114
Blend	81
Bologna	80
Borgo 43 LED	93
Borgo 54 LED	93
Borgo 55 LED	93
Borgo 90 LED	93
Borgo Trimless 200 LED	93
Borgo Trimless 35 LED	93
Borgo Trimless 65 LED	93
Borgo Trimless 98 LED	93
Borgo Trimless Mini LED	93
Boston 370	24
Boston 600	24

Product	Pg
Box	168
Box Lantern 270/350/450	137
Brenta	80
Bronte	168
C	
Cabaret 4	26
Cabaret 5	26
Cabin Wall	142
Cabin Wall Frosted	142
Calvi Pendant 215/305	166
Calvi Wall 215/305	139
Cambria 380/480/580	104
Can 100 Bezel	127
Can 100 Track Spot	127
Can 50 Bezel	127
Can 50 Flush Fire-Rated	126
Can 50 Recessed	126
Can 50 Single	126
Can 50 Track Spot	127
Can 75 Bezel	127
Can 75 Recessed	126
Can 75 Track Spot	127
Catena	39
Central Live Connector	127
Chios 80/150	147
Coach 100/130	138
Corner Support	127
Cremona	62
Cromarty 100/120	156
Cube	28
Cut	101
Cyl 200/260	88
D	
Dafni	141
Dakota 180/300/300 LED	47
Dartmouth Single GU10	148
Dartmouth Single LED	148
Dartmouth Twin GU10	148
Dartmouth Twin LED	148
Dayton	33
Denia	46
Denver	48
Dio	32
Downlight Insulation Guard	175
Dunbar 100	149
Dunbar 120	149
Dunbar 160	149
Dunbar 255	149
E	
Eclipse Round 250 LED	87
Eclipse Round 300 LED	87
Eclipse Round 350 LED	87
Eclipse Square 300 LED	87
Elis Single LED	148
Elis Twin LED	148
End Cap	127
End to End Connector	127
Enna Surface LED	70
Enna Surface USB	70
Epsilon	29
F	
Farringdon	138
Firehood 150	175
Firehood 180x130	175
Firehood 280	175
Firehood 300	175
Firehood 410	175
Fuse 3	71
Fuse USB	71
G	
Ginestra 300/400	104
Gosford	83
Gramos Round	157
Gramos Square	157
H	
Harvard 500	136
Harvard Lantern	137

Product	Pg
Harvard Pendant	165
Harvard Wall	136
Hashira 300/400	64
Hashira Pendant	107
Hashira Surface 250	123
Heated De-mister Pad	175
Homefield	134
Homefield 130	134
Homefield 160	134
Homefield Ceiling	167
Homefield Pedestal	161
Homefield Pendant 240 360/450	164
Homefield Sensor	134
Homefield Wall Frosted Glass	134
I	
Imola	38
Incline Single	150
Incline Twin	150
J	
Joel Floor	98
Joel Grande Table	98
Joel Grande Wall	67
Joel Pendant 170/270	105
Joel Table	97
Joel Wall	67
Jura Single	146
Jura Single Spot	149
Jura Spike Spot	160
Jura Surface	170
Jura Twin	146
K	
Kappa	29
Kashima 350/620	32
Kea Square 140	144
Kea Square 240	144
Kea Round 150	144
Kea Round 250	144
Kinzo 110	63
Kinzo 140	122
Kinzo 210	63
Kinzo 260	63
Kinzo 300	63
Kos	56
Kos Round	56
Kos Round 100 LED	56
Kos Round 100 Coastal	169
Kos Round 140 LED	56
Kos Square	56
Kos Square 100 LED	56
Kos Square 100 Coastal	169
Kos Square 140 LED	56
Kos Square	56
Koza	79
Kuro 250/450	161
Kuro USB Charger	161
Kymi 220/300	81
Kyo	85
Kyoto LED	31
Kyoto Pendant	42
L	
Lamp E14 Candle LED 4W	174
Lamp E14 Golf Ball LED 3.5W	174
Lamp E27 Filament LED 4W	174
Lamp E27 Filament Tube LED 4W	174
Lamp E27 Filament Tube LED 4W	174
Lamp E27 Large Globe LED 6W	174
Lamp E27 LED 12W	174
Lamp E27 LED 7W	174
Lamp E27 LED 7W	174
Lamp E27 LED 8W	174
Lamp E27 Medium Globe LED 6W	174
Lamp G9 LED 2.5W	174
Lamp G9 LED 2.9W	174
Lamp G9 LED 2W	174
Lamp GU10 LED 5.5W	174
Lamp GU10 LED 6W	174
LED Driver 12V 10W	172

Product	Pg
LED Driver 12V 20W	172
LED Driver 12V 60W	172
LED Driver 250/350/500/700mA	172
LED Driver 250/350/500/700mA	172
LED Driver 250mA	172
LED Driver 250mA 10.5W	172
LED Driver 250mA 10W	172
LED Driver 300mA-1050mA	172
LED Driver 350-700mA 15W	172
LED Driver 350/500/700mA	172
LED Driver 350mA	172
LED Driver 350mA 1-3.3W	172
LED Driver 350mA 1.1-10.5W	172
LED Driver 350mA 4.55-9.1W	172
LED Driver 700mA	173
LED Driver 700mA 1.9-3.1W	173
LED Module 90CRI 24° 2700K	175
LED Module 90CRI 24° 3000K	175
LED Module 90CRI 24° 4000K	175
LED Module 90CRI 40° 2700K	175
LED Module 90CRI 40° 3000K	175
LED Module 90CRI 40° 4000K	175
Left Corner Connector - Left	127
Limina	100
Live End	127
Lucca Recessed	69
Lucca Surface	69
Luga	89
Lynx	126
Lynx Recess	126
M	
Malibu Oval	145
Malibu Round	145
Mallon LED	46
Marasino	100
Mascali Round LED	39
Mascali Square LED	39
Mashiko 200 Square	44
Mashiko 230 Round	45
Mashiko 300 Round	45
Mashiko 300 Square LED	44
Mashiko 360 Classic	24
Mashiko 360 LED	24
Mashiko 400 Round	45
Mashiko 400 Square	44
Mashiko 400 Square LED	44
Mashiko 400 Square LED Basic	44
Mashiko 400 Square LED Selftest	44
Mashiko 600 LED	24
Mashiko 900 LED	24
Mashiko Classic 300 Square	44
Mast Light	151
Mast Coastal	151
Mast Twin	151
Messina 130	135
Messina 160 Frosted	135
Messina 160	135
Messina 200	135
Messina Sensor	135
Messina Twin	135
Micro Recess Switched	68
Milo 300/400	84
Minima Round Adj	118
Minima Round Fixed	118
Minima Round	54
Minima Round LED	118
Minima Slimline 25	54
Minima Slimline Round Adj	118
Minima Slimline Round Fixed	54
Minima Slimline Square Adj	119
Minima Slimline Square Fixed	54
Minima Square Adj	119
Minima Square Fixed	119
Minima Square	54
Minima Square LED	54
Minima Twin	118
Mirror Adaptor Kit 2	34
Mirror Mounting Kit	34
Mondrian 400 Frame Mounted	91
Mondrian 400 Wall Mounted	91
Mondrian 600 Frame Mounted	91
Mondrian 600 Wall Mounted	91
Montparnasse Pendant	167

Product	Pg
Montparnasse Wall	142
Monza	25
Mosto	82
Myos	159
Myos Extension Pole	159
N	
Newbury	140
O	
Obround	89
Osca 400 Round	106
Oslo 100 LED	147
Oslo 120 LED	147
Oslo 160 LED	147
Oslo 255 LED	147
Ottavino Pendant	42
Ottavino Wall	25
P	
Padova	33
Palermo 1200	21
Palermo 600	21
Palermo 900	21
Parallel	83
Parma 100 LED	76
Parma 110	76
Parma 160 LED	76
Parma 200	76
Parma 210 LED	76
Parma 250 LED	76
Parma 625 LED	76
Pella 190/325	78
Pendant Connector	127
Pero	82
Pienza 140/165	78
Pimlico 400/500	141
Pinhole Slimline Round Adj	116
Pinhole Slimline Round	52
Pinhole Slimline Round Flush Adj	116
Pinhole Slimline Round Flush	52
Pinhole Slimline Square Adj	116
Pinhole Slimline Square	52
Pinhole Square Triple Adj	116
Pinhole Square Twin Adj	116
Portree Pendant	166
Portree Wall	143
Proform Bezel Round	115
Proform Bezel Square	115
Proform FT Round	115
Proform FT Round Adj	115
Proform FT Square	115
Proform NT Round	115
Proform NT Round Adj	115
Proform TL Round	115
Proform TL Square	115
Puzzle	135
R	
Richmond Pendant	165
Richmond Wall 235/285	140
Richmond Wall Lantern 200/254	139
Right Corner Connector	127
Rio 125/210	77
Rio 190/325	77
Roma	27
Romano 600/900/1200	21
S	
Sabina	47
Sabina 280	47
Sabina Square	47
Salerno	134
Salerno 520	134
Salerno LED	134
Salerno 520 LED	134
Serifos 170 LED/220	79
Shadow 150/300	75
Shadow Surface 150/220	123
Skye Spike Spot	159
Solway Round	171
Solway Square	171
Soprano Bollard	160
Soprano Wall	152
Sparta 600/900/1200	20
Stornoway	143

Product	Pg
Straight Support	127
Suspension Central Live Supply	127
Suspension Kit	127
Suspension Live End Supply	127
T	
T Connector Left Farside Earth	127
T Connector Left Nearside Earth	127
T Connector Right Farside Earth	127
T Connector Right Nearside Earth	127
T Support	127
Taketa	30
Taketa 300 LED	43
Taketa 400 LED	43
Taketa 400 LED Basic	43
Taketa 400 LED Selftest	43
Tango	34
Taro Round Adj	120
Taro Round Fixed	120
Taro Square Adj	121
Taro Square Fixed	121
Taro Triple	121
Taro Twin	121
Terra 42	157
Terra Round 28	157
Terra Square 28	157
Thurso Oval	145
Thurso Round	145
Tivola	153
Tivola Coastal	153
Tokyo	88
Toronto	144
Track 1m	127
Track 2m	127
Trimless Round Adj	112
Trimless Round	112
Trimless Round Adj LED	112
Trimless Round Twin Adj	112
Trimless Slimline Round Adj	112
Trimless Slimline Round	52
Trimless Square Adj	113
Trimless Square	113
Trimless Square LED	113
Trimless Square Twin Adj	113
Tube	26
V	
Velo 280/390	75
Verona	31
Versailles 250	23
Versailles 370	23
Versailles 400	23
Versailles 600	23
Vetro Round	55
Vetro Square	55
Vetro Twin	55
Void 100 Black Bezel	53
Void 55	53
Void 55 Black Bezel	53
Void 80	53
Void 80 Black Bezel	53
Void 100 Black Bezel	53
Void 100	53
V	
Wall Box - Borgo 55 & 90	93
X	
X Connector	127
X Support	127
Y	
Yuma 120/240/300	65
Yuma Surface 250	122
Yuma Surface Downlight Bezel	122
Z	
Zeppo Ceiling	48
Zeppo Pendant 300/400	106
Zeppo Wall	28

Design Rights

The majority of products shown in this catalogue have been designed by Astro Lighting Limited, which retains the ownership of all design rights in these Astro designed products. Astro Lighting has a policy of constant product improvement, and whilst every care has been taken in the production of this catalogue, products supplied may differ in detail from the illustrations, images and descriptions given and therefore these descriptions and illustrations shall not form part of any contract. Details of alterations will be provided on request. Astro Lighting only use LEDs from the leading manufacturers. Nevertheless, colour temperatures can vary between batches and between manufacturers.

Styling + Photography

Laura Fulmine
Sania Pell
Hannah Bort
Beth Evans
Hannah Franklin

With thanks

M.A.H Gallery
Modus Furniture
Au Bespoke
Christopher Farr
Galvin Brothers
LinenMe
Secret Linen Store
The Poured Project

Printing

This publication has been manufactured using 100% offshore wind electricity sourced from UK wind.

100% of the inks used are vegetable oil based, 95% of press chemicals are recycled for further use and, on average 99% of any waste associated with this production will be recycled and the remaining 1% used to generate energy.

This paper in this document is made of material from well-managed, FSC®-certified forests and other controlled sources.

FSC
www.fsc.org
MIX
Paper from responsible sources
FSC® C001785

View the full Astro Professional range at
astrolighting.com

Follow Astro on social media
@astrolighting

astrolighting.com