OUTDOOR



VI3I/\

Bamboo

414

Empty

408

Break

June

446

Break Plus

435

430

Meridiano

450

Brisa

402

Origami

388

Class

456

Out

378

Dots

Glass

Palo Alto 394

372

Wind

Dots

Outdoor

360


422

Dots Outdoor




Design by Martín Azúa.

Diminutive, compact and easily installed, Dots Outdoor is the perfect solution for subtle outdoor illumination. Designed to nestle discreetly into the undergrowth of a garden or patio, Dots shines at night with a diffuse or focused glow from an invisible source.




362 VOL 2 DOTS OUTDOOR







OUTDOOR 365 VOL 2



366 VOL 2 DOTS OUTDOOR








OUTDOOR 369 VOL 2



To connect interior and exterior living spaces, designers are increasingly bringing indoor qualities to the outdoor environment.

Whether you want to enhance the existing scenery, integrate an outdoor seating area, or simply add a layer of security, Dots offers an extensive range of durable and weather resistant lighting solutions.





22 Graphite Black (NCS S 8000-N)25 Beige D1 (NCS S 4005-Y50R)

53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum Diffuser: PC- Polycarbonate

LED Colour Temperature

Ref. 4684, 4688 2700 K; 3500 K

Ref. 4695, 4697, 4700, 4702 2700 K

CRI>90

Control

Analog: On/ Off; 1-10V Digital: DALI-2 (Remote) Smart: Casambi (Remote)





4695 Ø 20 x 12 cm



4697 Ø 15 x 9 cm



4700 Ø 20 x 12 cm



4702 Ø 15 x 9 cm



Dots Glass




Design by Martín Azúa.

Sheathed in layers of transparent optical glass, the LED source within the Dots Glass diffuser generates a warm, 360-degree glow with a pulsating ambient effect.





OUTDOOR 375 VOL 2



Ideal for transitional or walkway lighting, Dots Glass projects a subtle, lunar glow, highlighting the texture of its surrounding environment. Planted as a single star in the darkness, or combined with other elements of the collection, this sleek addition lends a delicate aesthetic. 376 VOL 2 **DOTS GLASS**



4680

Ø 20 cm

10 White (NCS S 0300-N)

Body: Aluminum Diffuser: Optical Glass

LED Colour Temperature

2700 K; 3500 K CRI>90

Control

Analog: On/ Off; 1-10V Digital: DALI-2 Smart: Casambi (Remote)

IP66








Design by Víctor Carrasco.

Out is a romantic response to the global transition towards outdoor living. Available in a range of soothing colours, this innovative floor fixture projects a diffuse downlight that's ideal for illuminating a table or communal area.




380 VOL 2 OUT



Out brings the intimacy of indoor lighting outdoors.



382 VOL 2 OUT



Indoor & outdoor

Linking interior and exterior spaces has a significant impact on our sense of wellbeing. As we enter an era where outdoor space is becoming increasingly essential, design professionals are turning their attention towards breaking down traditional architectural barriers.

OUTDOOR 383 VOL 2



384 VOL 2 OUT



Out brings a poetic aesthetic, its slender stem extending vertically into the air before bending over in a broad arch. Forming islands of light in the darkness, its balanced structure and large scale allow people to pass underneath without complicating the space.





OUTDOOR 387 VOL 2

22 Graphite Black (NCS S 8000-N)

23 Warm White (NCS S 0502-Y50R)

25 Beige D1 (NCS S 4005-Y50R)

36 Soft Pink (NCS S 1010-Y50R)

37 Terra Red (NCS S 4040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

Tube: Stainless Steel Shade: Aluminium Diffuser: PE- Polyethylene

LED Colour Temperature

2700 K CRI>90

Control

Ref. 4270 Analog: Push Smart: Casambi; ProtoPixel* *ProtoPixel products are compatible with all other DALI-2 products via a designated gateway

Ref. 4275 Digital: DALI-2

(please consult us)

Smart: Casambi (Remote)



Pg 468 VOL 1 Pg 378 VOL 2

4270. Cable with switch





4270 Not Fixed IP44 211 x 242 cm



4275 Bolt-down "hard wired" [P65]


Origami



Inspired by the Japanese art of paper folding, Origami offers gentle exterior illumination while doubling up as a striking installation. Designed to climb like ivy, light radiates out from a series of distinctive geometric structures, creating a play of light and shadow across a wall.





390 VOL 2 ORIGAMI





392 VOL 2 ORIGAMI





OUTDOOR 393 VOL 2

Origami invites you to get creative. A single point of connection between pieces allows professionals to make as many patterns or configurations as desired, combining functionality with infinite versatility.

10 White (NCS S 0300-N)

29 Brown D1 (NCS S 8005-Y50R)

38 Terra Dark (NCS S 5040-Y70R)

53 Green M1 (NCS S 6005-G80Y)

Shade: ABS

Diffuser: PC- Polycarbonate Lid: PC- Polycarbonate Arm: PC- Polycarbonate **LED Colour Temperature**

2700 K; 3500 K

CRI>90


Control


Analog: TRIAC

[IP65]

A maximum of 30 modules can be connected to a single

connection point





Palo Alto

Design by Xuclà.

Palo Alto is defined by a linear, angular silhouette. Industrial in style yet natural in form, it recalls a tree whose steel "branches" are embedded with LEDs, illuminating the surrounding landscape with a diffuse downlight.




396 VOL 2 PALO ALTO



OUTDOOR 397 VOL 2



Thanks to its heights, shapes and angles, Palo Alto integrates seamlessly into any outdoor environment 398 VOL 2 PALO ALTO



It is offered in various minimalist shapes and can be displayed individually or in a group to resemble a stand of trees. The upper reaches of the sturdy steel fixture are fitted with slim swaths of LEDs directed downwards to create a diffused, ambient glow.





Ground surface mounted.



400 VOL 2 PALO ALTO



22 Graphite Black (NCS S 8000-N)29 Brown D1 (NCS S 8005-Y50R)

Body: Steel Cover: Steel LED Colour Temperature 2700 K; 3500 K CRI>90

Control

Analog: On/ Off

[P65]

OUTDOOR 401 VOL 2



Brisa

Design by Lievore, Altherr, Molina.

Inspired by the forest blue bellflower, Brisa is the essence of flawless landscape integration. Its stylised silhouette and natural inspiration bring a subtle charm to any exterior.



404 VOL2 BRISA

Brisa adds a nature-inspired accent to any space. True to its name, which means breeze in Spanish, Brisa's silhouette is delicate and graceful. Its long, slender stem is topped with a hanging, conical shade that beautifully captures the bloom's languid look. The simple architecture and distinctive bowed head lend it a quiet presence that accents an outdoor space rather than overpowering it. Offered with 1, 3, or 5 arms, it resembles a solitary plant or grouping of flowers in a natural setting. The LED-powered light source casts a warm, bright beam, making it ideal for focused illumination. The collection is available in a surface mounted or built-in style.









406 VOL 2 BRISA



07 Khaki (RAL 7039)54 Oxide (RAL 8014)

Shade and Base: Aluminum. Disc: Stainless steel. Vertical tube: Steel. **LED Colour Temperature** 2700 K; 3500 K

CRI>90

Analog: On/ Off

[P64] [P65]

Control







410 VOL 2 EMPTY



18 Polymer Concrete Grey (NCS S 2002-B50G)

22 Graphite Black (NCS S 8000-N)

Body: Polymer Concrete Diffuser: PMMA **LED Colour Temperature**

2700 K; CRI>80 3500 K; CRI>90

Control

Analog: On/ Off


IP66







Floor lamp and furnishing in one, Empty's crisp angles create a cantilevered perch that serves as a side table or stool, while making a sleek modernist statement. A LED light source tucked discreetly under the seat casts a warm glow that's ideal for walkways or general exterior illuminaton.






Bamboo



Design by Antoni Arola & Enric Rodríguez.

Bamboo's lean, natural form perfectly lends itself to an outdoor setting. Studded with LEDs, it seamlessly integrates with the landscape while adding a wash of light to walkways and common spaces. 416 VOL 2 BAMBOO





418 VOL 2 BAMBOO

Bamboo was clearly inspired by its namesake. Characterised by a slender silhouette that blends in with the existing flora, the fixture can be 'planted' into decking or gravel, illuminating the adjacent wall with lively "spots" of light. OUTDOOR 419 VOL 2



420 VOL 2 BAMBOO

07 Khakhi (RAL 7006)

54 Oxide (RAL 8017)

58 Off-White (Pantone Warm Gray 2U)

Cane: PES+FG- Fiberglass Diffuser: PMMA **LED Colour Temperature**

2700 K; 3500 K CRI>90

Control

Analog: On/ Off

[P66]



OUTDOOR 421 VOL 2



4820 19 x 6 cm





Ref. 4800, 4801, 4820 surface mounted.

Ref. 4802, 4803, 4804, 4805, 4810, 4811 and 4812 built-in installation.





Wind



Design by Jordi Vilardell.

A perfect marriage of technology and tradition. Wind's drum shade is made of fibreglass, an innovative webbed texture and pattern that elevates the visual contribution of this timeless silhouette.



424 VOL 2 WIND






426 VOL 2 WIND

Besides its large scale, the principle characteristic of the Wind collection is its materiality. The traditional drum shade is made from delicately woven fibreglass, producing a uniquely textured surface with a warm, ambient lighting effect.



OUTDOOR 427 VOL 2





428 VOL 2 WIND



27 Sand (NCS S 1505-Y50R)

53 Green M1 (NCS S 6005-G80Y)

61 Ocre Red (NCS S 3050-Y60R)

Ref. 4057 Shade: FG- Fiberglass Weight: Concrete Lid: Steel Diffuser: PMMA

Pg 230 VOL 1 Pg 422 VOL 2 Pg 422 VOL 2

Shade: FG- Fiberglass Base: FG- Fiberglass Diffuser: FG- Fiberglass Canopy Plate: Steel Lid: Steel

LED Colour Temperature

2700 K CRI>90

Control

Analog: On/ Off


IP64 Ref. 4057, 4062, 4067

Ref. 4072, 4077 IP65

Ref. 4078 IP20



OUTDOOR 429 VOL 2



Break




Design by Xuclà & Alemany.

Break is distinguished by its architectural attitude. A series of cubic volumes provide indirect downlight while doubling up as a dynamic sculptural presence.



432 VOL 2 BREAK



The Break collection consists of a bevelled cube with a recess from which light escapes, and a pair of blocks stacked on top of one another, the space between them allowing light to pass through. Dotted in pairs and groups of three, Break's graphite black lacquer and concrete finishes blend effortlessly with an industrial aesthetic.

80 Concrete (Natural finish)
22 Graphite Black (NCS S 8000-N)


Head: Concrete Base: Concrete Diffuser: PMMA Body: Steel **LED Colour Temperature** 2700 K CRI>80

Control Analog: On/ Off

IP66

OUTDOOR 433 VOL 2













Break Plus

Design by Xuclà.

Designed to blend instinctively with the architecture in which it exists, Break Plus converts any wall into a three dimensional mural. Arranged individually or as a group, it consists of four geometric volumes that cast beams of diffuse light upwards, downwards -or in both directions- creating a dynamic dialogue between light and shadow.

436 VOL 2 BREAK PLUS



OUTDOOR 437 VOL 2



438 VOL 2 BREAK PLUS




Break Plus gurantees seamless adaptation to the surface upon which it is mounted.
The collection's lacquered matte finish adds a natural, grainy texture that complements its clean, geometric expression.



OUTDOOR 441 VOL 2



442 VOL 2 BREAK PLUS



Break Plus is evocative of a roof tile or brick, designed individually to connect as a whole. Integrating into the architecture of any space, the collection presents five geometric models that provide spatial depth and aesthetic plasticity to an otherwise flat surface. When grouped together, the collection creates a dynamic dialogue between light and shadow: light is reflected from the interior of each volume, drawing a single or double or beam across the wall, which merge to establish a lattice of oblique lines. Easily installed and with on/off, Dali and Casambi control systems, systems, its lacquered matte finish adds a hint of graininess that complements its geometric form.

A singular study in high performance technology, Break Plus is designed to withstand all weather conditions. Surface mounted and easily maintained, its unique form prevents water from stagnating, making it the ideal choice for both private residential properties as well as larger commercial projects.



OUTDOOR 443 VOL 2



22 Graphite Black (NCS S 8000-N)
 25 Beige D1 (NCS S 4005-Y50R)
 37 Terra Red (NCS S 4040-Y70R)
 95 Primer (NCS S 1000-N)

Body: Aluminum Diffuser: PC- Polycarbonate


LED Colour Temperature

2700 K; 3500 K CRI>90

Control

Analog: On/ Off Digital: DALI-2 (Remote) Smart: Casambi (Remote)





Primer finish: customisable on site.
Break Plus is offered in a primer tone,
which allows for seamless integration
within the surrounding architecture and
adaptation to the project needs as it can
be painted in any desired colour.





June

Design by Ana Mir + Emili Padrós (Emiliana Design Studio).

Inspired by traditional lanterns, June's moon-like spheres cast a warm, ambient glow, lending a touch of nostalgia to an outdoor space.



448 VOL2 JUNE



Inspired by traditional lanterns,
June translates the iconic image of
illuminated globes into a refined collection.
Its moon-like spheres recall garlands
festooned throughout a courtyard, garden,
or patio, casting a warm, ambient glow.
The LED-powered fixture bathes a surface
in gentle, diffuse illumination for an
intimate atmosphere.



54 Brown (Pantone Black U)

Diffuser: Opal blown glass Tubes: Steel LED Colour Temperature

2700 K CRI>90

Control

Analog: On/ Off


IP65







452 VOL 2 **MERIDIANO**



Functioning as both ambient lighting and dynamic sculpture, multiple fixtures can be positioned at random to cast a luminous web of spokes, artfully filling a large blank expanse of wall. Equipped with an LED light source ideal for exterior use, the sconce can be paired with the floor version to flawlessly integrate a garden seating area or poolside terrace with an exterior wall.



07 Khakhi (RAL 7006)



Base: Steel

58 Off-White (Pantone WARM GRAY 2U)

Seat: PU- Polyurethane Rods: Steel Arm: Steel Diffuser: Glass

LED Colour Temperature

LED 2700 K; CRI>90 LED 3500 K; CRI>80


Control

Analog: On/ Off









4710 4715 Ø 64 cm Ø 92 cm











458 VOL 2 CLASS

"Class emphasizes its architectural elegance in its vertical metal structure, as well as the soft waves in the borosilicate glass tube. The structured glass spreads the light in a soft patterned way on the facade, the terrace and the greenery around".

Sebastian Herkner





Forming a delicate H, the metal starts to curve at its peak, enclosing the tube from above and below with gentle precision.

459 VOL 2








462 VOL 2 CLASS




OUTDOOR 463 VOL 2



Class's translucent glass tube is fluted, defined by even grooves that allow the light to pass softly through it while the source remains obscured. Each tube is supported by a robust aluminium shaft, available in two different heights and with a choice of individual, multiple or asymmetrical luminaires. The matte black of the shaft contrasts with the smooth surface of the glass tubes, a satisfying combination of textures reminiscent of the traditional gas lamp. Designed to give a little sway with the breeze, the taller free standing shaft bathes a wide area of exterior space in its warm glow. In response, the shorter model projects a soft transition radiance from below.

464 VOL 2 CLASS



OUTDOOR 465 VOL 2



466 VOL 2 CLASS



11 Black (NCS S 8500-N)

Body: Aluminum Glass: Borosilicate glass Diffuser: Opal PC- Polycarbonate **LED Colour Temperature**

2700 K CRI>90

Control

Analog: Push Digital: DALI-2 Smart: Casambi (Remote)



OUTDOOR 467 VOL 2

Class's translucent glass tube is fluted, defined by even grooves that allow the light to pass softly through it while the source remains obscured.







Support Portfolio

Atmosphere
Design Support

Control System
Design Support

Installation and
Maintenance
Support

From Project Support to Usage

To achieve wellbeing scenes it is necessary to cover the entire end-to-end journey. From **design** and composition through to **installation** and **user interaction**, Vibia's team is prepared to assist you in any request you may have.

Sales Team Project Support

Direct contact with the Vibia representative in your area to assist you with whatever you need.

Selection of the appropriate product and customisation.

Creation of project moodboards by scenes.

Use of Vibia's online professional tools (Website, App, etc.).



Lighting & Wellbeing Studio


Vibia's specialised team is at your disposal to assist you in creating a complete Atmosphere Design project, including:

Scenes design.

Optional:

- Lighting calculations, renderings, etc.
- Control system approach.
- End-user interaction approach.









Control System and End-User Interaction Approach


Technical Support Services (TSS)

Our technical service team is available to assist you with any post-sales queries you may have, including:

Installation process.

Control System implementation process.

Maintenance.





CASAMBI

|/// ProtoPixel

Installation and Maintenance Process

Control System Implementation

Online Professional Tools


Support for our digital tools designed for professionals.

Web: Professional Area.

Onsite App.







Onsite App

Atmosphere Design Content and Professional Training

Consult about Vibia's training program.

New Approach to Atmospheres Design:

Periodic online training sessions.
In-company training.

Certification Programs: COMING SOON.

Certificate in Emotional Atmosphere Design for project designers.

Certificate for Vibia Authorised Installers to provide local support.



Events for professionals

Shaping Atmospheres

We put people at the centre of everything we do; we aim to improve lives by helping professionals create better spaces for everyone to enjoy.

This purpose is shared across the entire space-design ecosystem.

We aim to lead a new approach to lighting, focused on people's emotions, elevating interior design as a fundamental discipline for the cultivation of wellbeing.