

BON JOUR Ø145

Number of heads	1
Mounting	Ceiling recessed
Lamps description	LED Array DC 900 mA 27W 2720 lm 3000K CRI 90
Luminaire luminous flux	See reference number
Voltage (V)	220/240
Environment	Indoor
Notes	Pre-installation frame must be ordered separately

OPTICAL



Aiming	Fixed
Light distribution symmetry	Symmetric

ELECTRICAL

Transformer availability	Included
Transformer mounting	Remote
Transformer type	Electronic
Emergency	Without
Insulation class	Class II

PHYSICAL


Cutout diameter (mm)	157
Diameter (mm)	145
Recessed depth (mm)	205
Construction material	Injected aluminum
Weight (kg)	1,11




Bon Jour Ø145
designed by Philippe Starck

Embedded luminaire for LED light source. Remote 220/240V power supply included.

03.2008.01 - 58° - 1135lm	White
03.2008.CU - 1084lm	Copper
03.2008.14 - 501lm	Black



CERTIFICATIONS




Bon Jour Ø145 . Accessories

Optical



● 08.8980.14

**Honeycomb and cross
screening cylinder**



Bon Jour Ø145
designed by Philippe Starck

Embedded luminaire for LED light
source. Remote 220/240V power
supply included.


- 03.2008.01 - 58° - 1135lm White
- 03.2008.CU - 1084lm Copper
- 03.2008.14 - 501lm Black

Mounting



○ 08.8975.00

Pre-installation frame



CERTIFICATIONS



Bon Jour Ø145 . Accessories

Decorative



08.8977.00

**Decorative screening
accessory**




08.8978.00

**Decorative screening
accessory**



08.8979.00

**Decorative screening
accessory**




Bon Jour Ø145
designed by Philippe Starck

Embedded luminaire for LED light source. Remote 220/240V power supply included.

- 03.2008.01 - 58° - 1135lm White
- 03.2008.CU - 1084lm Copper
- 03.2008.14 - 501lm Black

Bon Jour Ø145 . Lamps




LED Array

Lamp category:
LED

Socket:
Special base

Lamp type:
LED Array



CERTIFICATIONS

