

Array


1800

Design By Umut Yamac

VIBIA

The Array pendant lamp includes a series of technical filaments that are pulled taut between two rings through which the light rises creating a colour gradient. The cylindrical shape and intimate size make it perfect for small scale spaces.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish	37 Terra Red NCS S 4040-Y70R 47 Green L1 NCS S 4005-G80Y 24 Beige M1 NCS S 2005-Y50R
LED	2700 K
Control	Push; DALI / 1-10V / Casambi

Electrical connection Remote Micro / Surface Canopy / Built-in S

Light source	1 x LED STRIP 22W 48V D
LED	CRI>90 2662 lm 121 2700 K
Driver	Constant Voltage 90~305 V 50~60 Hz Dimmable IP20 Multi-volt 50-60Hz
Application	Hanging
Packaging	1 Box 0.12 m x 0.62 m x 0.62 m Gross weight 7 kg Net weight 4.8 kg Vol. 0.0461 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	26.94 lm/W
Coordinate System	CG
Total Flux	592.57 lm
Maximum Value	201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array


1805

Design By Umut Yamac

VIBIA

The hanging Array lamp combines a series of fine technical filaments between two rings. Indirect light rises through the cylindrical shape forming a colour gradient.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

47 Green L1
NCS S 4005-G80Y

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

Casambi / Push; DALI / 1-10V

Electrical connection Built-in S / Surface Canopy / Remote Micro

Light source

1 x LED STRIP 22W 48V



LED

CRI>90 2662 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60 Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 0.62 m x 0.62 m
Gross weight 7.3 kg
Net weight 5.1 kg
Vol. 0.0461 m³



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array

1810

Design By Umut Yamac

VIBIA

The large scale hanging cylindrical silhouette Array lamp wraps around the space rather than dominating it thanks to its spacious format of filaments that create a transparency through the volume it occupies.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

47 Green L1
NCS S 4005-G80Y

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

Push; DALI / 1-10V / Casambi

Electrical connection Remote Micro / Built-in S / Surface Canopy

Light source

1 x LED STRIP 22W 48V



LED

CRI>90 2662 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60 Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging

Packaging

1 Box
0.12 m x 0.62 m x 0.62 m
Gross weight 7.6 kg
Net weight 5.4 kg
Vol. 0.0461 m³



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array


1815

VIBIA

Design By Umut Yamac

The hanging Array lamp includes a series of fine technical filaments pulled taut between two rings, where the light rises upwards creating a colour gradient. The cylindrical form and the intimate dimensions make it ideal for small spaces.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

- 24 Beige M1
NCS S 2005-Y50R
- 37 Terra Red
NCS S 4040-Y70R
- 47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

Casambi / 1-10V / Push; DALI

Electrical connection

Remote Micro / Surface Canopy / Built-in S

Light source

1 x LED STRIP 33W 48V



LED

CRI>90 3993 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60 Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging

Packaging

1 Box
0.12 m x 0.62 m x 0.62 m
Gross weight 8.4 kg
Net weight 6.2 kg
Vol. 0.0461 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array


1820

Design By Umut Yamac

VIBIA

The hanging Array lamp combines a series of fine technical filaments between two rings. The indirect light rises through the cylindrical form creating a colour gradient.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

47 Green L1
NCS S 4005-G80Y

37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

1-10V / Push; DALI / Casambi

Electrical connection

Surface Canopy / Built-in S / Remote Micro

Light source

1 x LED STRIP 33W 48V



LED

CRI>90 3993 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging

Packaging

1 Box
0.12 m x 0.62 m x 0.62 m
Gross weight 8.8 kg
Net weight 6.6 kg
Vol. 0.0461 m³



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Array

1825

VIBIA

Design By Umut Yamac

The large-scale cylindrical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a more translucent volume. Evoking an ethereal visual sensation.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish	47 Green L1 NCS S 4005-G80Y 24 Beige M1 NCS S 2005-Y50R 37 Terra Red NCS S 4040-Y70R
LED	2700 K
Control	Push; DALI / Casambi / 1-10V
Electrical connection	Remote Micro / Surface Canopy / Built-in S
Light source	1 x LED STRIP 33W 48V D
LED	CRI>90 3993 lm 121 2700 K
Driver	Constant Voltage 90~305 V 50~60 Hz Dimmable IP20 Multi-volt 50-60Hz
Application	Hanging
Packaging	1 Box 0.12 m x 0.62 m x 0.62 m Gross weight 9.2 kg Net weight 7 kg Vol. 0.0461 m3

Lighting effect
Volumetric Diffuser
Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface

Photometric Data

Efficiency	26.935 lm/W
Coordinate System	CG
Total Flux	593 lm
Maximum Value	201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Array


1830

Design By Umut Yamac

VIBIA

The hanging Array lamp combines a series of fine technical filaments between tow rings. The indirect lighting rises through the cylindrical form creating a colour gradient.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

1-10V / Push; DALI / Casambi

Electrical connection Built-in S / Surface Canopy / Remote Micro

Light source

1 x LED STRIP 50W 48V



LED

CRI>90 6050 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60 Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 0.93 m x 0.93 m
Gross weight 15.6 kg
Net weight 10.1 kg
Vol. 0.1037 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

Array


1835

Design By Umut Yamac

VIBIA

The large scale hanging cylindrical silhouette Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucence through the volume it occupies.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

Push; DALI / 1-10V / Casambi

Electrical connection

Built-in S / Surface Canopy / Remote Micro

Light source

1 x LED STRIP 50W 48V



LED

CRI>90 6050 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60 Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging

Packaging

1 Box
0.12 m x 0.93 m x 0.93 m
Gross weight 15 kg
Net weight 9.5 kg
Vol. 0.1037 m³



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Array


1840

Design By Umut Yamac

VIBIA

The hanging Array lamp combines a series of fine technical filaments between two rings. The indirect lighting rises through the cylindrical form creating a colour gradient.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

1-10V / Casambi / Push; DALI

Electrical connection

Built-in S / Remote Micro / Surface Canopy

Light source

1 x LED STRIP 76W 48V



LED

CRI>90 9196 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging

Packaging

1 Box
0.12 m x 1.35 m x 1.35 m
Gross weight 23 kg
Net weight 13 kg
Vol. 0.2187 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Array


1845

Design By Umut Yamac

VIBIA

The large-scale cylindrical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filament creating a translucence through the volume it occupies.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

37 Terra Red
NCS S 4040-Y70R

24 Beige M1
NCS S 2005-Y50R

47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

Push; DALI / Casambi / 1-10V

Electrical connection Remote Micro / Built-in S / Surface Canopy

Light source

1 x LED STRIP 6,3W 350mA



LED

CRI>90 9196 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60 Hz

Dimmable IP20 50-60Hz 1-10V

Application

Hanging

Packaging

1 Box
0.12 m x 1.35 m x 1.35 m
Gross weight 23.9 kg
Net weight 13.9 kg
Vol. 0.2187 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com