

PRODUCT DATA SHEET

Empatia 16 Suspension



DESIGN BY:

Carlotta de Bevilacqua , Paola di Arianello 2013

MATERIALS:

DESCRIPTION:

Empatia is inspired by the association between the great glass-blowing tradition and the LED technology of Artemide. High interest in the expression potentials of this material resulted into co-operation with master glass blowers to gain full control of the special suppleness of Venetian glass and to work on the balance between surface and light, between subtle densities and transparencies. Hence clear, pure craft objects, each of them unique in all respects. Transparency and opacity are wisely dosed to obtain a glass that reflects light without glaring and without losing efficiency. Hence optical device, whose heart is a high-performance LED-based light engine created separately from the glass emission body in favor of higher thermal efficiency and performance. Light is controlled with maximum yield and driven towards the glass diffuser through a transparent pipe with a very low absorption coefficient.

SELECT LED White PRODUCT CODE 1815010A

Light emission

IP20 🔔 🐺 🔞

TECHNICAL DATA SHEET

FEATURES

Product name:

Article Code:
Colour:
Series:

DIMENSIONS

Height:	cm 19.1
Diameter:	cm 16
Base Length:	cm 50
Max Height from ceiling:	cm 200
Impact Resistance:	N/D
Glow Wire Test:	650°C
	-

Empatia 16 Suspension

1815010A


White Design

LAMPS INCLUDED

Category:	LED
Number:	1
Watt:	11W
Luminous Flux (Im):	531lm
Color temperature (K):	3000K
Class:	А

LUMINAIR

Watt:	11W
Luminous Flux (Im):	530lm
CCT:	3000K
Efficiency:	55%
Efficacy:	48lm/W





PRODUCT DATA SHEET

Empatia 26 Suspension



DESIGN BY:

Carlotta de Bevilacqua , Paola di Arianello 2013

MATERIALS:

DESCRIPTION:

Empatia is inspired by the association between the great glass-blowing tradition and the LED technology of Artemide. High interest in the expression potentials of this material resulted into co-operation with master glass blowers to gain full control of the special suppleness of Venetian glass and to work on the balance between surface and light, between subtle densities and transparencies. Hence clear, pure craft objects, each of them unique in all respects. Transparency and opacity are wisely dosed to obtain a glass that reflects light without glaring and without losing efficiency. Hence optical device, whose heart is a high-performance LED-based light engine created separately from the glass emission body in favor of higher thermal efficiency and performance. Light is controlled with maximum yield and driven towards the glass diffuser through a transparent pipe with a very low absorption coefficient.

SELECT LED White PRODUCT CODE 1819010A

Light emission

IP20 🔔 🐺 🔞

TECHNICAL DATA SHEET

FEATURES

Product name:

Article Code: Colour: Series:

DIMENSIONS

Height:	cm 19.1
Diameter:	cm 26
Base Length:	cm 50
Max Height from ceiling:	cm 210
Impact Resistance:	N/D
Glow Wire Test:	650°C
	0

Empatia 26 Suspension

1819010A

White


Design

LAMPS INCLUDED

Category:	LED
Watt:	14W
Luminous Flux (Im):	1435lm
Color temperature (K):	3000K
Class:	A

LUMINAIR

Watt:	16W
Luminous Flux (Im):	709lm
CCT:	3000K
Efficiency:	50%
Efficacy:	45lm/W





PRODUCT DATA SHEET

Empatia 36 Suspension



DESIGN BY:

Carlotta de Bevilacqua , Paola di Arianello 2013

MATERIALS:

DESCRIPTION:

Empatia is inspired by the association between the great glass-blowing tradition and the LED technology of Artemide. High interest in the expression potentials of this material resulted into co-operation with master glass blowers to gain full control of the special suppleness of Venetian glass and to work on the balance between surface and light, between subtle densities and transparencies. Hence clear, pure craft objects, each of them unique in all respects. Transparency and opacity are wisely dosed to obtain a glass that reflects light without glaring and without losing efficiency. Hence optical device, whose heart is a high-performance LED-based light engine created separately from the glass emission body in favor of higher thermal efficiency and performance. Light is controlled with maximum yield and driven towards the glass diffuser through a transparent pipe with a very low absorption coefficient.

SELECT LED White PRODUCT CODE 1823010A

Light emission

IP20 🔔 🐺 🔞

TECHNICAL DATA SHEET

FEATURES

Product name:

Article Code: Colour: Series:

DIMENSIONS

Height:	cm 19.1
Diameter:	cm 36
Base Length:	cm 50
Max Height from ceiling:	cm 210
Impact Resistance:	N/D
Glow Wire Test:	650°C

Empatia 36 Suspension

1823010A

White

Design

LAMPS INCLUDED

Category:	LED
Watt:	21W
Luminous Flux (Im):	2349lm
Color temperature (K):	3000K
Class:	A

LUMINAIR

Watt:	24W
Luminous Flux (Im):	1189lm
CCT:	3000K
Efficiency:	51%
Efficacy:	50lm/W

