

PRODUCT DATA SHEET

Pipe Suspension LED



DESIGN BY:

Herzog & De Meuron
2002

MATERIALS:

Flexible steel structure covered with a silicon sheat, head element in injection molded polycarbonate, internal reflectors in polished alluminum. Internal diffuser in injection molded polycarbonate.

DESCRIPTION:

Flexible painted steel structure, covered with a natural anti-yellowing silicone case; ceiling rose and diffuser in transparent rubber-effect painted polycarbonate; mirror aluminium reflector with random perforations; painted steel bottom plate. The new internal diffuser is reinterpreting the old fluorescent lamp using a modern LED source, this guarantees the same optical performance with less power consumption and a better quality of light.

Flexible and adjustable, Pipe has a micro-perforated reflector that improves the quality of the lighting in the environment, as well as it enriches the design of the luminaire, which looks like it is studded with points of light of varied dimensions.

SELECT

LED

Transparent

PRODUCT CODE

0672010A

Light emission



Dimmable

TECHNICAL DATA SHEET

FEATURES

Product name:	Pipe Suspension LED
Article Code:	0672010A
Colour:	Transparent
Material:	Flexible steel structure covered with a silicon sheat, head element in injection molded polycarbonate, internal reflectors in polished alluminum. Internal diffuser in injection molded polycarbonate.
Series:	Design
Environment:	Indoor

DIMENSIONS

Height:	cm 138
Diameter:	cm 21
Base Diameter:	cm 18
Impact Resistance:	IK6
Glow Wire Test:	960 °

LAMPS INCLUDED

Category:	LED
Watt:	37 W
Luminous Flux (lm):	1887 lm
Socket:	
Color temperature (K):	3000 K
Class:	A

LUMINAIR

Starter:	Electronic Integrated
Watt:	27 W
Luminous Flux (lm):	1887 lm
CCT:	3000 K

DIMENSIONS



COLOUR




AWARDS

_2004 Compasso d'Oro / A.D.I. Milano (Italia) _Intel Design 2003
Categoria Design "Augusto Morello" Selezione alla III edizione 2003
Milano (Italia) _2004 Design Plus, light + building Frankfurt am Main
Deutschland)

PRODUCT DATA SHEET

Pipe Suspension


DESIGN BY:

Herzog & De Meuron
2002

MATERIALS:

Steel, silicone, polycarbonate, steel

DESCRIPTION:

Flexible painted steel structure, covered with a natural anti-yellowing silicone case; ceiling rose and diffuser in transparent rubber-effect painted polycarbonate; mirror aluminium reflector with random perforations; painted steel bottom plate.

Flexible and adjustable, Pipe has a micro-perforated reflector that improves the quality of the lighting in the environment, as well as it enriches the design of the luminaire, which looks like it is studded with points of light of varied dimensions.

SELECT

FLUO

Transparent

PRODUCT CODE

0633010A

Light emission

IP20

TECHNICAL DATA SHEET
FEATURES


Product name:	Pipe Suspension
Article Code:	0633010A
Colour:	Transparent
Material:	Steel, silicone, polycarbonate, steel
Series:	Design
Environment:	Indoor

DIMENSIONS

Height:	cm 138
Diameter:	cm 21
Base Diameter:	cm 18
Impact Resistance:	IK6
Glow Wire Test:	960 °

LAMPS INCLUDED

Category:	FLUO
Number:	1
Lbs:	Tc-tel
Watt:	32W
Socket:	Gx24q-3
Type:	Fsmh
Luminous Flux (lm):	2400lm
Colour Rendering:	1b
Colour temperature (K):	3000K
Duration (h):	10000h

DIMENSIONS

COLOUR

LUMINAIR

Starter:	Electronic Integrated
Watt:	32W
Voltage:	220V-240V
Luminous Flux (lm):	2400lm
CCT:	3000K

AWARDS



_2004 Compasso d'Oro / A.D.I. Milano (Italia) _Intel Design 2003
Categoria Design "Augusto Morello" Selezione alla III edizione 2003
Milano (Italia) _2004 Design Plus, light + building Frankfurt am Main
Deutschland)