




General info

Indoor - Hanging

Indoor suspended chandelier light with multiple sources and diffuse light emission


Ean	8021696035581
Item	BLANCHE SP6 BIANCO
Installation	Suspension
Guarantee	5 years
Gross weight	6.24 kg
Volume	0.14508 m ³

Technical info

Net weight	4.8 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required

Source info

Integrated source	Light bulb (not included)
Replaceable source	Replaceable
Power	E14 max 6 x 40 W
Emission	Diffuse
Max consupcion	-
Recommended bulb	E14 OLIVA 4W 3000K CRI80 BIANCO



General info

Indoor - Hanging

Indoor suspended chandelier light with multiple sources and direct/indirect light emission


Ean	8021696111872
Item	BLANCHE SP6 NERO
Installation	Suspension
Guarantee	5 years
Gross weight	6.24 kg
Volume	0.14508 m ³

Technical info

Net weight	4.8 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required

Source info

Integrated source	Light bulb (not included)
Replaceable source	Replaceable
Power	E14 max 6 x 40 W
Emission	Direct + Indirect
Max consupcion	-
Recommended bulb	E14 OLIVA 4W 3000K CRI80 BIANCO



General info

Indoor - Hanging

Indoor suspended chandelier light with multiple sources and diffuse light emission


Ean	8021696035574
Item	BLANCHE SP8 BIANCO
Installation	Suspension
Guarantee	5 years
Gross weight	8.86 kg
Volume	0.197505 m ³

Technical info

Net weight	6.82 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required

Source info

Integrated source	Light bulb (not included)
Replaceable source	Replaceable
Power	E14 max 8 x 40 W
Emission	Diffuse
Max consupcion	-
Recommended bulb	E14 OLIVA 4W 3000K CRI80 BIANCO



General info

Indoor - Hanging

Indoor suspended chandelier light with multiple sources and direct/indirect light emission

Ean	8021696111896
Item	BLANCHE SP8 NERO
Installation	Suspension
Guarantee	5 years
Gross weight	8.86 kg
Volume	0.197505 m ³

Technical info

Net weight	6.82 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required

Source info

Integrated source	Light bulb (not included)
Replaceable source	Replaceable
Power	E14 max 8 x 40 W
Emission	Direct + Indirect
Max consupcion	-
Recommended bulb	E14 OLIVA 4W 3000K CRI80 BIANCO