

Date

Name

Client

Project name

Quote#

Type/Quantity


24/08/2020 13:39:57

Specification Sheet

CIRCLE S2

202 01 10

[Weblink](#)



Cutout shape/size:  82 mm

Recessed depth: 70 mm

Available colors: WHITE (202 01 10 W)

ADJUSTABLE 0-30°/350°

GX5.3 // 12V // EXCL. TRANSFO

 1 x QR-CBC51 max.35W

 1 x QR-C51 max.50W

Class: III

Weight: 0.1 KG

Protection level: IP20

Minimum distance: 0,5m

Remarks: WHITE finish : max. 35W


Options: TRANSFO

Accessories: TUBE C


For detailed installation instructions, please consult the manual. [202 01 10 HAND.pdf](#)

CIRCLE S2
202 01 10


Ceiling compatibility




System ceiling




Plasterboard




Stucanet




Wood




Concrete




Concrete + plaster



Hollow-core slab




Hollow-core slab + plaster



Stretch ceiling


CIRCLE S2
202 01 10

[Weblink / Specs sheet](#)



TRANSFO 100W
200 46 10
220-240V / 50-60Hz

[Weblink / Specs sheet](#)



TRANSFO 50W
200 46 06
220-240V / 50-60Hz

 **DELTA LIGHT®**

CIRCLE S2
202 01 10

Related project picture of product family:



MARTIN'SPA
designed by H. Martin

Specification Sheet