

Class


2800

Design By Sebastian Herkner

Class is an outdoor beacon lamp in which matter and light come together in a single body. The rigid stem rises elegant, while the light passes softly through a glass cylinder of translucent fluted glass.

VIBIA

Model Sheet



Finish 11 Black
NCS S 8500-N

LED temperature color 2700 K

Dimming Push / DALI

Installation type Built-in

Materials Body: Aluminum
Shade: Borosilicate glass

Light source 1 x LED STRIP 3,5W 150mA



LED CRI>90 495 lm 141
2700 K

Driver Constant Current 150 200~240
V V 50~60 Hz HZ


☐ Dimmable ☐ LED ☐ IP65
☐ 50-60Hz ☐ 200-240V ☐ PUSH

Application Outdoor lamps

Packaging 2 Box
1.18 m x 0.35 m x 0.37 m
Gross weight 23.2
Net weight 19.2
Vol. 0.1846

Lighting effect

General Lighting



Photometric Data

Efficiency 94.86 lm/W
Coordinate System CG
Total Flux 332.01 lm
Maximum Value 42.99 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty


Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Model Sheet



Finish 11 Black
NCS S 8500-N

LED temperature color 2700 K

Dimming Push / DALI

Installation type Built-in

Materials Body: Aluminum
Shade: Borosilicate glass

Light source 2 x LED STRIP 3,5W 150mA



LED CRI>90 990 lm 141
2700 K

Driver Constant Current 300
220~240 V V 50~60 Hz HZ

☐ Dimmable ☒ LED ☒ IP65


☒ 50-60Hz ☒ PUSH

Application Outdoor lamps

Packaging 2 Box
1.18 m x 0.35 m x 0.37 m
Gross weight 29.6
Net weight 25.6
Vol. 0.1846

Lighting effect

General Lighting



Photometric Data

Efficiency 94.86 lm/W
Coordinate System CG
Total Flux 664.03 lm
Maximum Value 85.44 cd

Other Applications




2810

Design By Sebastian Herkner

Class is an outdoor pillar lantern in which matter and light come together in a single body. The matt black of the lamp's stem contrasts with the fluted surface of the glass cylinder. The light bathes a wide area of outdoor space.

Model Sheet



Finish 11 Black
NCS S 8500-N

LED temperature color 2700 K

Dimming Push / DALI

Installation type Built-in

Materials Body: Aluminum
Shade: Borosilicate glass

Light source 1 x LED STRIP 7W 300mA



LED CRI>90 990 lm 141
2700 K

Driver Constant Current 300
220~240 V V 50~60 Hz HZ

☐ Dimmable ☐ LED ☐ IP65


☐ 50-60Hz ☐ PUSH

Application Outdoor lamps

Packaging 2 Box
2.92 m x 0.32 m x 0.315 m
Gross weight 41
Net weight 35
Vol. 0.3425

Lighting effect


General Lighting



Photometric Data

Efficiency 94.86 lm/W
Coordinate System CG
Total Flux 664.03 lm
Maximum Value 85.98 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970


customer.service@vibia.com
vibia.com

2815

Design By Sebastian Herkner

Class is an outdoor pillar lantern in which matter and light come together in a single body. The matt black of the lamp's stem contrasts with the fluted surface of the glass cylinders. The light bathes a wide area of outdoor space thanks to its double asymmetry.

Model Sheet



Finish 11 Black
NCS S 8500-N

LED temperature color 2700 K

Dimming Push / DALI

Installation type Built-in

Materials Body: Aluminum
Shade: Borosilicate glass

Light source 2 x LED STRIP 7W 300mA



LED CRI>90 1980 lm 141
2700 K

Driver Constant Current 600
220~240 V V 50~60 Hz HZ

☐ Dimmable ☒ LED ☒ IP65

☒ 50-60Hz ☒ PUSH

Application Outdoor lamps

Packaging 2 Box
2.92 m x 0.32 m x 0.315 m
Gross weight 56.8
Net weight 50.8
Vol. 0.3425

Lighting effect

General Lighting



Photometric Data

Efficiency 94.86 lm/W
Coordinate System CG
Total Flux 1328.07 lm
Maximum Value 169.66 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6. 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com