





Displaying the elegant poise of the bird that inspired it, Flamingo projects a feeling of weightlessness hovering overhead. The deconstructed design separates the LED light source from its translucent shades, producing gradations of diffuse illumination. Shades are available in a range of configurations and the LEDs are directed upwards or downwards, for an ambient indirect light.

- 18 Graphite (RAL 7016)
- 20 Gold (Gold)
- 67 Copper (Copper)
- 93 White (RAL 9016)

Shade: Acrylic.
 Diffuser: Methacrylate.
 Body: Aluminum.
 Rods and Canopy: Steel.

LED 2700 K. CRI>80. 124 lm/W.
 Dimming: 1-10V, Push.


Ref. 1515.
 Dimming: Push on the cable with plug.

Personalization options available


- LED 3000 K / 4000 K
 - Ref. 1510, 1527, 1530, 1540, 1550, 1560, 1570.
 - Dimming: DALI, Casambi
 - Extra cable length
- Request more information.




1510




1515



1527




1530




1540




1550



1560



1570



PENDANTS


73



Flamingo


Design by Antoni Arola

Displaying the elegant poise of the bird that inspired it, Flamingo projects a feeling of weightlessness hovering overhead. The deconstructed design separates the LED light source from its translucent shades, producing gradations of diffuse illumination.



Pendants

1510



Light Source

2 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 1389 lm. 124 lm/W.
Driver Constant Current 500mA.
 110-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
- Dimming: DALI or Casambi.
- Extra cable length.

Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging

2 Boxes.
 Total Vol. 0,0620 m³.
 Gross weight 6,7 Kg.
 Net weight 4,7 Kg.

1510 18 /1B Graphite
 (RAL 7016)


1510 20 /1B Gold
 (Gold)

1510 67 /1B Copper
 (Copper)

1510 93 /1B White
 (RAL 9016)



1515



Light Source

2 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 1389 lm. 124 lm/W.
Driver Constant Current 500mA.
 110-240V. 50/60Hz.

Dimmer on the cable.
 Electric cable 2,5 m.

Personalization options available

- LED 3000 K / 4000 K.
- Extra cable length.

Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging


2 Boxes.
 Total Vol. 0,0620 m³.
 Gross weight 7,2 Kg.
 Net weight 5,2 Kg.

1515 18 /15 Graphite
 (RAL 7016)

1515 20 /15 Gold
 (Gold)


1515 67 /15 Copper
 (Copper)

1515 93 /15 White
 (RAL 9016)



1527

New



Light Source

2 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 1389 lm. 124 lm/W.
Driver Constant Current 500mA.
 110-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
- Dimming: DALI or Casambi.
- Extra cable length.

Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging


1 Box.
 0,12 x 0,80 x 0,79 m.
 Vol. 0,0634 m³.
 Gross weight 4,1 Kg.
 Net weight 3,69 Kg.

1527 18 /1B Graphite
 (RAL 7016)

1527 20 /1B Gold
 (Gold)


1527 67 /1B Copper
 (Copper)

1527 93 /1B White
 (RAL 9016)



Flamingo

1530



Light Source

3 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 2083,3 lm. 124 lm/W.
Driver Constant Current 500mA.
 220-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
 - Dimming: DALI or Casambi.
 - Extra cable length.
 Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging

3 Boxes.
 Total Vol. 0,1520 m³.
 Gross weight 10 Kg.
 Net weight 7 Kg.

1530 18 /1B Graphite
 (RAL 7016)


1530 20 /1B Gold
 (Gold)

1530 67 /1B Copper
 (Copper)

1530 93 /1B White
 (RAL 9016)



1540



Light Source

1 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 694,4 lm. 124 lm/W.
Driver Constant Current 500mA.
 110-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
 - Dimming: DALI or Casambi.
 - Extra cable length.
 Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging


2 Boxes.
 Total Vol. 0,0620 m³.
 Gross weight 6 Kg.
 Net weight 4 Kg.

1540 18 /1B Graphite
 (RAL 7016)


1540 20 /1B Gold
 (Gold)

1540 67 /1B Copper
 (Copper)

1540 93 /1B White
 (RAL 9016)



1550



Light Source

3 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 2083,3 lm. 124 lm/W.
Driver Constant Current 500mA.
 220-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
 - Dimming: DALI or Casambi.
 - Extra cable length.
 Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging

3 Boxes.
 Total Vol. 0,1520 m³.
 Gross weight 11,3 Kg.
 Net weight 8,8 Kg.

1550 18 /1B Graphite
 (RAL 7016)


1550 20 /1B Gold
 (Gold)

1550 67 /1B Copper
 (Copper)

1550 93 /1B White
 (RAL 9016)



1560



Light Source

3 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 2083,3 lm. 124 lm/W.
Driver Constant Current 500mA.
 220-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
 - Dimming: DALI or Casambi.
 - Extra cable length.
 Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging

3 Boxes.
 Total Vol. 0,1860 m³.
 Gross weight 12,7 Kg.
 Net weight 10,2 Kg.

1560 18 /1B Graphite
 (RAL 7016)


1560 20 /1B Gold
 (Gold)

1560 67 /1B Copper
 (Copper)

1560 93 /1B White
 (RAL 9016)



1570



New

Light Source

4 x LED 5,6W 500mA.
Led 2700 K. CRI >80. 2777 lm. 124 lm/W.
Driver Constant Current 500mA.
 110-240V. 50/60Hz.
Dimming: 1-10V, Push.

Personalization options available

- LED 3000 K / 4000 K.
 - Dimming: DALI or Casambi.
 - Extra cable length.
 Min. quantity, upcharge and extra lead time apply.

Materials

Diffuser: Methacrylate.
 Shade: Acrylic.
 Body: Aluminum.
 Canopy and rods: Steel.

Packaging

2 Boxes.
 Total Vol. 0,1633 m³.
 Gross weight 10 Kg.
 Net weight 8,64 Kg.

1570 18 /1B Graphite
 (RAL 7016)

1570 20 /1B Gold
 (Gold)

1570 67 /1B Copper
 (Copper)

1570 93 /1B White
 (RAL 9016)

