

## 2330


Design By Martín Azúa

HALO is a circular hanging lamp, which creates subtle, magical lighting. Designed by Martín Azúa, it is available in matt white lacquer.

## Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN] Finish 03 White RAL 9016

LED temperature color

3000 K

.

Dimming 1-10V

**Optional** DALI or Casambi Min. quantity, upcharge and extra

lead time apply [EN]

**Instalation type** Surface Canopy

Materials Diffuser: PMMA
Ceiling rose: Steel

Light source 1 x LED STRIP 24V 23W

Α

LED CRI>80 2086 lm 90.69

3000 K

**Driver** CV - Constant Voltage

100~277 V 50/60 HŽ

Remarks 1-10V Electronic dimming

[IP20] [Multi-volt] [50-60Hz] **1-10V** 

Application Hanging lamps

Packaging 1 Box

0.6 m x 0.6 m x 0.27 m Gross weigth 5.75 Net weigth 3.75 Vol. 0.0972

### Lighting effect

### **General Lighting**

Lamp for general lighting that equally distributes the light in all directions.



#### Photometric Data

 Efficiency
 62.66 lm/W

 Coordinate System
 CG

 Total Flux
 1726.78 lm

 Maximum Value
 253.36 cd

### Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty



## 2331


Design By Martín Azúa

HALO is a hanging lamp with two circular pieces, which creates subtle, magical lighting. Designed by Martín Azúa, it is available in matt white lacquer.

## Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN] Finish 03 White RAL 9016

LED temperature color

3000 K

Dimming 1-10V

**Optional** DALI or Casambi Min. quantity, upcharge and extra

lead time apply [EN]

Instalation type Surface Canopy

Materials Diffuser: PMMA
Ceiling rose: Steel

Light source 2 x LED STRIP 24V 23W

Α

LED CRI>80 4172 lm 90.69

3000 K

Driver CV - Constant Voltage

100~277 V 50/60 HŽ

Remarks 1-10V Electronic dimming

[IP20] [Multi-volt] [50-60Hz] [-1-10V]

Application Hanging lamps

Packaging 1 Box

0.6 m x 0.6 m x 0.27 m Gross weigth 10.25 Net weigth 6.25 Vol. 0.0972

### Lighting effect

#### General Lighting

Lamp for general lighting that equally distributes the light in all directions.



### Photometric Data


 Efficiency
 62.72 lm/W

 Coordinate System
 CG

 Total Flux
 3457.24 lm

 Maximum Value
 506.73 cd

### Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty



## 2332


Design By Martín Azúa

HALO is a hanging lamp with three circular pieces, which creates subtle, magical lighting. Designed by Martín Azúa, it is available in matt white lacquer.

## Model Sheet







Optional: Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

Finish 03 White RAL 9016

LED temperature color

3000 K

Dimming 1-10V

**Optional** DALI or Casambi Min. quantity, upcharge and extra

lead time apply [EN]

Instalation type Surface Canopy

Materials Diffuser: PMMA
Ceiling rose: Aluminum

Light source 3 x LED STRIP 24V 23W

Α

LED CRI>80 6258 lm 90.69

3000 K

Driver CV - Constant Voltage

100~277 V 50/60 HŽ

Remarks 1-10V Electronic dimming

Dimmable LED

[IP20] [Multi-volt] [50-60Hz] [-1-10V]

Application Hanging lamps

Packaging 1 Box

0.6 m x 0.6 m x 0.27 m Gross weigth 14.75 Net weigth 8.75 Vol. 0.0972

### Lighting effect

### **General Lighting**

Lamp for general lighting that equally distributes the light in all directions.



### Photometric Data


 Efficiency
 62.72 lm/W

 Coordinate System
 CG

 Total Flux
 5185.81 lm

 Maximum Value
 760.09 cd

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty



## 2333


Design By Martín Azúa

HALO is a hanging lamp with circular pieces, which creates subtle, magical lighting. Designed by Martín Azúa, it is available in matt white lacquer.

## Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN] Finish



03 White RAL 9016

LED temperature color

3000 K

1-10V

Dimming

**Optional** DALI or Casambi Min. quantity, upcharge and extra

lead time apply [EN]

Instalation type Surface Canopy

Materials Diffuser: PMMA
Ceiling rose: Steel

Light source 5 x LED STRIP 24V 23W

Α

LED CRI>80 10430 lm 90.69

3000 K

Driver CV - Constant Voltage

100~277 V 50/60 HŽ

Remarks 1-10V Electronic dimming

Dimmable LED

[IP20] [Multi-volt] [50-60Hz] [-1-10V]

Application Hanging lamps

Packaging 2 Box

0.6 m x 0.6 m x 0.27 m Gross weigth 30.75 Net weigth 19.75 Vol. 0.1123

### Lighting effect

### **General Lighting**

Lamp for general lighting that equally distributes the light in all directions.



#### Photometric Data

 Efficiency
 62.72 lm/W

 Coordinate System
 CG

 Total Flux
 8643.26 lm

 Maximum Value
 1266.82 cd

### Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty