

NOTREDAME ceiling/wall lamp


Luca De Bona e Dario De Meo design

year 2018

DATA SHEET - PL130 40 INT


LAMP "A"

material	techno polymer
colour	gold



ELECTRICAL SYSTEM

source	LED/strip LED dimmable via trailing edge phase dimmers
	Frontal LED 13W, 1520 lumen 3000K CRI>80
	strip LED backlight 3W, 280 lumen, 3000K CRI>80 class A+




PACKAGING

n° cartons	1
net weight/kg	4,8
gross weight/kg	6,75
packaging/cm	67x73x18,5

LIGHT EMISSION

unidirectional




	direct
	filtered
	indirect
	absence

COMPLIANT WITH

IEC	60598-1:2014
EN	60598-1:2015




degree of protection	IP20
bulb	Kit LED equipped




COLLECTION


also available suspension lamp version




PL130 3B INT



PL130 5B INT




PL130 3O INT




PL130 5O INT



PL130 4B INT



PL130 6B INT



PL130 6O INT


NOTREDAME ceiling/wall lamp

Luca De Bona e Dario De Meo design

year 2018

LAMP "A"

material	techno polymer
colour	gold



ELECTRICAL SYSTEM


source	LED/strip LED dimmable via trailing edge phase dimmers
	Frontal LED 13W, 1520 lumen 2700K CRI>80
	strip LED backlight 3W, 280 lumen, 2700K CRI>80 class A+

PACKAGING

n° cartons	1
net weight/kg	4,8
gross weight/kg	6,75
packaging/cm	67x73x18,5

LIGHT EMISSION

unidirectional



	direct
	filtered
	indirect
	absence



COMPLIANT WITH

IEC	60598-1:2014
EN	60598-1:2015




degree of protection bulb	IP20 Kit LED equipped
------------------------------	--------------------------

DATA SHEET - PL130 60 INT



COLLECTION

also available suspension lamp version



NOTREDAME ceiling/wall lamp


Luca De Bona & Dario De Meo design

year 2016

LAMP "A"

material
colour

techno
polymer
white



ELECTRICAL SYSTEM

source

LED/strip LED dimmable
via trailing edge phase dimmers

Frontal LED

13W, 1520 lumen 3000K CRI>80

strip LED backlight

3W, 280 lumen, 3000K CRI>80
class A+

PACKAGING

n° cartons

1

net weight/kg

4,8

gross weight/kg


6,75

packaging/cm

67x73x18,5

LIGHT EMISSION

unidirectional



direct



filtered



indirect



absence

COMPLIANT WITH

IEC
EN


60598-1:2014
60598-1:2015



degree of protection
bulb


IP20
Kit LED equipped

DATA SHEET - PL130 4B INT




COLLECTION


also available suspension lamp version




PL130 3B INT



PL130 5B INT




PL130 3O INT




PL130 5O INT



PL130 6B INT



PL130 4O INT



PL130 6O INT

NOTREDAME ceiling/wall lamp


Luca De Bona & Dario De Meo design

year 2018

LAMP "A"

material
colour

techno
polymer
white



ELECTRICAL SYSTEM

source

LED/strip LED dimmable
via trailing edge phase dimmers

Frontal LED

13W, 1520 lumen 2700K CRI>80

strip LED backlight

3W, 280 lumen, 2700K CRI>80
class A+

PACKAGING

n° cartons

1

net weight/kg

4,8

gross weight/kg


6,75

packaging/cm

67x73x18,5

LIGHT EMISSION

unidirectional



direct



filtered



indirect



absence

COMPLIANT WITH

IEC
EN


60598-1:2014
60598-1:2015



degree of protection
bulb


IP20
Kit LED equipped

DATA SHEET - PL130 6B INT




COLLECTION


also available suspension lamp version




PL130 3B INT




PL130 5B INT




PL130 30 INT




PL130 50 INT



PL130 4B INT



PL130 40 INT



PL130 60 INT


NOTREDAME ceiling/wall lamp

Luca De Bona & Dario De Meo design

year 2016

DATA SHEET - PL130 3B INT

LAMP "A"

material	techno polymer	
colour	white	

ELECTRICAL SYSTEM


source	LED/strip LED dimmable via trailing edge phase dimmers
	Frontal LED 13W, 1520 lumen 3000K CRI>80
	strip LED backlight 3W, 280 lumen, 3000K CRI>80 class A+

PACKAGING


n° cartons	1
net weight/kg	8,35
gross weight/kg	12,2
packaging/cm	105x93x20

LIGHT EMISSION

unidirectional



	direct
	filtered
	indirect
	absence




COMPLIANT WITH


IEC	60598-1:2014
EN	60598-1:2015
	  
degree of protection bulb	IP20 Kit LED equipped

COLLECTION


also available suspension lamp version




PL130 5B INT



PL130 3O INT




PL130 5O INT




PL130 4B INT



PL130 6B INT



PL130 4O INT



PL130 6O INT


NOTREDAME ceiling/wall lamp

Luca De Bona & Dario De Meo design

year 2018

DATA SHEET - PL130 30 INT

LAMP "A"

material	techno polymer	
colour	gold	

ELECTRICAL SYSTEM


source	LED/strip LED dimmable via trailing edge phase dimmers
	Frontal LED 13W, 1520 lumen 3000K CRI>80
	strip LED backlight 3W, 280 lumen, 3000K CRI>80 class A+

PACKAGING

n° cartons	1
net weight/kg	8,35
gross weight/kg	12,2
packaging/cm	105x93x20

LIGHT EMISSION

unidirectional




	direct
	filtered
	indirect
	absence

COMPLIANT WITH

IEC	60598-1:2014
EN	60598-1:2015




degree of protection bulb	IP20 Kit LED equipped
------------------------------	--------------------------




COLLECTION


also available suspension lamp version




PL130 3B INT



PL130 5B INT




PL130 5O INT




PL130 4B INT



PL130 6B INT



PL130 4O INT



PL130 6O INT

NOTREDAME ceiling/wall lamp

Luca De Bona & Dario De Meo design


year 2018

DATA SHEET - PL130 5B INT

LAMP "A"

material
colour

techno polymer
white



ELECTRICAL SYSTEM

source

LED/strip LED dimmable
via trailing edge phase dimmers

Frontal LED

13W, 1520 lumen 2700K CRI>80

strip LED backlight

3W, 280 lumen, 2700K CRI>80
class A+

PACKAGING

n° cartons

1

net weight/kg

8,35

gross weight/kg


12,2

packaging/cm

105x93x20

LIGHT EMISSION

unidirectional



direct



filtered



indirect



absence

COMPLIANT WITH


IEC
EN

60598-1:2014
60598-1:2015




degree of protection
bulb

IP20
Kit LED equipped




COLLECTION


also available suspension lamp version



PL130 3B INT



PL130 3O INT




PL130 5O INT




PL130 4B INT



PL130 6B INT



PL130 4O INT



PL130 6O INT

NOTREDAME ceiling/wall lamp

Luca De Bona & Dario De Meo design


year 2018

DATA SHEET – PL130 50 INT

LAMP "A"

material
colour

techno polymer
gold



ELECTRICAL SYSTEM

source

LED/strip LED dimmable
via trailing edge phase dimmers

Frontal LED

13W, 1520 lumen 2700K CRI>80

strip LED backlight

3W, 280 lumen, 2700K CRI>80
class A+

PACKAGING

n° cartons

1

net weight/kg

8,35

gross weight/kg


12,2

packaging/cm

105x93x20

LIGHT EMISSION

unidirectional



direct



filtered



indirect



absence

COMPLIANT WITH

IEC
EN


60598-1:2014
60598-1:2015



degree of protection
bulb


IP20

Kit LED equipped




COLLECTION


also available suspension lamp version




PL130 3B INT




PL130 5B INT




PL130 30 INT




PL130 4B INT



PL130 6B INT



PL130 40 INT



PL130 60 INT