

## General info

### Indoor - Suspensions


|              |               |
|--------------|---------------|
| Ean          | 8021696110417 |
| Item         | OIL-1 SP1     |
| Installation | Suspensions   |
| Guarantee    | 5 years       |
| Gross weight | 2.02 kg       |
| Volume       | 0.013028 m³   |

## Technical info

|                       |                              |
|-----------------------|------------------------------|
| Net weight            | 1.78 kg                      |
| Insulation class      | II                           |
| Protection index      | IP20                         |
| Compliance            | CE                           |
| Operating temperature | 0° ~ +40 °C                  |
| Full load efficiency  | X                            |
| Dimmer                | Determined by the light bulb |
| Power output          | 220-240 V AC                 |
| Power supply          | Not required                 |

## Source info

|                    |                           |
|--------------------|---------------------------|
| Integrated source  | Light bulb (not included) |
| Replaceable source | No                        |
| Power              | E27 max 1 x 15 W          |
| Emission           | Direct                    |
| Max consumption    | -                         |



## General info

### Indoor - Suspensions


|              |               |
|--------------|---------------|
| Ean          | 8021696110424 |
| Item         | OIL-2 SP1     |
| Installation | Suspensions   |
| Guarantee    | 5 years       |
| Gross weight | 1.41 kg       |
| Volume       | 0.011907 m³   |

## Technical info

|                       |                              |
|-----------------------|------------------------------|
| Net weight            | 1.18 kg                      |
| Insulation class      | II                           |
| Protection index      | IP20                         |
| Compliance            | CE                           |
| Operating temperature | 0° ~ +40 °C                  |
| Full load efficiency  | X                            |
| Dimmer                | Determined by the light bulb |
| Power output          | 220-240 V AC                 |
| Power supply          | Not required                 |

## Source info

|                     |                           |
|---------------------|---------------------------|
| Integrated source   | Light bulb (not included) |
| Repleaceable source | No                        |
| Power               | E27 max 1 x 15 W          |
| Emission            | Direct                    |
| Max consupction     | -                         |



## General info

### Indoor - Suspensions

|              |               |
|--------------|---------------|
| Ean          | 8021696110431 |
| Item         | OIL-3 SP1     |
| Installation | Suspensions   |
| Guarantee    | 5 years       |
| Gross weight | 2.07 kg       |
| Volume       | 0.013028 m³   |

## Technical info

|                       |                              |
|-----------------------|------------------------------|
| Net weight            | 1.81 kg                      |
| Insulation class      | II                           |
| Protection index      | IP20                         |
| Compliance            | CE                           |
| Operating temperature | 0° ~ +40 °C                  |
| Full load efficiency  | X                            |
| Dimmer                | Determined by the light bulb |
| Power output          | 220-240 V AC                 |
| Power supply          | Not required                 |

## Source info

|                     |                           |
|---------------------|---------------------------|
| Integrated source   | Light bulb (not included) |
| Repleaceable source | No                        |
| Power               | E27 max 1 x 15 W          |
| Emission            | Direct                    |
| Max consupction     | -                         |




General info

Indoor - Suspensions

|              |               |
|--------------|---------------|
| Ean          | 8021696110462 |
| Item         | OIL-4 SP1     |
| Installation | Suspensions   |
| Guarantee    | 5 years       |
| Gross weight | 1.78 kg       |
| Volume       | 0.011115 m³   |


Technical info

|                       |                              |
|-----------------------|------------------------------|
| Net weight            | 1.49 kg                      |
| Insulation class      | II                           |
| Protection index      | IP20                         |
| Compliance            | CE                           |
| Operating temperature | 0° ~ +40 °C                  |
| Full load efficiency  | X                            |
| Dimmer                | Determined by the light bulb |
| Power output          | 220-240 V AC                 |
| Power supply          | Not required                 |



Source info

|                    |                           |
|--------------------|---------------------------|
| Integrated source  | Light bulb (not included) |
| Replaceable source | No                        |
| Power              | GU10 max 1 x 15 W         |
| Emission           | Direct                    |
| Max consuption     | -                         |



## General info

### Indoor - Suspensions


|              |               |
|--------------|---------------|
| Ean          | 8021696129082 |
| Item         | OIL-5 SP1     |
| Installation | Suspensions   |
| Guarantee    | 5 years       |
| Gross weight | 2.19 kg       |
| Volume       | 0.016536 m³   |

## Technical info

|                       |                              |
|-----------------------|------------------------------|
| Net weight            | 1.65 kg                      |
| Insulation class      | II                           |
| Protection index      | IP20                         |
| Compliance            | CE                           |
| Operating temperature | 0° ~ +40 °C                  |
| Full load efficiency  | X                            |
| Dimmer                | Determined by the light bulb |
| Power output          | 220-240 V AC                 |
| Power supply          | Not required                 |

## Source info

|                     |                           |
|---------------------|---------------------------|
| Integrated source   | Light bulb (not included) |
| Repleaceable source | No                        |
| Power               | E27 max 1 x 15 W          |
| Emission            | Direct                    |
| Max consupction     | -                         |



## General info

### Indoor - Suspensions

|              |               |
|--------------|---------------|
| Ean          | 8021696129099 |
| Item         | OIL-6 SP1     |
| Installation | Suspensions   |
| Guarantee    | 5 years       |
| Gross weight | 2.09 kg       |
| Volume       | 0.023567 m³   |

## Technical info

|                       |                              |
|-----------------------|------------------------------|
| Net weight            | 1.76 kg                      |
| Insulation class      | II                           |
| Protection index      | IP20                         |
| Compliance            | CE                           |
| Operating temperature | 0° ~ +40 °C                  |
| Full load efficiency  | X                            |
| Dimmer                | Determined by the light bulb |
| Power output          | 220-240 V AC                 |
| Power supply          | Not required                 |

## Source info

|                     |                           |
|---------------------|---------------------------|
| Integrated source   | Light bulb (not included) |
| Repleaceable source | No                        |
| Power               | E27 max 1 x 15 W          |
| Emission            | Direct                    |
| Max consupction     | -                         |