



Origami



Design by Ramón Esteve.

Recalling the folded paper of the Japanese art form for which it's named, Origami generates a stunning play of light and shadows. Composed of two architectural modules that be arranged in countless personalized designs, it creates the effect of climbing ivy along a blank expanse of wall.



Recalling the folded paper of the Japanese art form for which it's named, Origami is composed of two architectural modules that be arranged in countless personalized designs. Positioning clusters across a broad surface creates the effect of climbing ivy along a blank expanse of wall and doubles as dramatic wall art. Powered by an LED and requiring only a single electrical outlet, Origami casts an ambient glow, generating a stunning play of light and shadows.

- 10 White (NCS S 0300-N)
- 29 Brown D1 (NCS S 8005-Y50R)
- 38 Terra dark (NCS S 5040-Y70R)
- 53 Green M1 (NCS S 6005-G80Y)


Cover: Polycarbonate.
 Connecting arm: Polycarbonate.
 Shade: ABS.
 Diffuser: Polycarbonate.

LED 2700 K. CRI>80. 120 lm/W.
 Dimming: TRIAC.


A maximum of 30 modules can be connected to a single connection point.
 For bigger compositions, check connection system.

Personalization options available
 - Configuration layout at vibia.com
 - LED 3000 K / 4000 K
 Request more information.


4500




4501




4504




4506



4508





Origami


Design by Ramón Esteve

Recalling the folded paper of the Japanese art form for which it's named, Origami generates a stunning play of light and shadows. Composed of two architectural modules that be arranged in countless personalized designs, it creates the effect of climbing ivy along a blank expanse of wall.




Create your product configuration quickly and easily at vibia.com

Go to vibia.com and discover the quickest, most efficient way to configure a unique lighting mural with Origami.



Wall Outdoor

4500



Light Source

1 x LED STRIP 6,3W 350mA.
LED 2700 K. CRI >80. 756 lm. 120 lm/W.
Driver Constant Current 350mA.
220-240V. 50/60Hz.
Dimming: TRIAC.

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system.

Personalization options available

- Configuration layout at vibia.com
- LED 3000 K / 4000 K.
Min. quantity, upcharge and extra lead time apply.

Materials

Shade: ABS.
Diffuser: Polycarbonate.
Lid: Polycarbonate.
Arm: Polycarbonate.

Packaging

1 Box.
0,35 x 0,35 x 0,12 m.
Vol. 0,0150 m³.
Gross weight 1,5 Kg.
Net weight 1 Kg.

4500 10 /14 White
(NCS S 0300-N).

4500 29 /14 Brown D1
(NCS S 8005-Y50R).


4500 38 /14 Terra Dark
(NCS S 5040-Y70R).

4500 53 /14 Green M1
(NCS S 6005-G80Y).



Origami

4501



Light Source

1 x LED STRIP 6,3W 350mA.
LED 2700 K. CRI >80. 756 lm. 120 lm/W.
Driver Constant Current 350mA.
220-240V. 50/60Hz.
Dimming: TRIAC.

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system.

Personalization options available

- Configuration layout at vibia.com
- LED 3000 K / 4000 K.

Min. quantity, upcharge and extra lead time apply.

Materials

Shade: ABS.
Diffuser: Polycarbonate.
Lid: Polycarbonate.
Arm: Polycarbonate.

Packaging

1 Box.
0,35 x 0,35 x 0,12 m.
Vol. 0,0150 m³.
Gross weight 1,5 Kg.
Net weight 1 Kg.

4501 10 /14 White
(NCS S 0300-N).


4501 29 /14 Brown D1
(NCS S 8005-Y50R).

4501 38 /14 Terra Dark
(NCS S 5040-Y70R).

4501 53 /14 Green M1
(NCS S 6005-G80Y).



4504



Light Source

2 x LED STRIP 6,3W 350mA.
LED 2700 K. CRI >80. 1513 lm. 120 lm/W.
Driver Constant Current 350mA.
220-240V. 50/60Hz.
Dimming: TRIAC.

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system.

Personalization options available

- Configuration layout at vibia.com
- LED 3000 K / 4000 K.

Min. quantity, upcharge and extra lead time apply.

Materials

Shade: ABS.
Diffuser: Polycarbonate.
Lid: Polycarbonate.
Arm: Polycarbonate.

Packaging

2 Boxes.
Total Vol. 0,1003 m³.
Gross weight 4,05 Kg.
Net weight 2,15 Kg.

4504 10 /14 White
(NCS S 0300-N).


4504 29 /14 Brown D1
(NCS S 8005-Y50R).

4504 38 /14 Terra Dark
(NCS S 5040-Y70R).

4504 53 /14 Green M1
(NCS S 6005-G80Y).



4506



Light Source

3 x LED STRIP 6,3W 350mA.
LED 2700 K. CRI >80. 2269 lm. 120 lm/W.
Driver Constant Current 350mA.
220-240V. 50/60Hz.
Dimming: TRIAC.

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system.

Personalization options available

- Configuration layout at vibia.com
- LED 3000 K / 4000 K.

Min. quantity, upcharge and extra lead time apply.

Materials

Shade: ABS.
Diffuser: Polycarbonate.
Lid: Polycarbonate.
Arm: Polycarbonate.

Packaging

2 Boxes.
Total Vol. 0,1378 m³.
Gross weight 5,33 Kg.
Net weight 3,23 Kg.

4506 10 /14 White
(NCS S 0300-N).


4506 29 /14 Brown D1
(NCS S 8005-Y50R).

4506 38 /14 Terra Dark
(NCS S 5040-Y70R).

4506 53 /14 Green M1
(NCS S 6005-G80Y).



4508



Light Source

4 x LED STRIP 6,3W 350mA.
LED 2700 K. CRI >80. 3026 lm. 120 lm/W.
Driver Constant Current 350mA.
220-240V. 50/60Hz.
Dimming: TRIAC.

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system.

Personalization options available

- Configuration layout at vibia.com
- LED 3000 K / 4000 K.

Min. quantity, upcharge and extra lead time apply.

Materials

Shade: ABS.
Diffuser: Polycarbonate.
Lid: Polycarbonate.
Arm: Polycarbonate.

Packaging

2 Boxes.
Total Vol. 0,1943 m³.
Gross weight 6,55 Kg.
Net weight 4,3 Kg.

4508 10 /14 White
(NCS S 0300-N).

4508 29 /14 Brown D1
(NCS S 8005-Y50R).

4508 38 /14 Terra Dark
(NCS S 5040-Y70R).

4508 53 /14 Green M1
(NCS S 6005-G80Y).

