









Romeo Moon Suspension 1

by Philippe Starck , 1996

Suspension lamp providing diffused light. Acid-etched pressed borosilicate glass internal diffuser. Pressed clear glass shade. Injection-molded transparent polycarbonate diffuser support. Transparent, stamped polycarbonate dust protection screen. White, injection-molded ABS rose, galvanized pressed steel ceiling fitting. Free steel suspension cable.



Mounting	Pendant
Environment	Indoor
Weight	4.5 Kg
Light sources available	1 x LED 8W E27 740lm 2700K [e] cod. RF25323 Dimmable 1 x LED 8W E27 740lm 3000K [e] cod. RF25317 Dimmable 1 x MAX 150W E27 HSGS 2870lm 2900K [e] cod. RF20358 DIMMER
Emergency	Without
Voltage	220-250V
Power	MAX 150W
Battery	No
Supply included	Yes
Cord Length	4000 mm
Materials	Glass
Colors	 F6105000 - Glass
Certificate	    

ROMEO MOON S2

Mounting	Pendant
Type of ceiling pendant	Suspension cable
Lamps description	1 x MAX 150W E27 HSGS
Environment	Indoor
Finish	Glass
Technical description	Suspension lamp providing diffused light. Acid-etched pressed borosilicate glass internal diffuser. Pressed clear glass shade. Injection-molded transparent polycarbonate diffuser support. Transparent, stamped polycarbonate dust protection screen. White, injection-molded ABS rose, galvanized pressed steel ceiling fitting. Free steel suspension cable.

ELECTRICAL

Emergency	Without
Voltage (V)	230

PHYSICAL

Supply	Terminal block
Cord length (mm)	4000
Construction material	Glass
Weight (kg)	7.6




Romeo Moon S2

designed by Philippe Starck


Suspension lamp providing diffused light

F6110000 Glass


DIMENSIONS



CERTIFICATIONS



IP
20



Romeo Moon S2 . Lamps



HSGS 150W E27

Lamp wattage:

150 W

Lamp category:

Halogen mains

Socket:

E27

Lamp type:

HSGS




Romeo Moon S2

designed by Philippe Starck

Suspension lamp providing diffused light

F6110000 Glass

DIMENSIONS



CERTIFICATIONS



IP
20

