

General info


Indoor - Wall lamps



Ean	8021696087375
Item	SANTA AP1 BIG ORO
Installation	Wall lamps
Warranty	5 years
Gross weight	3.62 kg
Volume	0.03096 m³

Technical info

Net weight	2.9 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required



Source info

Integrated source	Light bulb (not included)
Replaceable source	No
Power	E14 max 1 x 40 W
Emission	Diffuse
Max consupcion	-
Recommended bulb	101224 E14 OLIVA 4W 3000K CRI80 TRASP

General info


Indoor - Wall lamps



Ean	8021696087368
Item	SANTA AP1 BIG TRASPARENTE
Installation	Wall lamps
Warranty	5 years
Gross weight	3.63 kg
Volume	0.03096 m ³

Technical info

Net weight	2.9 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required



Source info

Integrated source	Light bulb (not included)
Replaceable source	No
Power	E14 max 1 x 40 W
Emission	Diffuse
Max consupcion	-
Recommended bulb	101224 E14 OLIVA 4W 3000K CRI80 TRASP

General info


Indoor - Wall lamps



Ean	8021696013046
Item	SANTA AP1 SMALL ORO
Installation	Wall lamps
Warranty	5 years
Gross weight	1.64 kg
Volume	0.01449 m³

Technical info

Net weight	1.2 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required



Source info

Integrated source	Light bulb (not included)
Replaceable source	No
Power	E14 max 1 x 40 W
Emission	Diffuse
Max consupcion	-
Recommended bulb	101224 E14 OLIVA 4W 3000K CRI80 TRASP

General info


Indoor - Wall lamps



Ean	8021696013060
Item	SANTA AP1 SMALL TRASPARENTE
Installation	Wall lamps
Warranty	5 years
Gross weight	1.98 kg
Volume	0.014805 m ³

Technical info

Net weight	1.62 kg
Insulation class	I
Protection index	IP20
Compliance	CE
Operating temperature	0° ~ +40 °C
Dimmer	Non-dimmable
Power output	220-240 V AC
Power supply	Not required



Source info

Integrated source	Light bulb (not included)
Replaceable source	No
Power	E14 max 1 x 40 W
Emission	Diffuse
Max consupcion	-
Recommended bulb	101224 E14 OLIVA 4W 3000K CRI80 TRASP