## Skydro Ceiling

## Ross Lovegrove














#### LUMINAIRE

- Watt: **160W** 

- Voltage: 220V-240V

- Delivered lumens output: 3300lm

- CCT: 2950K

#### Notes

Available in two versions: the first, in which the indirect light comes from a lighting unit integrated into the lamp, the second, in which the indirect light comes from a wall projector that is separate from the lamp. Skydro is a sectional unit that enables numerous elements to be added. To assemble the multiple units it needs - in addition to the basic units (with or without light source) - an assembly kit (template) and cable kits for the electrical connection

### **DESCRIPTION**

Ceiling lamp, a further development of the Hydro series. A series of pebbles forms a bright sky reflecting the light that bounces on its biomorphic surfaces.

PRODUCT CODE: 1232010A

#### **FEATURES**

- Article Code: 1232010A - Colour: Polished chrome

- Installation: Ceiling

- Material: Aluminium, steel, ABS

- Series: **Design Collection** - Environment: Indoor - Emission: Indirect

- design by: Ross Lovegrove

#### **DIMENSIONS**

- Height: cm 136 - Diameter: cm 142 - Depth: cm 42

- Glow Wire Test: 960°C

#### **NOT INCLUDED SOURCES**

- Category: HALO

- Number: 1 - Lbs: Qt-de12 - Watt: **160W** - Socket: R7s

- Color Rendering: 1a

- Color temperature (K): 2950K

- Duration (h): 2000h

#### **ALTERNATIVE SOURCES**



PRODUCT CODE: 1232010A

- Category: **LED RETROFIT** 

Number: 1Watt: 11w

- Delivered lumens output: 1110lm

- Socket: **R7s** 

#### **Accessories**

SKYDRO PLAFONE KIT MONTAGGIO MODULI

1235010A

SKYDRO PLAFONE KIT CAVI COLLEG. 1236010A

SKYDRO PLAFONE LED KIT CAVI COLLEG.

1246010A

SKYDRO PLAFONE \* 1234010A

Artemide

# Skydro Ceiling Led 2700K

## Ross Lovegrove



#### DESCRIPTION


Ceiling lamp, a further development of the Hydro series. A series of pebbles forms a bright sky reflecting the light that bounces on its biomorphic surfaces.











PRODUCT CODE: 1245W10A

#### **FEATURES**

- Article Code: 1245W10A - Colour: Polished chrome

- Installation: Ceiling

- Material: Aluminium, steel, ABS

- Series: **Design Collection** - Environment: Indoor - Emission: Indirect

- design by: Ross Lovegrove

#### LUMINAIRE

- Watt: 29W

- Delivered lumens output: 1554lm

- CCT: 2700K - Efficiency: 58%

- Efficacy: 53.59lm/W

- CRI: 90

- Dimmable Typology: Push

#### **DIMENSIONS**

- Height: cm 136 - Diameter: cm 142 - Depth: cm 42

- Glow Wire Test: 960°C

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 29W

- Color temperature (K): 2700K

- CRI: 90

- Color Tolerance: MacAdam 2SDCM

#### Notes

Available in two versions: the first, in which the indirect light comes from a lighting unit integrated into the lamp, the second, in which the indirect light comes from a wall projector that is separate from the lamp. Skydro is a sectional unit that enables numerous elements to be added. To assemble the multiple units it needs - in addition to the basic units (with or without light source) - an assembly kit (template) and cable kits for the electrical connection.



# Skydro Ceiling Led 3000K

## Ross Lovegrove



#### DESCRIPTION

Ceiling lamp, a further development of the Hydro series. A series of pebbles forms a bright sky reflecting the light that bounces on its biomorphic surfaces.








IP20 (≟) (¾ IP20 (≟) Dimmerable: +①-





**FEATURES** 

- Article Code: 1245110A - Colour: Polished chrome

PRODUCT CODE: 1245110A

- Installation: Ceiling

- Emission: Indirect

- Material: Aluminium, steel, ABS

- Series: **Design Collection** - Environment: Indoor

- design by: Ross Lovegrove

#### LUMINAIRE

- Watt: 29W

- Delivered lumens output: 1662lm

- CCT: 3000K - Efficiency: 58%

- Efficacy: 57.31lm/W

- CRI: 90

- Dimmable Typology: Push

#### **DIMENSIONS**

- Height: cm 136 - Diameter: cm 142 - Depth: cm 42

- Glow Wire Test: 960°C

#### Notes

Available in two versions: the first, in which the indirect light comes from a lighting unit integrated into the lamp, the second, in which the indirect light comes from a wall projector that is separate from the lamp. Skydro is a sectional unit that enables numerous elements to be added. To assemble the multiple units it needs - in addition to the basic units (with or without light source) - an assembly kit (template) and cable kits for the electrical connection.

#### **SOURCES INCLUDED**

- Category: Led - Number: 1 - Watt: 29W

- Delivered lumens output: 4230lm - Color temperature (K): 3000K

- CRI: 90

- Color Tolerance: MacAdam 2SDCM



#### **Accessories**

NO IMAGE AVAILABLE

SKYDRO PLAFONE KIT MONTAGGIO MODULI 1235010A

SKYDRO PLAFONE LED KIT CAVI COLLEG. 1246010A

SKYDRO PLAFONE \* 1234010A

