

Array


1850

Design By Umut Yamac

VIBIA

The Array hanging lamp includes a series of technical filaments pulled taut between two rings where the light rises creating a colour gradient. The conical shape and intimate dimensions make it ideal for small spaces.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

47 Green L1
NCS S 4005-G80Y

37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

1-10V / Push; DALI / Casambi

Electrical connection Remote Micro / Built-in S / Surface Canopy

Light source

1 x LED STRIP 33W 48V



LED

CRI>90 3993 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 0.62 m x 0.62 m
Gross weight 7.9 kg
Net weight 5.7 kg
Vol. 0.0461 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Array


1855

Design By Umut Yamac

VIBIA

The Array hanging lamp combines a series of fine technical filaments between two rings. The indirect light rises through its conical shape forming a colour gradation.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

47 Green L1
NCS S 4005-G80Y

37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

Push; DALI / Casambi / 1-10V

Electrical connection Remote Micro / Surface Canopy / Built-in S

Light source

1 x LED STRIP 33W 48V



LED

CRI>90 3993 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 0.62 m x 0.62 m
Gross weight 8.3 kg
Net weight 6.1 kg
Vol. 0.0461 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array


1860

VIBIA

Design By Umut Yamac

The large-scale conical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucence through the volume it occupies.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish	24 Beige M1 NCS S 2005-Y50R 37 Terra Red NCS S 4040-Y70R 47 Green L1 NCS S 4005-G80Y
LED	2700 K
Control	1-10V / Push; DALI / Casambi
Electrical connection	Surface / Remote Micro / Built-in S
Light source	1 x LED STRIP 33W 48V D
LED	CRI>90 3993 lm 121 2700 K
Driver	Constant Voltage 90~305 V 50~60 Hz Dimmable IP20 Multi-volt 50-60Hz
Application	Hanging
Packaging	1 Box 0.12 m x 0.62 m x 0.62 m Gross weight 8.7 kg Net weight 6.5 kg Vol. 0.0461 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency	26.935 lm/W
Coordinate System	CG
Total Flux	593 lm
Maximum Value	201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array


1865

Design By Umut Yamac

VIBIA

The hanging Array lamp combines a series of fine technical filaments between two rings. The indirect light rises through the conical shape to create a colour gradient.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

Push; DALI / 1-10V / Casambi

Electrical connection Built-in S / Surface Canopy / Remote Micro

Light source

1 x LED STRIP 50W 48V



LED

CRI>90 6050 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 0.93 m x 0.93 m
Gross weight 14.3 kg
Net weight 8.8 kg
Vol. 0.1037 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Array


1870

Design By Umut Yamac

VIBIA

The large-scale conical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucence through the volume it occupies.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

37 Terra Red
NCS S 4040-Y70R

47 Green L1
NCS S 4005-G80Y

24 Beige M1
NCS S 2005-Y50R

LED

2700 K

Control

1-10V / Casambi / Push; DALI

Electrical connection Surface Canopy / Remote Micro / Built-in S

Light source

1 x LED STRIP 50W 48V



LED

CRI>90 6050 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz



Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 0.93 m x 0.93 m
Gross weight 14.9 kg
Net weight 9.4 kg
Vol. 0.1037 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com

Array


1875

Design By Umut Yamac

VIBIA

The hanging Array lamp combines a series of fine technical filaments between two rings. The indirect light rises through its conical shape creating a colour gradient. The combination of shape, texture and luminosity offers an ephemeral visual sensation.

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

37 Terra Red
NCS S 4040-Y70R

24 Beige M1
NCS S 2005-Y50R

47 Green L1
NCS S 4005-G80Y

LED

2700 K

Control

1-10V / Casambi / Push; DALI

Electrical connection Remote Micro / Built-in S / Surface Canopy

Light source

1 x LED STRIP 76W 48V



LED

CRI>90 9196 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 1.35 m x 1.35 m
Gross weight 21.9 kg
Net weight 11.9 kg
Vol. 0.2187 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Array


1880

Design By Umut Yamac

The large-scale conical silhouette hanging Array lamp wraps around the space rather than dominating it thanks to the spacious spread of the filaments creating a translucency through the volume it occupies.

VIBIA

Model Sheet



Optional : Extra cable length

Min. quantity, upcharge and extra lead time apply

Finish

47 Green L1
NCS S 4005-G80Y

24 Beige M1
NCS S 2005-Y50R

37 Terra Red
NCS S 4040-Y70R

LED

2700 K

Control

1-10V / Push; DALI / Casambi

Electrical connection Built-in S / Remote Micro / Surface Canopy

Light source

1 x LED STRIP 76W 48V



LED

CRI>90 9196 lm 121
2700 K

Driver

Constant Voltage 90~305 V 50~60
Hz

Dimmable IP20 Multi-volt 50-60Hz

Application

Hanging


Packaging

1 Box
0.12 m x 1.35 m x 1.35 m
Gross weight 22.8 kg
Net weight 12.8 kg
Vol. 0.2187 m3



Lighting effect

Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data



Efficiency 26.935 lm/W
Coordinate System CG
Total Flux 593 lm
Maximum Value 201.28 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com