



Talo 60 wall







Talo 90, 120, 150 wall





616 x 40 x 100 d


905 / 1205 / 1505 x 40 x 100 d

Talo wall 60 LED Undimmable - Polished chrome

Neil Poulton







LUMINAIRE

- Watt: **25W**

- Voltage: 220-240V

- Delivered lumens output: 2923lm

CCT: **3000K**Efficiency: **81%**

- Efficacy: **116.92lm/W**

- CRI: 80

DESCRIPTION

PRODUCT CODE: 1913050A

FEATURES

Article Code: 1913050AColour: Polished chrome

- Installation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 61.6Width: cm 10Height: cm 4

- Glow Wire Test: 650°

SOURCES INCLUDED

- Category: **Led**

- Number: 4

- Watt: **5.78W**

Delivered lumens output: 851lmColor temperature (K): 3000K

- CRI: **80**

Color Tolerance: MacAdam 3SDCM




Talo wall 60 LED Undimmable - Satin copper

Neil Poulton







LUMINAIRE

- Watt: **25W**

- Voltage: 220-240V

- Delivered lumens output: 2923lm

CCT: **3000K**Efficiency: **81%**

- Efficacy: 116.92lm/W

- CRI: 80

DESCRIPTION

PRODUCT CODE: 1913060A

FEATURES

Article Code: 1913060AColour: Satin copperInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 61.6Width: cm 10Height: cm 4Glow Wire Test: 650°

SOURCES INCLUDED

Category: LedNumber: 4Watt: 5.78W

Delivered lumens output: 851lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM




Talo wall 60 LED Undimmable - White

Neil Poulton



IP20 ⊕ **& (€** ►



LUMINAIRE

- Watt: **25W**

- Voltage: 220-240V

- Delivered lumens output: 2923lm

- CCT: **3000K**- Efficiency: **81%**

- Efficacy: **116.92lm/W**

- CRI: 80

DESCRIPTION

PRODUCT CODE: 1913040A

FEATURES

- Article Code: 1913040A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, nullEmission: Direct/indirectdesign by: Neil Poulton

DIMENSIONS

- Length: cm 61.6

- Width: **cm 10**

- Height: cm 4

- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**

- Number: 4

- Watt: **5.78W**

- Delivered lumens output: **851lm**

- Color temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM

Efficacy: 147lm/WService Life: 50000-L70

- Service Life: **50000-L7**(




Talo wall 60 LED Dimmable - White

Neil Poulton



IP20 ⊕ **《《(€** ► Dimmerable: +0-



LUMINAIRE

- Watt: **25W**

- Voltage: 220-240V

- Delivered lumens output: 2923lm

- CCT: **3000K**- Efficiency: **81%**

- Efficacy: **116.92lm/W**

- CRI: 80

DESCRIPTION

PRODUCT CODE: 1914040A

FEATURES

- Article Code: 1914040A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

- Length: cm 60

- Width: cm 10

- Height: cm 4

- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**

- Number: 4

- Watt: **5.78W**

- Delivered lumens output: **851lm**

- Color temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo wall 60 LED Dimmable - Polished chrome

Neil Poulton







LUMINAIRE

- Watt: **25W**

- Voltage: 220-240V

- Delivered lumens output: 2923lm

- CCT: **3000K**- Efficiency: **81%**

- Efficacy: **116.92lm/W**

- CRI: 80

DESCRIPTION

PRODUCT CODE: 1914050A

FEATURES

Article Code: 1914050AColour: Polished chrome

- Installation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 60Width: cm 10

- Height: cm 4

- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**

- Number: 4

- Watt: **5.78W**

Delivered lumens output: 851lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM




Talo wall 60 LED Dimmable - Satin copper

Neil Poulton







LUMINAIRE

- Watt: **25W**

- Voltage: 220-240V

- Delivered lumens output: 2923lm

CCT: **3000K**Efficiency: **81%**

- Efficacy: **116.92lm/W**

- CRI: 80

DESCRIPTION

PRODUCT CODE: 1914060A

FEATURES

Article Code: 1914060AColour: Satin copperInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 60Width: cm 10Height: cm 4Glow Wire Test: 650°

- Glow Wife lest. 030

SOURCES INCLUDED

Category: LedNumber: 4Watt: 5.78W

Delivered lumens output: 851lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo parete 90 LED Silver - Undimmable

Neil Poulton





LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **32W**

- Voltage: 220-240V

- Delivered lumens output: 3707lm

CCT: **3000K**Efficiency: **79%**

- Efficacy: 115.84lm/W

- CRI: 80

Notes

Lamp included

DESCRIPTION

PRODUCT CODE: 1915020A

FEATURES

- Article Code: 1915020A

Colour: SilverInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
Emission: Direct/indirect
design by: Neil Poulton

DIMENSIONS

Length: cm 90.5Width: cm 10

- Height: cm 4

- Glow Wire Test: 650°

SOURCES INCLUDED

- Category: **Led**

- Number: **5**

- Watt: **6W**

Delivered lumens output: 909lmColor temperature (K): 3000K

- CRI: **8**0

- Color Tolerance: MacAdam 3SDCM



Talo parete 90 LED White - Undimmable

Neil Poulton







LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **32W**

- Voltage: 220-240V

- Delivered lumens output: 3707lm

CCT: **3000K**Efficiency: **79%**

- Efficacy: **115.84lm/W**

- CRI: 80

Notes

Lamp included.

DESCRIPTION

PRODUCT CODE: 1915010A

FEATURES

- Article Code: 1915010A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
Emission: Direct/indirect
design by: Neil Poulton

DIMENSIONS

- Length: cm 90.5

- Width: cm 10

- Height: cm 4

- Glow Wire Test: **650°**

SOURCES INCLUDED

- Category: **Led**

- Number: **5**

- Watt: **6W**

Delivered lumens output: 909lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo parete 90 LED Silver - Dimmable

Neil Poulton







LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **32W**

- Voltage: 220V-240V

- Delivered lumens output: 3707lm

- CCT: **3000K**

- Efficiency: **79%**

- Efficacy: 115.84lm/W

- CRI: 80

- Dimmable Typology: Push

Notes

Lamp included.

DESCRIPTION

PRODUCT CODE: 1916020A

FEATURES

- Article Code: 1916020A

Colour: SilverInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 90.5Width: cm 10

- Height: cm 4

- Glow Wire Test: **750°C**

SOURCES INCLUDED

- Category: **Led**

- Number: **5**

- Watt: **6W**

Delivered lumens output: 909lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo parete 90 LED White - Dimmable

Neil Poulton







LUMINAIRE

Power Supply: Electronic Integrated

- Watt: **32W**

- Voltage: 220V-240V

- Delivered lumens output: 3707lm

- CCT: **3000K**

- Efficiency: **79%**

- Efficacy: 115.84lm/W

- CRI: 80

- Dimmable Typology: Push

Notes

Lamp included.

DESCRIPTION

PRODUCT CODE: 1916010A

FEATURES

- Article Code: 1916010A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 90.5Width: cm 10Height: cm 4

- Glow Wire Test: **750°C**

SOURCES INCLUDED

- Category: **Led**

- Number: **5**

- Watt: **6W**

Delivered lumens output: 909lmColor temperature (K): 3000K

- CRI: **8**0

- Color Tolerance: MacAdam 3SDCM



Talo parete 120 LED Silver - Undimmable

Neil Poulton



IP20 ⊕ **《 []** ((€) ✓



LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **51W**

- Voltage: 220-240V

- Delivered lumens output: 5772lm

CCT: **3000K**Efficiency: **79%**

- Efficacy: **113.18lm/W**

- CRI: 80

Notes

Lamp included

DESCRIPTION

PRODUCT CODE: 1917020A

FEATURES

- Article Code: 1917020A

Colour: SilverInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 120Width: cm 10Height: cm 4

- Glow Wire Test: 650°

SOURCES INCLUDED

Category: LedNumber: 7

- Watt: **6.72W**

Delivered lumens output: 1014lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo parete 120 LED White - Undimmable

Neil Poulton



IP20 ⊕ **《 []** ((€) ✓



LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **51W**

- Voltage: 220-240V

- Delivered lumens output: 5772lm

CCT: **3000K**Efficiency: **79%**

- Efficacy: **113.18lm/W**

- CRI: 80

Notes

Lamp included

DESCRIPTION

PRODUCT CODE: 1917010A

FEATURES

- Article Code: 1917010A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
Emission: Direct/indirect
design by: Neil Poulton

DIMENSIONS

Length: cm 120Width: cm 10Height: cm 4

- Glow Wire Test: 650°

SOURCES INCLUDED

- Category: **Led**

- Number: **7**

- Watt: **6.72W**

Delivered lumens output: 1014lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo parete 120 LED Silver - Dimmable

Neil Poulton







LUMINAIRE

- Power Supply: Electronic Integrated

- Watt: **51W**

- Voltage: 220V-240V

- Delivered lumens output: 5772lm

- CCT: 3000K

- Efficiency: 79%

- Efficacy: 113.18lm/W

- CRI: 80

- Dimmable Typology: Push

Notes

Lamp included

DESCRIPTION

PRODUCT CODE: 1918020A

FEATURES

- Article Code: 1918020A

- Colour: Silver - Installation: Wall

- Material: Aluminium, methacrylate, polycarbonate

- Series: Design Collection - Environment: Indoor

- Area contract: Hospitality, null - Emission: Direct/indirect - design by: Neil Poulton

DIMENSIONS

- Length: cm 120 - Width: cm 10 - Height: cm 4

- Glow Wire Test: 750°C

SOURCES INCLUDED

- Category: Led

- Number: 7

- Watt: 6.72W

- Delivered lumens output: 1014lm - Color temperature (K): 3000K

- Color Tolerance: MacAdam 3SDCM



Talo parete 120 LED White - Dimmable

Neil Poulton







LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **51W**

- Voltage: 220V-240V

- Delivered lumens output: 5772lm

CCT: **3000K**Efficiency: **79%**

- Efficacy: **113.18lm/W**

- CRI: 80

- Dimmable Typology: Push

Notes

Lamp included.

DESCRIPTION

PRODUCT CODE: 1918010A

FEATURES

- Article Code: 1918010A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 120Width: cm 10Height: cm 4

- Glow Wire Test: **750°C**

SOURCES INCLUDED

Category: LedNumber: 7

- Watt: **6.72W**

Delivered lumens output: 1014lmColor temperature (K): 3000K

- CRI: **80**

- Color Tolerance: MacAdam 3SDCM



Talo parete 150 LED Silver - Undimmable

Neil Poulton







LUMINAIRE

- Power Supply: Electronic Integrated

- Watt: 60W

- Voltage: 220-240V

- Delivered lumens output: 6711lm

- CCT: 3000K

- Efficiency: 79%

- Efficacy: 111.84lm/W

- CRI: 80

Notes

Lamp included

DESCRIPTION

PRODUCT CODE: 1919020A

FEATURES

- Article Code: 1919020A

- Colour: silver - Installation: Wall

- Material: Aluminium, methacrylate, polycarbonate

- Series: Design Collection - Environment: Indoor

- Area contract: Hospitality, null - Emission: Direct/indirect - design by: Neil Poulton

DIMENSIONS

- Length: cm 150

- Width: cm 10

- Height: cm 4

- Glow Wire Test: 650°

SOURCES INCLUDED

- Category: Led

- Number: 1

- Watt: 6.22W

- Delivered lumens output: 951lm

- Color temperature (K): 3000K

- CRI: 80

- Color Tolerance: MacAdam 3SDCM

- Efficacy: 153lm/W

- Service Life: **50000-L70**



Talo parete 150 LED White - Undimmable

Neil Poulton







LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **60W**

- Voltage: 220-240V

- Delivered lumens output: 6711lm

CCT: **3000K**Efficiency: **79%**

- Efficacy: **111.84lm/W**

- CRI: **80**

Notes

Lamp included

DESCRIPTION

PRODUCT CODE: 1919010A

FEATURES

- Article Code: 1919010A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
Emission: Direct/indirect
design by: Neil Poulton

DIMENSIONS

Length: cm 150Width: cm 10Height: cm 4

- Glow Wire Test: 650°

SOURCES INCLUDED

- Category: **Led**

– Number: **1**

- Watt: **6.22W**

Delivered lumens output: 951lmColor temperature (K): 3000K

- CRI: **8**0

- Color Tolerance: MacAdam 3SDCM



Talo parete 150 LED Silver - Dimmable

Neil Poulton







LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **60W**

- Voltage: 220V-240V

- Delivered lumens output: 6711lm

- CCT: 3000K

- Efficiency: **79%**

- Efficacy: **111.84lm/W**

- CRI: 80

– Dimmable Typology: **Push**

Notes

Lamp included.

DESCRIPTION

PRODUCT CODE: 1920020A

FEATURES

- Article Code: 1920020A

Colour: silverInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
 Emission: Direct/indirect
 design by: Neil Poulton

DIMENSIONS

Length: cm 150Width: cm 10Height: cm 4

- Glow Wire Test: **750°C**

SOURCES INCLUDED

- Category: **Led**

– Number: **1**

- Watt: **60W**

Delivered lumens output: **7920lm**Color temperature (K): **3000K**

- CRI: **80**

Color Tolerance: **3SDCM**Efficacy: **132lm/W**



Talo parete 150 LED White - Dimmable

Neil Poulton







LUMINAIRE

- Power Supply: **Electronic Integrated**

- Watt: **60W**

- Voltage: 220V-240V

- Delivered lumens output: 6711lm

- CCT: 3000K

- Efficiency: **79%**

- Efficacy: **111.84lm/W**

- CRI: 80

- Dimmable Typology: Push

Notes

Lamp included.

DESCRIPTION

PRODUCT CODE: 1920010A

FEATURES

- Article Code: 1920010A

Colour: WhiteInstallation: Wall

- Material: Aluminium, methacrylate, polycarbonate

Series: Design CollectionEnvironment: Indoor

Area contract: Hospitality, null
Emission: Direct/indirect
design by: Neil Poulton

DIMENSIONS

Length: cm 150Width: cm 10

Height: cm 4Glow Wire Test: 750°C

SOURCES INCLUDED

- Category: **Led**

– Number: **1**

- Watt: **60W**

Delivered lumens output: **7920lm**Color temperature (K): **3000K**

- CRI: **8**0

Color Tolerance: **3SDCM**Efficacy: **132lm/W**

