


Tolomeo table with presence detector LED 2700K - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20    



LUMINAIRE

- Watt: **10W**
- Voltage: **24V**
- Delivered lumens output: **593lm**
- CCT: **2700K**
- Efficiency: **70%**
- Efficacy: **59.3lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Complete lamp consists of body lamp + accessories

DESCRIPTION

Using Led technology, the attention must be focused not only on energy consumption and light efficiency, but above all on the quality and quantity of the distribution of the light. In fact the advantage of the Led is that it emits 100% light flow into the direct hemisphere, eliminating dispersion and waste in other directions. This means that in order to obtain illuminance of 1250 lux on the work surface, with an incandescent light source a power of 100W is necessary, while with a Led source 10W is sufficient, with a 90% energy saving. Base and cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and supports in polished aluminium. System of spring balancing. 5 direct Led. The code refers to the luminaire's body only

PRODUCT CODE: A0054W00

FEATURES

- Article Code: **A0054W00**
- Colour: **Aluminium**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Glow Wire Test: **750°**

SOURCES INCLUDED

- Category: **Led**
- Number: **1**
- Watt: **10W**
- Color temperature (K): **2700K**
- CRI: **90**

Accessories



TOLOMEO MORSETTO
A004100



TOLOMEO BASE TV ALL D230
A004030




TOLOMEO SUPP.TAVOLO FISSO
A004200

Tolomeo table with presence detector LED 3000K - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20    



LUMINAIRE

- Watt: **10W**
- Voltage: **24V**
- Delivered lumens output: **632lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **63.18lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Complete lamp consists of body lamp + accessories

DESCRIPTION

Using Led technology, the attention must be focused not only on energy consumption and light efficiency, but above all on the quality and quantity of the distribution of the light. In fact the advantage of the Led is that it emits 100% light flow into the direct hemisphere, eliminating dispersion and waste in other directions. This means that in order to obtain illuminance of 1250 lux on the work surface, with an incandescent light source a power of 100W is necessary, while with a Led source 10W is sufficient, with a 90% energy saving. Base and cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and supports in polished aluminium. System of spring balancing. 5 direct Led. The code refers to the luminaire's body only

PRODUCT CODE: A005400

FEATURES

- Article Code: **A005400**
- Colour: **Aluminium**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **10W**
- Color temperature (K): **3000 K**

Tolomeo table LED TW - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20    **TW**



LUMINAIRE

- Watt: **14W**
- Voltage: **24V**
- Delivered lumens output: **450lm**
- CCT: **2300-10000K**
- Efficiency: **67%**
- Efficacy: **32.14lm/W**
- CRI: **80**
- Dimmer Typology: **Microswitch Dimmer**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Complete lamp consists of body lamp + accessories

DESCRIPTION

Tolomeo Tunable White combines the advantages of LED technology with those of Tunable White technology, enabling numerous variations of white light to be obtained, with different intensities and varieties of colour temperature, with a range from 3,200K (warm light) to 10,000K (cold light).

PRODUCT CODE: 1530050A

FEATURES

- Article Code: **1530050A**
- Colour: **Aluminium**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led TW**
- Number: **1**
- Watt: **12W**
- Delivered lumens output: **550lm**
- Color temperature (K): **2300-10000**

Tolomeo table LED 2700K - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20     



LUMINAIRE

- Watt: **10W**
- Voltage: **24V**
- Delivered lumens output: **593lm**
- CCT: **2700K**
- Efficiency: **70%**
- Efficacy: **59.3lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Complete lamp consists of body lamp + accessories

DESCRIPTION

Using Led technology, the attention must be focused not only on energy consumption and light efficiency, but above all on the quality and quantity of the distribution of the light. In fact the advantage of the Led is that it emits 100% light flow into the direct hemisphere, eliminating dispersion and waste in other directions. This means that in order to obtain illuminance of 1250 lux on the work surface, with an incandescent light source a power of 100W is necessary, while with a Led source 10W is sufficient, with a 90% energy saving. Base and cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and supports in polished aluminium. System of spring balancing. 5 direct Led. The code refers to the luminaire's body only

PRODUCT CODE: A0048W00

FEATURES

- Article Code: **A0048W00**
- Colour: **Aluminium**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **10W**
- Color temperature (K): **2700K**
- CRI: **90**

Tolomeo table LED 3000K - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20     



LUMINAIRE

- Watt: **10W**
- Voltage: **24V**
- Delivered lumens output: **632lm**
- CCT: **3000K**
- Efficiency: **70%**
- Efficacy: **63.18lm/W**
- CRI: **90**
- Dimmer Typology: **Microswitch Dimmer**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Complete lamp consists of body lamp + accessories

DESCRIPTION

Using Led technology, the attention must be focused not only on energy consumption and light efficiency, but above all on the quality and quantity of the distribution of the light. In fact the advantage of the Led is that it emits 100% light flow into the direct hemisphere, eliminating dispersion and waste in other directions. This means that in order to obtain illuminance of 1250 lux on the work surface, with an incandescent light source a power of 100W is necessary, while with a Led source 10W is sufficient, with a 90% energy saving. Base and cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and supports in polished aluminium. System of spring balancing. 5 direct Led. The code refers to the luminaire's body only

PRODUCT CODE: A004800

FEATURES

- Article Code: **A004800**
- Colour: **Aluminium**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Glow Wire Test: **750°**

SOURCES INCLUDED


- Category: **Led**
- Number: **1**
- Watt: **10W**
- Color temperature (K): **3000 K**

Tolomeo Table - Metal grey - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20    



LUMINAIRE

- Watt: **100W**
- Voltage: **220V-240V**
- Delivered lumens output: **804lm**
- Efficiency: **58%**
- Efficacy: **8.04lm/W**
- CRI: **100**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Possibility to mount LED source on E27 Socket. Complete lamp consists of body lamp + accessories

DESCRIPTION

Base and cantilevered arms in polished aluminium; diffuser in matt anodised aluminium; joints and supports in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

PRODUCT CODE: A001000

FEATURES

- Article Code: **A001000**
- Colour: **Aluminium**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **1**
- Lbs: **A60**
- Watt: **77W**
- Socket: **E27**
- Color Rendering: **1a**
- Color temperature (K): **2900K**
- Duration (h): **1000h**

ALTERNATIVE SOURCES


- Category: **LED RETROFIT**

Tolomeo Table - Black - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20    



LUMINAIRE

- Watt: **100W**
- Voltage: **220V-240V**
- Delivered lumens output: **804lm**
- Efficiency: **58%**
- Efficacy: **8.04lm/W**
- CRI: **100**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Possibility to mount LED source on E27 Socket. Complete lamp consists of body lamp + accessories

DESCRIPTION

Base and cantilevered arms in polished aluminium; diffuser in matt anodised black aluminium; joints and supports in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

PRODUCT CODE: A004430

FEATURES

- Article Code: **A004430**
- Colour: **Black**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **1**
- Lbs: **A60**
- Watt: **77W**
- Socket: **E27**
- Color Rendering: **1a**
- Color temperature (K): **2900K**
- Duration (h): **1000h**

ALTERNATIVE SOURCES

- Category: **LED RETROFIT**

Accessories



TOLOMEO MORSETTO
A004100



TOLOMEO SUPP.TAVOLO FISSO
A004200




TOLOMEO BASE TV D230 VRN NRO
A005330

Tolomeo Table - White - Body Lamp

Michele De Lucchi, Giancarlo Fassina



IP20    



LUMINAIRE

- Watt: **100W**
- Voltage: **220V-240V**
- Delivered lumens output: **804lm**
- Efficiency: **58%**
- Efficacy: **8.04lm/W**
- CRI: **100**

Notes

Interchangeable support: table base, clamp, desk fixed support and twin support that allows two independent lamp units to be fitted. Possibility to mount LED source on E27 Socket. Complete lamp consists of body lamp + accessories

DESCRIPTION

Base and cantilevered arms in polished aluminium; diffuser in matt anodised white aluminium; joints and supports in polished aluminium. System of spring balancing. The code refers to the luminaire's body only

PRODUCT CODE: A004420

FEATURES

- Article Code: **A004420**
- Colour: **White**
- Installation: **Table**
- Material: **aluminium, steel**
- Series: **Design Collection**
- design by: **Michele De Lucchi, Giancarlo Fassina**

DIMENSIONS

- Length: **cm 78**
- Height: **cm 64.5**
- Base Diameter: **cm 23**
- Max Extension Height: **cm 129**
- Max Extension Length: **cm 122**
- Impact Resistance: **N/D**
- Glow Wire Test: **N/D°**

NOT INCLUDED SOURCES

- Category: **HALO**
- Number: **1**
- Lbs: **A60**
- Watt: **77W**
- Socket: **E27**
- Color Rendering: **1a**
- Color temperature (K): **2900K**
- Duration (h): **1000h**

ALTERNATIVE SOURCES

- Category: **LED RETROFIT**

Accessories



TOLOMEO MORSETTO
A004100



TOLOMEO BASE TV D230 VRN BCO
A005320



TOLOMEO SUPP.TAVOLO FISSO
A004200