

RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2110.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 10 modules of horizontal, short stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser

Polycarbonate diffuser


Finish



2110-14.
Matt
dark-brown
lacquer

2110-58.
Off-white matt
lacquer


Sketch



Electrical characteristics

10 x LED STRIP 30V 2,9W

Total 29.0 W



Physical characteristics

2 Box / 0.08 x 0.54 x 0.59 m. / Vol. 0.0591 m³ /
Gross weight 7.7 kg. / Net weight 6.0 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%

Coordinate system : C-G

Total flux : 3460.00 lm

Maximum value : 120.17 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Isolux (suelo)

Light position :

X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2111.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 20 modules of horizontal, short stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2111-14. Matt dark-brown lacquer
2111-58. Off-white matt lacquer


Sketch



Electrical characteristics

20 x LED STRIP 30V 2,9W

Total 58.0 W



Physical characteristics

2 Box / 0.08 x 0.54 x 1.15 m. / Vol. 0.0936 m³ /
Gross weight 10.7 kg. / Net weight 9.6 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%

Coordinate system : CG

Total flux : 6920.00 lm

Maximum value : 120.17 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)

Light position :

X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2112.

Application

Hanging lamps

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 30 modules of horizontal, short stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2112-14. Matt dark-brown lacquer
2112-58. Off-white matt lacquer

Sketch



Electrical characteristics

30 x LED STRIP 30V 2,9W

Total 87.0 W



Physical characteristics

2 Box / 0.08 x 0.54 x 1.70 m. / Vol. 0.1154 m³ /
Gross weight 13.7 kg. / Net weight 10.5 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%

Coordinate system : CG

Total flux : 10380.00 lm

Maximum value : 120.17 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)

Light position :

X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2113.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 40 modules of horizontal, short stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2113-14. Matt dark-brown lacquer
2113-58. Off-white matt lacquer


Sketch



Electrical characteristics

40 x LED STRIP 30V 2,9W

Total 116.0 W



Physical characteristics

2 Box / 0.08 x 0.54 x 2.26 m. / Vol. 0.1900 m³ /
Gross weight 17.2 kg. / Net weight 13.5 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade


Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%
Coordinate system : CG
Total flux : 13840.00 lm
Maximum value : 120.17 cd/klm
Light position : C=0.00 G=0.00
Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)
Light position :
X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2120.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 10 modules of horizontal, long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2120-14. Matt dark-brown lacquer
2120-58. Off-white matt lacquer


Sketch



Electrical characteristics

10 x LED STRIP 30V 5,8W

Total 58.0 W



Physical characteristics

2 Box / 0.08 x 0.94 x 0.70 m. / Vol. 0.0967 m³ /
Gross weight 10.0 kg. / Net weight 9.0 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade


Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%
Coordinate system : C-G
Total flux : 6920.00 lm
Maximum value : 6920.00 lm
Light position : C=0.00 G=0.00
Symmetry on the planes : Double symmetrical

Isolux : Isolux (suelo)
Light position :
X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2121.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 20 modules of horizontal, long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser

Polycarbonate diffuser


Finish



2121-14.
Matt
dark-brown
lacquer

2121-58.
Off-white matt
lacquer


Sketch



Electrical characteristics

20 x LED STRIP 30V 5,8W

Total 116.0 W



Physical characteristics

2 Box / 0.08 x 0.94 x 1.70 m. / Vol. 0.1664 m³ /
Gross weight 14.7 kg. / Net weight 10.5 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%

Coordinate system : CG

Total flux : 13840.00 lm

Maximum value : 114.85 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)

Light position :

X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2122.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 30 modules of horizontal, long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2122-14. Matt dark-brown lacquer
2122-58. Off-white matt lacquer


Sketch



Electrical characteristics

30 x LED STRIP 30V 5,8W

Total 174.0 W



Physical characteristics

2 Box / 0.08 x 0.94 x 2.26 m. / Vol. 0.2504 m³ /
Gross weight 23.2 kg. / Net weight 20.9 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade


Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%
Coordinate system : CG
Total flux : 20760.00 lm
Maximum value : 118.51 cd/klm
Light position : C=0.00 G=0.00
Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)
Light position :
X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2130.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 10 modules of horizontal, short and long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2130-14. Matt dark-brown lacquer
2130-58. Off-white matt lacquer


Sketch



Electrical characteristics

5 x LED STRIP 30V 2,9W
AND
5 x LED STRIP 30V 5,8W

Total 43.5 W



Physical characteristics

2 Box / 0.08 x 0.94 x 0.70 m. / Vol. 0.5430 m³ /
Gross weight 10.2 kg. / Net weight 8.3 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade


Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.26%
Coordinate system : C-G
Total flux : 5190.00 lm
Maximum value : 119.83 cd/klm
Light position : C=0.00 G=0.00
Symmetry on the planes : Double symmetrical

Isolux : Isolux (suelo)
Light position :
X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2131.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 20 modules of horizontal, short and long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2131-14. Matt dark-brown lacquer
2131-58. Off-white matt lacquer


Sketch



Electrical characteristics

10 x LED STRIP 30V 2,9W
AND
10 x LED STRIP 30V 5,8W

Total 87.0 W



Physical characteristics

2 Box / 0.08 x 0.94 x 1.15 m. / Vol. 0.5430 m³ /
Gross weight 12.7 kg. / Net weight 9.6 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade


Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.59%
Coordinate system : CG
Total flux : 10380.00 lm
Maximum value : 93.48 cd/klm
Light position : C=0.00 G=0.00
Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)
Light position :
X=0.00m Y=0.00m Z=3.00m



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2132.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 30 modules of horizontal, short and long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2132-14. Matt dark-brown lacquer
2132-58. Off-white matt lacquer



Sketch



Electrical characteristics

15 x LED STRIP 30V 2,9W
AND
15 x LED STRIP 30V 5,8W

Total 130.5 W



Physical characteristics

2 Box / 0.08 x 0.94 x 1.70 m. / Vol. 0.2003 m³ /
Gross weight 19.2 kg. / Net weight 17.3 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.




Photometric data

Efficiency : 34.59%
Coordinate system : CG
Total flux : 15570.00 lm
Maximum value : 93.48 cd/klm
Light position : C=0.00 G=0.00

Isolux : Isolux (Floor)
Light position :
X=0.00m Y=0.00m Z=3.00m

Symmetry on the planes : Double symmetrical



Certificates



RHYTHM

Design by Arik Levy.

VIBIA
LIGHT IS CREATION

Reference

2133.

Application

Hanging lamps

Installation type

Surface

Description

RHYTHM is a pendant lamp with a groundbreaking design, allowing infinite configurations thanks to 40 modules of horizontal, short and long stickers. Designed by Arik Levy, it is available in two colours: off white lacquer or matt dark brown.

Diffuser


Polycarbonate diffuser

Finish



2133-14. Matt dark-brown lacquer
2133-58. Off-white matt lacquer


Sketch



Electrical characteristics

20 x LED STRIP 30V 2,9W
AND
20 x LED STRIP 30V 5,8W

Total 174.0 W



Physical characteristics

2 Box / 0.08 x 0.94 x 2.26 m. / Vol. 0.6400 m³ /
Gross weight 21.5 kg. / Net weight 17.7 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting - opaque shade

Lamp for general lighting with an opaque shade and distributing light upwards and/or downwards mainly.



Photometric data

Efficiency : 34.59%

Coordinate system : CG

Total flux : 20760.00 lm

Maximum value : 93.48 cd/klm


Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical

Isolux : Isolux (Floor)

Light position :

X=0.00m Y=0.00m Z=3.00m



Certificates

