

Plusminus solo


6361

Design By Diez Office

VIBIA

Plusminus Solo is easily adjustable rotating it around on itself. Provides a direct accent light and allows for a surface or bolt-down installation.

Model Sheet



Min. quantity, upcharge and extra lead time apply

Finish

42 Blue M1
NCS S 5010-B10G

37 Terra Red
NCS S 4040-Y70R

24 Beige M1
NCS S 2005-Y50R

53 Green M1
NCS S 6005-G80Y

11 Black
NCS S 8500-N

LED

2700 K / 3000 K / 3500 K

Control

CASAMBI / PUSH

Electrical connection Plug-in

Light source

1 x LED 7,9W 450mA



LED

CRI>90 846 lm 107,09
2700 K / 3000 K / 3500 K

Driver

Constant Voltage 100~240 V 50~60
Hz

☐ Dimmable ☒ LED ☒ IP20 ☒ Bi-volt ☒ 50-60Hz

Application

Floor and Table


Packaging

1 Box
0.148 m x 0.161 m x 0.193 m
Gross weight 0.95 kg
Net weight 0.73 kg
Vol. 0.0045 m³



Lighting effect

Accent Spotlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data



Efficiency 52,73 lm/W
Coordinate System CG
Total Flux 443 lm
Maximum Value 5512.18 cd/klm

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina
Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971
Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Plusminus solo


6363

Design By Diez Office

VIBIA

Plusminus Solo is easily adjustable rotating it around on itself. Provides a direct accent light and allows for a surface or bolt-down installation.

Model Sheet



Finish

- 42 Blue M1
NCS S 5010-B10G
- 37 Terra Red
NCS S 4040-Y70R
- 11 Black
NCS S 8500-N
- 24 Beige M1
NCS S 2005-Y50R
- 53 Green M1
NCS S 6005-G80Y

LED

2700 K / 3000 K / 3500 K

Control

PUSH / CASAMBI

Electrical connection

Plug-in

Light source

1 x LED 4,2W 250mA



LED

CRI>90 491 lm 116.9
2700 K / 3000 K / 3500 K

Driver

100~240 V

☐ Dimmable ☐ IP20 ☒ PUSH

Application

Floor and Table


Packaging

1 Box
0.148 m x 0.161 m x 0.193 m
Gross weight 0.95 kg
Net weight 0.73 kg
Vol. 0.0045 m³



Lighting effect

General Flat Diffuser

First layer of basic, general illumination




Photometric Data



Efficiency
Coordinate System
Total Flux
Maximum Value

77.916lm/W
CG
374 lm
335.07 cd/klm



Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Plusminus solo


6365

Design By Diez Office

VIBIA

Plusminus Solo is easily adjustable rotating it around on itself. Provides a diffuse light and allows for a surface or bolt-down installation.

Model Sheet



Min. quantity, upcharge and extra lead time apply

Finish

37 Terra Red
NCS S 4040-Y70R

24 Beige M1
NCS S 2005-Y50R

42 Blue M1
NCS S 5010-B10G

11 Black
NCS S 8500-N

53 Green M1
NCS S 6005-G80Y

LED

2700 K / 3000 K / 3500 K

Control

PUSH / CASAMBI

Electrical connection

Plug-in

Light source

1 x LED 7,9W 450mA



LED

CRI>90 846 lm 107,09
2700 K / 3000 K / 3500 K

Driver

Constant Voltage 100~240 V 50~60
Hz

☐ Dimmable ☒ LED IP20 50-60Hz ☒ PUSH

Application

Floor and Table

Packaging

1 Box
0.26 m x 0.26 m x 0.26 m
Gross weight 1.75 kg
Net weight 1.25 kg
Vol. 0.0175 m³



Lighting effect

General Flat Diffuser

First layer of basic, general illumination



Photometric Data



Efficiency 41.66 lm/W
Coordinate System CG
Total Flux 363.72 lm
Maximum Value 132.99 cd

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com
vibia.com

Plusminus solo


6370

Design By Diez Office

VIBIA

Plusminus Solo is easily adjustable rotating it around on itself. Provides a diffuse light and allows for a surface or bolt-down installation.

Model Sheet



Finish

53 Green M1
NCS S 6005-G80Y

37 Terra Red
NCS S 4040-Y70R

42 Blue M1
NCS S 5010-B10G

24 Beige M1
NCS S 2005-Y50R

11 Black
NCS S 8500-N

LED

2700 K / 3000 K / 3500 K

Control

PUSH / CASAMBI

Electrical connection

Plug-in

Light source

1 x LED 16W 850mA



LED

CRI>90 1492 lm 93.25
2700 K / 3000 K / 3500 K

Driver

Constant Voltage 850 mA 100~240
V 50~60 Hz

☐ Dimmable ☒ LED IP20 50-60Hz ☒ PUSH

Application

Floor and Table

Packaging

1 Box
0.364 m x 0.364 m x 0.364 m
Gross weight 3.21 kg
Net weight 2.71 kg
Vol. 0.0482 m³



Lighting effect

General Flat Diffuser

First layer of basic, general illumination



Photometric Data



Efficiency 38.28 lm/W
Coordinate System CG
Total Flux 657.83 lm
Maximum Value 242.73 cd

Min. quantity, upcharge and extra lead time apply

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina

Progrés 4-6, 08850 Gavà, Barcelona, Spain.

International T +34 934 796 971

Spain / Portugal T +34 934 796 970

customer.service@vibia.com

vibia.com