

# Calipso Linear stand alone 120 Suspension - APP Compatible




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## DESCRIPTION

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0223010APP	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 121
Width:	cm 7.9
Height:	cm 7.2
Max Height from ceiling:	cm 200

## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	39W	Efficacy:	123lm/W
Delivered lumens output (lm):	4800lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	46W	Delivered lumens output (lm):	2640lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 180 Suspension - APP Compatible




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## DESCRIPTION

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0224010APP	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 178.5
Width:	cm 7.9
Height:	cm 7.2
Max Height from ceiling:	cm 200

## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	58,3W	Efficacy:	123lm/W
Delivered lumens output (lm):	7200lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	69W	Delivered lumens output (lm):	3960lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 120 Suspension




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0223010A	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 121
Width:	cm 7.9
Height:	cm 7.2
Max Height from ceiling:	cm 200

## INCLUDED SOURCES


Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	39W	Efficacy:	123lm/W
Delivered lumens output (lm):	4800lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	46W	Delivered lumens output (lm):	2640lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 180 Suspension




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0224010A	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 178.5
Width:	cm 7.9
Height:	cm 7.2
Max Height from ceiling:	cm 200


## INCLUDED SOURCES


Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	58,3W	Efficacy:	123lm/W
Delivered lumens output (lm):	7200lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	69W	Delivered lumens output (lm):	3960lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 120 Ceiling - APP Compatible




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## DESCRIPTION

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0220010APP	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 121
Width:	cm 7.9
Height:	cm 7.2


## INCLUDED SOURCES


Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	39W	Efficacy:	123lm/W
Delivered lumens output (lm):	4800lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	46W	Delivered lumens output (lm):	2640lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 180 Ceiling - APP Compatible




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## DESCRIPTION

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0221010APP	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 178.5
Width:	cm 7.9
Height:	cm 7.2


## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	58,3W	Efficacy:	123lm/W
Delivered lumens output (lm):	7200lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	69W	Delivered lumens output (lm):	3960lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 120 Ceiling




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0220010A	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 121
Width:	cm 7.9
Height:	cm 7.2


## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	39W	Efficacy:	123lm/W
Delivered lumens output (lm):	4800lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	46W	Delivered lumens output (lm):	2640lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push

# Calipso Linear stand alone 180 Ceiling




IP20   Dimmerable: 

## DESIGN BY

Neil Poulton

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	0221010A	Material:	Technopolymer, aluminium
Colour:	White	Series:	Design
Installation:	Ceiling, Suspension		
Environment:	Indoor		

## DIMENSIONS

Length:	cm 178.5
Width:	cm 7.9
Height:	cm 7.2

## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	58,3W	Efficacy:	123lm/W
Delivered lumens output (lm):	7200lm	Service Life:	50000-L70
Type:	0		
Class:	A		

## LUMINAIRE

Watt:	69W	Delivered lumens output (lm):	3960lm
		CCT:	3000K
		Efficiency:	55%
		Efficacy:	57lm/W
		CRI:	90
		Dimmable Typology:	Push