
# Dioscuri wall/ceiling 14 (E14)

## Michele De Lucchi



**IP**44 □ **《《((** • Dimmerable: +**①**-



### LUMINAIRE

- Watt: **5W** 

- Voltage: **220V-240V** 

- Delivered lumens output: 353lm

- Efficiency: 75%

- Efficacy: 70.58lm/W

- CRI: **80** 

#### Notes

### DESCRIPTION

The simple geometric shape of the spherical diffuser makes this an iconic product and ensures uniform diffusion of light through the acid-etched blown glass. The 25, 35 and 42 cm versions are also suitable for outdoor use.

PRODUCT CODE: 1039110A

### **FEATURES**

- Article Code: **1039110A** 

- Colour: White

- Installation: WallCeiling

Material: Technopolymer lamp body, blown

frosted glass diffuser with acid-etching treatment.

- Series: Design Collection, Architectural Outdoor

- Area contract: Hospitality, null, Residential

- Emission: **Diffused** 

- design by: Michele De Lucchi

#### **DIMENSIONS**

Height: cm 13.2Diameter: cm 14

### **SOURCES NOT INCLUDED**


- Category: **LED RETROFIT** 



# Dioscuri wall/ceiling 25

# Michele De Lucchi





## LUMINAIRE

- Watt: **13W** 

- Voltage: **220V-240V** 

- Delivered lumens output: 1356lm

- Efficiency: 89%

- Efficacy: **104.28lm/W** 

- CRI: **80** 

#### Notes

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

### DESCRIPTION

The simple geometric shape of the spherical diffuser makes this an iconic product and ensures uniform diffusion of light through the acid-etched blown glass. The 25, 35 and 42 cm versions are also suitable for outdoor use.

### PRODUCT CODE: 0112010A

### **FEATURES**

- Article Code: **0112010A** 

- Colour: White

- Installation: WallCeiling

Material: Technopolymer lamp body, blown

frosted glass diffuser with acid-etching treatment.

- Series: Design Collection, Architectural Outdoor

- Area contract: Hospitality, null, Residential

- Emission: Diffused

- design by: Michele De Lucchi

#### **DIMENSIONS**

- Height: cm 23

- Diameter: cm 25

Impact Resistance: N.D.Glow Wire Test: 850°

### **SOURCES NOT INCLUDED**

- Category: **LED RETROFIT** 




# Dioscuri wall/ceiling 35

# Michele De Lucchi



# IP65 ☐ **《 [] ((())** Dimmerable: +**0**-



## LUMINAIRE

- Watt: 21W

- Voltage: **220V-240V** 

- Delivered lumens output: 2186lm

- CCT: **2700K**- Efficiency: **89%** 

- Efficacy: 104.07lm/W

- CRI: 80

### Notes

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

### DESCRIPTION

Materials: Thermoplastic resin ceiling support; acid-etched blown glass diffuser. IP65 rating makes it suitable also for outdoor use. (Only for 25, 35, 42 versions).

### PRODUCT CODE: 0116010A

### **FEATURES**

- Article Code: **0116010A** 

- Colour: White

- Installation: CeilingWall

- Material: Blown glass, polycarbonate

- Series: Design Collection, Architectural Outdoor

- Area contract: Hospitality, null, Residential

- Emission: **Diffused** 

- design by: Michele De Lucchi

### **DIMENSIONS**

Height: cm 34Diameter: cm 35

Impact Resistance: N.D.Glow Wire Test: 850°

### **SOURCES NOT INCLUDED**

- Category: **LED RETROFIT** 




# Dioscuri wall/ceiling 42

# Michele De Lucchi



# IP65 ☐ **《 [] ((())** Dimmerable: +**0**-



### LUMINAIRE

- Watt: 21W

- Voltage: 220V-240V

- Delivered lumens output: 2186lm

- CCT: **2700K**- Efficiency: **89%** 

- Efficacy: 104.07lm/W

- CRI: 80

### Notes

Lamp not included. The IP 65 degree of protection makes it also suitable for outdoor application.

### **DESCRIPTION**

Materials: Thermoplastic resin ceiling support; acid-etched blown glass diffuser. IP65 rating makes it suitable also for outdoor use. (Only for 25, 35, 42 versions).

PRODUCT CODE: 0117010A

### **FEATURES**

- Article Code: **0117010A** 

- Colour: White

- Installation: CeilingWall

- Material: Blown glass, polycarbonate

- Series: Design Collection, Architectural Outdoor

- Area contract: Hospitality, null, Residential

- Emission: **Diffused** 

- design by: Michele De Lucchi

### **DIMENSIONS**

Height: cm 42Diameter: cm 42

- Impact Resistance: N.D.

- Glow Wire Test: 850°

### **SOURCES NOT INCLUDED**

- Category: **LED RETROFIT** 

