

Date

Name

Client

Project Name



Quote#


Type/Quantity

LOGIC W L

304 32 01 83

[Weblink](#)




Cutout shape/size:	 BOX mm
Recessed depth:	110-135 mm
Available colors:	ALU GREY (304 32 01 83 A) WHITE (304 32 01 83 W) DARK GREY (304 32 01 83 N)
INCL.GLASS SBL INCL.LED CLUSTER 9,5W / CRI>80 / 3000K / 1270lm INCL.LED POWER SUPPLY 350mA-DC INCL.1 x PG11	
LED Technics:	Light source: 1270 lm // 9 W // 134 lm/W Luminaire: 116 lm // 11 W // 11 lm/W
220-240V / 50-60Hz	
Class:	I
Weight:	1 KG
Protection level:	IP65
Minimum distance:	n.a.
Requirements:	CONCRETE BOX 191 CONCRETE PACK LOGIC W L

For detailed installation instructions, please consult the manual. [304 32 01 XX V03 HAND.pdf](#)

LOGIC W L
304 32 01 83

Related references
CONCRETE BOXES


[Weblink / Specsheet](#)



CONCRETE BOX 191
270 11 191

Related references
CONCRETE PACKS

[Weblink / Specsheet](#)



CONCRETE PACK LOGIC W
L
304 32 96

LOGIC W L
304 32 01 83

Related project picture of product family:

