

Date

Name

Client

Project Name

Quote#



Type/Quantity

Specification Sheet

MONTUR L P 45 LED

232 659 83

[Weblink](#)



Available colors: ALU GREY (232 659 83 A)
BLACK (232 659 83 B)

INCL.LED CLUSTER 13,3W / CRI>80 / 3000K / 1250lm
INCL.DIMMABLE LED POWER SUPPLY 350mA-DC
MAINS DIMMING - TRAILING EDGE

LED Technics: Light source: 1250 lm // 13 W // 94 lm/W
Luminaire: 771 lm // 15 W // 50 lm/W

110-240V / 50-60Hz

Class: II

Weight: 1.6 KG

Protection level: IP54

Minimum distance: n.a.

Options: PLATE 3
CBOX
IP68 CONNECTION KIT
IP68 CONNECTOR 3P

For detailed installation instructions, please consult the manual. [232 659 XX HAND.pdf](#)


MONTUR L P 45 LED

232 659 83

Related references


WATERPROOF CONNECTION PARTS

[Weblink / Specsheet](#)




CBOX
216 12 00

[Weblink / Specsheet](#)



IP68 CONNECTION KIT
216 12 01

[Weblink / Specsheet](#)



IP68 CONNECTOR 3P
216 12 02

Related references

PINS AND PLATES FOR BOLLARDS

[Weblink / Specsheet](#)




PLATE 3
229 02 03

MONTUR L P 45 LED
232 659 83

Project picture

