





TARO ROUND ADJUSTABLE (1240015)



TARO ROUND FIXED (1240013)

MW

DOWNLIGHTS

TARO

ROUND FIXED


	LAMP	WATT	IP	CLASS	Ø	✓	✓
MW 1240013 (5639)	GU10 LED ▼	6W max	20	⊕	Ø79	✓	-
MW 1240024 (5672)	GU10 LED ▼	6W max	20	⊕	Ø86	✓	✓

ROUND ADJUSTABLE

	LAMP	WATT	IP	CLASS	Ø	✓	✓
MW 1240015 (5641)	GU10 LED ▼	6W max	20	⊕	Ø79	✓	-
MW 1240028 (5676)	GU10 LED ▼	6W max	20	⊕	Ø86	✓	✓




1240013



1240024



1240015



1240028

Our fire rated downlights comply with all the latest building regulations; Part B - Fire Safety. The downlights have been tested to provide a minimum of 90 minutes fire protection (BS 476: part 21).

▼ LAMP/INPUT SOURCE EXCLUDED, SEE PAGE 634. / La lampe/ source d'entrée exclu, voir page 634. / La lampadina/input esclusi a pagina 634 / Das Leuchtmittel ist ausgeschlossen. Sie auf Seite 634.

TARO ADJ FIRE RESISTANT 5675

SKU 1240027

astro



PRODUCT SPECIFICATION

GENERAL

FINISH:	Brushed Aluminium	CABLE LENGTH:	Not Applicable
MAIN MATERIAL:	Metal - Mild Steel	GROSS WEIGHT:	0.48 (kg)
DIMENSIONS:	D:147mm DIA:100mm	CLASS:	CE (Class I)
INSTALLATION ORIENTATION:	Ceiling Mount	IP RATING:	IP20
CUT OUT HOLE:	86mm/3-3/8"	BATHROOM ZONE:	Zone 3
RECESS DEPTH:	167mm/6.58"	VOLTAGE:	Mains 230 (V)
FIRE RATING:	90 min	PRODUCT F MARK:	Not suitable for mounting on flammable materials. Not suitable for covering with thermal insulation.


LAMP

LIGHT SOURCE:	GU10	MACADAM ELIPSE:	Not Applicable
MAXIMUM WATTAGE:	50W Max	UGR:	Not Applicable
MAXIMUM LAMP LENGTH:	57mm/2.24"	BEAM ANGLE:	Lamp Dependant
LAMP INCLUDED?	No	TILT ADJUSTMENT ANGLE:	35 (Degrees)
LUMINOUS FLUX:	Lamp Dependant	ROTATION ADJUSTMENT ANGLE:	360 (Degrees)
COLOUR TEMP:	Lamp Dependant	AVERAGE LIFESPAN:	Lamp Dependant
CRI:	Lamp Dependant	L70:	Not Applicable
R9:	Lamp Dependant		

ELECTRICAL


SWITCHED:	No	SUPPLY FREQUENCY:	Not Applicable
DIMMABLE:	Yes	DRIVER / BALLAST VOLTAGE:	Not Applicable
DIMMING METHOD:	Lamp Dependant	DRIVER AVERAGE LIFESPAN:	Not Applicable
DRIVER OUTPUT CURRENT:	Not Applicable	EFFICACY:	Lamp Dependant
DRIVER OUTPUT VOLTAGE:	Not Applicable	DRIVER / BALLAST INCLUDED?	Not Applicable

ADDITIONAL INFORMATION



BOX QUANTITY X24






PRODUCT ELEVATIONS





I x 50w GU10		excl.
-----------------	--	-------

Zone	3
------	----------



Astro Lighting Ltd.
G2 River Way, Harlow
CM20 2DP, Great Britain

T: +44 (0) 1279 427001
F: +44 (0) 1279 427002
sales@astrolighting.co.uk
www.astrolighting.co.uk

Data Sheet Key



Class 1	Classe 1	Schutzklasse 1	Classe 1
Class 2	Classe 2	Schutzklasse 2	Classe 2
Class 3	Classe 3	Schutzklasse 3	Classe 3
Luminaire suitable for direct mounting on normally flammable surfaces	Apparecchio di illuminazione per installazione diretta su superfici infiammabili	Leuchte verwendbar für direkte Montage auf normalerweise feuergefährlichen Oberflächen	Luminaire montage sur surface en matériau inflammable autorisé
No protection against water ingress	Nessuna protezione contro l'immersione in acqua	Kein Schutz vor eindringendem Wasser	Pas de protection contre la pénétration d'eau
Splash-proof	Antispruzzo	Spritzwasser-geschützt	Résistant aux éclaboussures
Jet-proof	Antigetto	Strahlwasser-geschützt	Résistant aux jets d'eau
Weight of product in box	Poids du produit emballé	Gewicht der Ware im Karton	Peso di prodotto in scatola
Dimmable	Dimmerabile	Dimmbar	Dimmable
Touch dimmer	Touch dimmer	Touch dimmer	Touch dimmer
Glass component	Component in vetro	Glas	Verre
With on/off switch or pull cord	Con interruttore on/off o a tirante	mit An Ausschalter oder Zugband	avec interrupter on/off ou tirette
Cut out size	foro di incasso	Ausschnittsmaß	Dimensions d'encastrement
Magnification	Ingrandimento	Vergrößerung	Grossissement
Fire-rated	Ignifugo	schwer entflammbar	résistant au feu
Aluminium	Alluminio	Aluminium	Aluminium
Ceramic	Ceramica	Crete	Céramique
Fabric	Tissu	Stoff	Tessuto
Glass	Vetro	Glas	Verre
Plaster	Gesso	Gips	Plâtre
Plastic	Plastique	Kunststoff	Plastica
Stainless steel	Acciaio inox	Edelstahl	Acier Inoxydable
Steel	Acier	Stahl	Acciao
Wood	Bois	Holz	Legno
Zinc	Zinc	Zink	Zinco
Quantity of products per shipping box	Colisage	Anzahl der Produkte pro Versandeinheit	Quantità di prodotti per scatola di spedizione

Anodised Aluminium	Alluminio Anodizzato	Anodisiertes Aluminium	Aluminium Anodisé
Antique Brass	Ottone Antico	Messing Antik	Laiton Antique
Brushed Aluminium	Alluminio Spazzolato	Aluminium Gebürstet	Aluminium Brossé
Black	Nero	Schwarz	Noir
Brushed Nickel	Nickel Spazzolato	Nickel Gebürstet	Nickel Brossé
Bronze	Bronzo	Bronze	Bronze
Brushed Stainless Steel	Acciaio Inox Spazzolato-cerámica	Rostfreier Edelstahl, Gebürstet	Acier Inoxydable Brossé
Ceramic	Ceramica	Keramik	Céramique
Clear Glass	Vetro Transparente	Klares Glas	Verre Claire
Frosted	Smerigliato	Matt	Verre Satiné
Matt Brass	Ottone Opaco	Messing Matt	Laiton Mat
Mirror	Specchio	Spiegel	Miroir
Matt Nickel	Nickel Opaco	Nickel Matt	Nickel Mat
Natural Brass	Ottone Naturale	Messing Natur	Laiton Naturel
Oak Finish	Acabado Roble	Eichenfinish	Finition Chêne
Oyster	Madreperlato	Oyster	Oyster
Plaster	Gesso	Gips	Plâtre
Polished Aluminium	Alluminio Brillante	Aluminium Poliert	Aluminium Poli
Polished Chrome	Cromo Brillante	Chrom Poliert	Chrome Poli
Polished Nickel	Nickel Brillante	Nickel Poliert	Nickel Poli
Painted Silver	Argento Verniciato	Silber Lackiert	Peinture Argent
PVC	PVC	PVC	PVC
Satin Chrome	Cromo Satinato	Chrom Satiniert	Chrome Satiné
Stainless Steel	Acciaio Inox	Edestahl	Acier Inoxydable
Walnut	Noce	Walnussfinish	Finition Noyer
White	Bianco	Weiß	Blanc
White Glass	Vetro Blanco	Weißer Glas	Verre Blanc