



## Wirering White

by Formafantasma , 2018



Indirect light wall lighting device with body in calendered, extruded aluminium with galvanised or varnished finish. The special tangent cable, in coloured rubber, provides the power. The cable is fixed to the wall with ABS joints in the same finish as the ring. Dimming via switch pedal on the cable. Power supply on adapter with interchangeable plugs. Useful cable length is 2.5 metres.



Mounting	Wall
Environment	Indoor
Weight	(ring 0,235kg + cable 0,710kg) = 0,945 Kg
Light sources available	x 180 LED 16W 2700K 1300lm CRI90 [i] DIMMER
Emergency	Without
Switching	no
Power	16W
Battery	No
Supply included	Yes

Cord Length	2,5m mm
Materials	Aluminum


Colors	<input type="radio"/> F9512009 - White cable/White ring <input type="radio"/> F9512044 - White cable/Gold ring <input type="radio"/> F9512020 - White cable/Grey ring <input type="radio"/> F9512034 - White cable/Pink ring <input type="radio"/> F9512030 - White cable/Black ring
--------	--

### Certificate





## Wirering Pink

by Formafantasma , 2018



Indirect light wall lighting device with body in calendered, extruded aluminium with galvanised or varnished finish. The special tangent cable, in coloured rubber, provides the power. The cable is fixed to the wall with ABS joints in the same finish as the ring. Dimming via switch pedal on the cable. Power supply on adapter with interchangeable plugs. Useful cable length is 2.5 metres.



Mounting	Wall
Environment	Indoor
Weight	(ring 0,235kg + cable 0,710kg) = 0,945 Kg
Light sources available	x 180 LED 16W 2700K 1300lm CRI90 [i] DIMMER
Emergency	Without
Switching	no
Power	16W
Battery	No
Supply included	Yes

Cord Length	2,5m mm
Materials	Aluminum

Colors	<div>○ F9514009 - Pink cable/White ring</div> <div>● F9514020 - Plnk cable/Grey ring</div> <div>● F9514030 - Pink cable/Black ring</div> <div>● F9514034 - Pink cable/Pink ring</div> <div>● F9514044 - Pink cable/Gold ring</div>
--------	--

Certificate



# Wirering Grey

by Formafantasma , 2018



Indirect light wall lighting device with body in calendered, extruded aluminium with galvanised or varnished finish. The special tangent cable, in coloured rubber, provides the power. The cable is fixed to the wall with ABS joints in the same finish as the ring. Dimming via switch pedal on the cable. Power supply on adapter with interchangeable plugs. Useful cable length is 2.5 metres.



Mounting	Wall
Environment	Indoor
Weight	(ring 0,235kg + cable 0,710kg) = 0,945 Kg
Light sources available	x 180 LED 16W 2700K 1300lm CRI90 [i] DIMMER
Emergency	Without
Switching	no
Power	16W
Battery	No
Supply included	Yes

Cord Length	2,5m mm
Materials	Aluminum

Colors

- 9513009 - Grey cable/White ring
- 9513020 - Grey cable/Grey ring
- 9513030 - Grey cable/Black ring
- F9513034 - Grey cable/Pink ring
- 9513044 - Grey cable/Gold ring

Certificate    

